



Canale pentru cabluri și accesorii

lider. Canalele pentru cabluri de la Univolt® reprezintă soluția ideală pentru o gamă largă de instalații moderne și pentru protejarea perfectă a cablurilor de transfer de date și de energie.

stabil. Atât sistemul de închidere, cât și construcția transversală oferă canalelor pentru cabluri de la Univolt® o stabilitate extraordinară. Datorită separării complete a capacului de partea principală a canalului, orice defecțiune este foarte ușor de remediat.

clar. Sistemul de introducere a accesoriilor pentru maxi-canale este nu numai funcțional, ci și estetic, oferind întregii instalații o formă bine definită.

Trunking Systems and Accessories

leading. Univolt® trunking systems are an ideal solution for numerous modern commercial applications and provide perfect protection for the latest technology in data and energy transfer.

solid. The special clip-on system of the lid as well as the design of the cross section give the trunkings extraordinary stability. With a complete separation of the covering parts from the main trunking bodies it becomes very easy to exchange damaged sections.

clear. The plug-in system of maxi trunking accessories is not only functional, but optically appealing, giving the whole installation a clear and smooth shape.

Canale de cablu Univolt®

Mini-canal: ghidaj cabluri pentru toate tipurile de instalații

Maxi-canal: organizare și distribuire cabluri într-o combinație optimă

Canal Starline®: rețea, distribuția cablurilor de comandă și de alimentare cu energie într-un sistem.

Canal aluminiu: canal deschis clasic pentru utilizări multiple.

Univolt® Trunking Systems

Mini Trunking: cable routing for all types of installations

Maxi Trunking: cable management and power distribution in an optimised combination

Starline® Trunking: networks, safety control and energy supply in one system

Aluminium Trunking: classical dado trunking with versatile applicability



Accesorii

Accessories

element T în plan

adaptor canal;
alb (RAL 9010)

doză de ramificație;
alb (RAL 9010)

doză de aparat, standard DIN
(german); alb (RAL 9010)

side tee

trunking adaptor;
white (RAL 9010)

distribution box;
white (RAL 9010)

outlet box for DIN switches
and sockets; white (RAL 9010)



simplică, cu cadru pentru
montarea aparatelor

single gang, with
mounting frame

	dim			85x85x25mm	85x85x32mm 85x85x40mm*	
16x16mm	art	MIK/MIKA 16/16		SKE 16/16	MAD 85/25	MSD 85/32, *MSD 85/40
	ps			50	10	-
	pl			1000	120	95, *70
	ref			004 986	004 767	004 769, *033 967
16x25mm	art	MIK/MIKA 16/25	SA 16/25-16/25**	SKE 16/25	MAD 85/25	MSD 85/32, *MSD 85/40
	ps			50	10	-
	pl			1000	120	95, *70
	ref			004 984	004 987	004 769, *033 967

** also available: SA 16/25-16/16 (004 985)

doze înglobate pentru aparate conform standardului britanic 4662;
alb (RAL 9010), dom de fixare cu piese de alamă M 3,5mm

capac doză; alb (RAL 9010)

outlet boxes for switches and sockets acc. to British Standard BS 4662; white (RAL 9010), lugs with brass inserts M 3.5mm

box lid; white (RAL 9010)



simple, cu trei sau patru intrări
pentru canal

duble, cu o intrare sau două
pentru canal

simplicu

dublu

single gang, with three or four
trunking entries

twin gang, with one or three
trunking entries

single gang

twin gang

85x85x25mm

147x87x32mm

85x85mm

147x87mm

MAK 85/85x25

MAK 85/150x32

SBL 1

SBL 2 MAK/D

-

-

-

-

125

50

20

20

041 361

041 353

009 335

004 775

MAK 85/85x25

MAK 85/150x32

SBL 1

SBL 2 MAK/D

-

-

-

-

125

50

20

20

041 361

041 353

009 335

004 775