

NEVE UP


Glossy technopolymer









White (Total Look)



Ivory



Cover plates: guideline

3-blank-module	4-module	7-module	2+2-module (between centres 71 mm)	2+2+2-module (between centres 71 mm)	2+2+2+2-module (between centres 71 mm)
					
09670.01	09674.01	09677.01	09664.01	09666.01	09668.01
09670.02	09674.02	09677.02	09664.02	09666.02	09668.02
09670.03	09674.03	09677.03	09664.03	09666.03	09668.03
09670.04	09674.04	09677.04	09664.04	09666.04	09668.04
09670.11	09674.11	09677.11	09664.11	09666.11	09668.11
09670.12	09674.12	09677.12	09664.12	09666.12	09668.12
09670.13	09674.13	09677.13	09664.13	09666.13	09668.13
09670.14	09674.14	09677.14	09664.14	09666.14	09668.14
09670.21	09674.21	09677.21	09664.21	09666.21	09668.21
09670.22	09674.22	09677.22	09664.22	09666.22	09668.22
09670.23	09674.23	09677.23	09664.23	09666.23	09668.23
09670.24	09674.24	09677.24	09664.24	09666.24	09668.24

Types of mounting

Module	Box	Frame	Cover plate*
3	 <p>4x2" mounting box</p>	 <p>09613 3-module</p>	 <p>09673... 3-module. Dimensions: 120x86x8,5 mm</p>
	 <p>V71303 For masonry GW 650 °C, light blue V71303.AU GW 960 °C, black</p>  <p>V71703 For hollow walls, GW 850 °C, light blue</p>	 <p>09623 3-module, to use for installation of Plana devices</p>	 <p>09670... Blank module. Dimensions: 120x86x9,8 mm</p>
4	 <p>V71304 For masonry GW 650 °C, light blue V71304.AU GW 960 °C, black</p>  <p>V71704 For hollow walls, GW 850 °C, light blue</p>	 <p>09614 4-module</p>	 <p>09674... 4-module. Dimensions: 142,4x86x8,4 mm</p>
7	 <p>V71306 For masonry GW 650 °C, light blue V71306.AU GW 960 °C, black</p>  <p>V71706 For hollow walls, GW 850 °C, light blue</p>	 <p>09617 7-module</p>	 <p>09677... 7-module. Dimensions: 210x86x8,4 mm</p>

* Cover plates range, page 52