

4.7

## Wiring accessories

- PROTECTA Series  
IP66 weatherproof switches & sockets
- UNIBOX Series [+EVOLUTION]  
Enclosures for wiring accessories
- EVOLUTION Series  
Plates and devices





■ Surface mounting - IP66

PROTECTA Series

137.



Description	Dimension	Surface mounting box	
SURFACE MOUNTING BOX	M115(115x115mm)	<b>137.103</b>	1/12
	M195(195x115mm)		<b>137.104</b> 1/12
	M95(95x95mm)	<b>137.101</b>	1/12
	M95x2(195x95mm)	<b>137.102</b>	1/12

■ Flush mounting - IP66 >> Control devices

PROTECTA Series

137.



Description	Version	Current	Dimension	1 GANG	2 GANG
REVERSING SWITCH		10AX		<b>137.3111</b>	1/12
		20AX		<b>137.3112</b>	1/12
DP SWITCH		20A		<b>137.3462</b>	1/12
SP BELL PUSH SWITCH "BELL"		10A		<b>137.3311B</b>	1/12
SP BELL PUSH SWITCH "PRESS"		10A		<b>137.3311P</b>	1/12
	WITH NEON	20A	M95(95x95mm)	<b>137.3312P</b>	1/12
SP ONE WAY SWITCH		10AX		<b>137.3011</b>	1/12
		20AX		<b>137.3012</b>	1/12
SP TWO WAY SWITCH		10AX		<b>137.3211</b>	1/12
		20AX		<b>137.3212</b>	1/12
PUSH BUTTON SINGLE POLE 2 GANG		10A			<b>137.3222</b> 1/12
					<b>137.3321</b> 1/12

- Flush mounting: box not included.

4.7

