

PHASE INVERTERS

- IEC 60309-1/2, EN 60309, VDE 0623
- Protection degree IP44/ IP67

Phase Inverter as Plug Quick-Connect with Multi-Grip

- Screwless terminals
- Screwless enclosure connection, self locking
- Special gland, simultaneous cable gland and seal
- Protection degree IP44

Dimension drawing: see page 78/1 (2 MB 99)



Fig.: Type 225

Ampere	Poles	230V 50-60 Hz			400V 50-60 Hz			Qty	each
		3pol 6h	4pol 9h	5pol 9h	3pol 9h	4pol 6h	5pol 6h		
16	4	22052			22053		10	135	
16	5	224			225		10	160	
32	4	22054			22055		10	250	
32	5	226			227		10	260	

Phase Inverter as Plug TE with Multi-Grip

- Screw terminals
- Special gland, simultaneous cable gland and seal
- High-temperature-resistant contact carrier
- Nickel plated contacts
- Protection degree IP44

Dimension drawing: see page 78/2 (2 MB 93)



Fig.: Type 2271

Ampere	Poles	230V 50-60 Hz			400V 50-60 Hz			Qty	each
		3pol 6h	4pol 9h	5pol 9h	3pol 9h	4pol 6h	5pol 6h		
16	5	2286			2271		10	195	
32	5	2287			2288		10	300	

Phase Inverter as Plug TE with Multi-Grip

- Screw terminals
- Special gland, simultaneous cable gland and seal
- High-temperature-resistant contact carrier
- Nickel plated contacts
- Protection degree IP67

Accessories: closure cap, see page 102/3

Dimension drawing: see page 79/1 (2 MB 94)



Fig.: Type 2251

Ampere	Poles	230V 50-60 Hz			400V 50-60 Hz			Qty	each
		3pol 6h	4pol 9h	5pol 9h	3pol 9h	4pol 6h	5pol 6h		
16	5	2266			2251		10	230	
32	5	2267			2252		10	360	

Phase Inverter as Surface Mounting Appliance Inlet

- Screw terminals
- High-temperature-resistant contact carrier
- Nickel plated contacts
- Protection degree IP44

Dimension drawing: see page 82/1 (5 MB 45)



Fig.: Type 24211

Ampere	Poles	230V 50-60 Hz			400V 50-60 Hz			Qty	each
		3pol 6h	4pol 9h	5pol 9h	3pol 9h	4pol 6h	5pol 6h		
16	5	24208			24209		10	320	
32	5	24210			24211		10	380	

Phase Inverter as Panel Mounting Appliance Inlet

- Screw terminals
- Nickel plated contacts
- Protection degree IP44

Dimension drawing: see page 87/1 (5 MB 92)



Fig.: Type 2602

Ampere	Poles	230V 50-60 Hz			400V 50-60 Hz			Qty	each
		3pol 6h	4pol 9h	5pol 9h	3pol 9h	4pol 6h	5pol 6h		
16	5	26008			2602		10	185	
32	5	2652			2603		10	250	

Phase Inverter as Panel Mounting Appliance Inlet

- Screw terminals
- With hinged lid
- Nickel plated contacts
- Protection degree IP44

Dimension drawing: see page 87/2 (5 MB 93)



Fig.: Type 26020

Ampere	Poles	230V 50-60 Hz			400V 50-60 Hz			Qty	each
		3pol 6h	4pol 9h	5pol 9h	3pol 9h	4pol 6h	5pol 6h		
16	5				26020		10	270	
32	5				2674		10	345	