


Vision ^{new}

Extruded aluminum profile with anodized and powder coated surface, available in black and white finishes, satin PMMA diffuser. Different lengths bars are available for both the TRIM version, for recessed installation in plasterboard panels or ceilings, and for the TRIMLESS version, for wall and ceiling installation. A kit for suspended installation is available. The linear profiles are available in lengths of 2000 and 3000 mm. They can be assembled according to the desired design and can be sectioned to size. LED strips and drivers must be added to complete the installation: power light sources available with color temperatures of 3000 K and 4000 K, CRI ≥ 90 and IP20 protection index. Highly flexible system, suitable for general lighting in COMMERCIAL environments and in sales areas in the RETAIL sector.





Model	Trim / Trimless
Length	2000 / 3000 mm
Material	Aluminum



Vision Trimless



PROFILE Mounting kit included

Length	Weight	Volume	Finish		Code	€
2000 mm	1,40 Kg	0,0032 m ³	White		270524	50 <i>new</i>
	1,40 Kg	0,0032 m ³	Black		270517	50 <i>new</i>
3000 mm	2,10 Kg	0,0048 m ³	White		270548	70 <i>new</i>
	2,10 Kg	0,0048 m ³	Black		270531	70 <i>new</i>



SUSPENSION KIT

Included	Required	N° Cables	Cables Length	Code	€
No	No - 1Kitx2000 mm	2	3000 mm	270449	6 <i>new</i>
No	No - 1Kitx2000 mm	2	5000 mm	270456	8 <i>new</i>



STRUCTURE CONNECTOR

No	No			270463	3 <i>new</i>
----	----	--	--	--------	--------------

STRIP LED AND DRIVER Not included/Required - Page 816

Recommended Strip LED max 39 W/m

