



Pioneering technology in timeless design.

High-frequency indoor sensor-switched lights with E27 socket.

STEINEL Professional indoor lights with E27 socket are a welcome sight wherever they are. In stairwells, corridors or bathrooms, either on the wall or the ceiling. Because their design is timelessly elegant, with the shade in hand-blown opal glass giving a look of quality. Behind it and invisible to the eye is sophisticated high-frequency sensor technology for a high level of convenience and electricity bills that stay low in the home, commercial premises, administration centres or other buildings.

RS 10 L

The classic light.

With technology in a class of its own.

Classic half-globe design in plain opal glass. Behind it technology in a class of its own: high-frequency sensor with infinitely variable reach. These lights can be interconnected and also combined with a bathroom or WC extractor fan. There's hardly any way round it.

max. 75W
E27



high frequency
sensor 360°



Ø 1-8m



2-2000 lux



5sec-15min



networkable
via cable



IP 44





energy
saving

**5 JAHRE
GARANTIE**


manufacturer's
warranty



EAN RS 10 L 4007841 730512
 Dimensions (HxWxD) Ø 280 x 110 mm
 Power supply 230-240 V, 50 Hz
 Sensor type High frequency
 Transmitter power approx. 1 mW
 HF system 5.8 GHz (responds to the smallest of movements
 regardless of temperature)
 Output max. 75 W / E27
 Additional switching capacity at L:
 (resistive load, e.g. bathroom / WC extractor fan max. 800 VA
 Angle of coverage 360° with 160° angle of aperture
 Detection also through glass, wood and stud walls
 Reach Ø 1-8 m, infinitely variable,
 can be limited in 4 directions
 Max. area covered 50 m²
 Twilight setting 2-2000 lx
 Time setting 5 sec- 15 min
 IP rating IP44
 Protection class II
 Temperature range -20 to +40°C
 Material Aluminium base and opal glass shade
 Complete with lamp No





RS 10 L detection zone
 Possible mounting height: 2.5 - 4 m
 Orange: radial and tangential



Suitable for incandescent lamps, low-energy lamps and LEDs

Sensor-Switched
 Lights for Indoors



Long-life aluminium enclosure



Opal glass shade



Up to 5 lights can be interconnected by cable



Facility for connecting fan

