

FLUSH MOUNTING SOCKET OUTLETS ANGLED OUTLET

OPTIMA Series



FLANGE 70x87

Poles	Volt	Hz.	h.	16A		16A	
2P+E	100-130	50/60	4	418.1660	10/100	418.1660F	10/100
2P+E	200-250	50/60	6	418.1663	10/100	418.1663F	10/100
3P+E	380-415	50/60	6	418.1666	10/100	418.1666F	10/100
3P+N+E	346-415	50/60	6	418.1667	10/100	418.1667F	10/100

FLANGE 84x106

Poles	Volt	Hz.	h.	32A		16A	
2P+E	100-130	50/60	4	418.3260	10/50	418.3260F	10/50
2P+E	200-250	50/60	6	418.3263	10/50	418.3263F	10/50
3P+E	380-415	50/60	6	418.3266	10/50	418.3266F	10/50
3P+N+E	346-415	50/60	6	418.3267	10/50	418.3267F	10/50



FLANGE 100x110

Poles	Volt	Hz.	h.	63A	
2P+E	200-250	50/60	6	418.6363	6/30
3P+E	380-415	50/60	6	418.6366	6/30
3P+N+E	346-415	50/60	6	418.6367	6/30

FLANGE 114x114

Poles	Volt	Hz.	h.	125A	
3P+E	380-415	50/60	6	418.12566	1/10
3P+N+E	346-415	50/60	6	418.12567	1/10

FLUSH MOUNTING SOCKET OUTLETS STRAIGHT OUTLET

OPTIMA Series



FLANGE 75x75

Poles	Volt	Hz.	h.	16A	
2P+E	100-130	50/60	4	428.1660	10/100
2P+E	200-250	50/60	6	428.1663	10/100
3P+E	380-415	50/60	6	428.1666	10/100
3P+N+E	346-415	50/60	6	428.1667	10/100

FLANGE 75x75

Poles	Volt	Hz.	h.	32A	
2P+E	100-130	50/60	4	428.3260	10/50
2P+E	200-250	50/60	6	428.3263	10/50
3P+E	380-415	50/60	6	428.3266	10/50
3P+N+E	346-415	50/60	6	428.3267	10/50



FLANGE 100x110

Poles	Volt	Hz.	h.	63A	
2P+E	200-250	50/60	6	428.6363	6/30
3P+E	380-415	50/60	6	428.6366	6/30
3P+N+E	346-415	50/60	6	428.6367	6/30

FLANGE 114x114

Poles	Volt	Hz.	h.	125A	
3P+E	380-415	50/60	6	428.12566	1/10
3P+N+E	346-415	50/60	6	428.12567	1/10

TERMINALS

SCREW
TERMINALS



SPRING
TERMINALS



FAST WIRING - Anti vibrations

INSULATION
PERFORATING
TERMINALS



FAST WIRING

MANTLE
TERMINALS



Optimal connections for high currents.