


# DELTA miro

Real glass

**Universal switches**  
Titanium white



**Universal switches**  
Electrical white




**Universal switches**  
Aluminum metallic




Real wood

**Universal switches**  
Maple red / aluminum metallic



**Universal switches**  
Maple / aluminum metallic




**Universal switches**  
Beech / aluminum metallic




Plastic

**Universal switches**  
Titanium white / titanium white



**Universal switches**  
Aluminum metallic / aluminum metallic




**Universal switches**  
Carbon metallic / carbon metallic



**Universal switches**  
Carbon metallic



**Universal switches**  
Cherry / aluminum metallic



**Universal switches**  
Wenge / aluminum metallic




**Components of the DELTA miro  
product range:**

- Single to quintuple frames
- Components from the DELTA i-system product range:  
Operator interfaces, **SCHUKO** socket outlets ...
- Comprehensive functions from the DELTA i-system for:
  - Communication
  - Data and voice networks
  - Shutter/blind control, also with radio remote control (GAMMA wave)
  - Time switches
  - Room temperature control
  - Dimmer control, also with radio remote control (GAMMA wave)
  - Motion detection
  - Can be connected to GAMMA *instabus*

## Introduction

### Overview

Modular components of the DELTA vita, DELTA i-system, DELTA line and DELTA miro product ranges




### Technical design of the DELTA miro product range

**Note:**



In this section we will be introducing the frames of the DELTA miro product range.

All components of the DELTA i-system product range can be used as central inserts and cover plates.




## Frames

### Selection and ordering data

Version	Order No.	Price 1 unit	PG	PS/ P. unit Unit(s)
<b>General information</b>				
<ul style="list-style-type: none"> <li>• For horizontal and vertical mounting</li> <li>• Degree of protection: IP20</li> </ul>				
<b>Note</b>	<b>Section</b>	<b>Page</b>		
All components of the <i>DELTA i-system</i> product range can be used as central inserts and cover plates, see ...	<i>Design / DELTA i-system</i>	1/6		
Degree of protection IP44 for rockers can be achieved with the <i>IP44 set of seals, for rockers</i> , see ...	<i>Design / DELTA i-system / Accessories and spare parts</i>	1/44	1 set	021 1 set/ 10 sets
Degree of protection IP44 for SCHUKO socket outlets with hinged lid can be achieved using an <i>IP44 seal, for socket outlets</i> , see ...	<i>Design / DELTA i-system / Accessories and spare parts</i>	1/44		021 1 set/ 10 sets
<b>Frames, 90 mm, real glass</b>				
• Single, 90 mm x 90 mm	<b>5TG1 201</b>		021	1
• Double, 161 mm x 90 mm	<b>5TG1 202</b>		021	1
• Triple, 232 mm x 90 mm	<b>5TG1 203</b>		021	1
• Quadruple, 303 mm x 90 mm	<b>5TG1 204</b>		021	1
• Quintuple, 374 mm x 90 mm 	<b>5TG1 205</b>		021	1
<b>Frames, 90 mm, real wood </b>				
• Maple red				
– single, 90 mm x 90 mm	<b>5TG1 101-2</b>		021	1
– double, 161 mm x 90 mm	<b>5TG1 102-2</b>		021	1
– triple, 232 mm x 90 mm	<b>5TG1 103-2</b>		021	1
– quadruple, 303 mm x 90 mm	<b>5TG1 104-2</b>		021	1
• Maple				
– single, 90 mm x 90 mm	<b>5TG1 101-3</b>		021	1
– double, 161 mm x 90 mm	<b>5TG1 102-3</b>		021	1
– triple, 232 mm x 90 mm	<b>5TG1 103-3</b>		021	1
– quadruple, 303 mm x 90 mm	<b>5TG1 104-3</b>		021	1
• Beech (color achieved through staining)				
– single, 90 mm x 90 mm	<b>5TG1 101-4</b>		021	1
– double, 161 mm x 90 mm	<b>5TG1 102-4</b>		021	1
– triple, 232 mm x 90 mm	<b>5TG1 103-4</b>		021	1
– quadruple, 303 mm x 90 mm	<b>5TG1 104-4</b>		021	1
• Cherry (color achieved through staining)				
– single, 90 mm x 90 mm	<b>5TG1 101-1</b>		021	1
– double, 161 mm x 90 mm	<b>5TG1 102-1</b>		021	1
– triple, 232 mm x 90 mm	<b>5TG1 103-1</b>		021	1
– quadruple, 303 mm x 90 mm	<b>5TG1 104-1</b>		021	1
• Wenge				
– single, 90 mm x 90 mm	<b>5TG1 101-0</b>		021	1
– double, 161 mm x 90 mm	<b>5TG1 102-0</b>		021	1
– triple, 232 mm x 90 mm	<b>5TG1 103-0</b>		021	1
– quadruple, 303 mm x 90 mm	<b>5TG1 104-0</b>		021	1



5TG1 201



5TG1 101-2