


DELTA miro

Real glass

Universal switches
Titanium white



Universal switches
Electrical white




Universal switches
Aluminum metallic




Real wood

Universal switches
Maple red / aluminum metallic



Universal switches
Maple / aluminum metallic




Universal switches
Beech / aluminum metallic




Plastic

Universal switches
Titanium white / titanium white



Universal switches
Aluminum metallic / aluminum metallic




Universal switches
Carbon metallic / carbon metallic



Universal switches
Carbon metallic



Universal switches
Cherry / aluminum metallic



Universal switches
Wenge / aluminum metallic




**Components of the DELTA miro
product range:**

- Single to quintuple frames
- Components from the DELTA i-system product range:
Operator interfaces, **SCHUKO** socket outlets ...
- Comprehensive functions from the DELTA i-system for:
 - Communication
 - Data and voice networks
 - Shutter/blind control, also with radio remote control (GAMMA wave)
 - Time switches
 - Room temperature control
 - Dimmer control, also with radio remote control (GAMMA wave)
 - Motion detection
 - Can be connected to GAMMA *instabus*

Introduction

Overview

Modular components of the DELTA vita, DELTA i-system, DELTA line and DELTA miro product ranges




Technical design of the DELTA miro product range

Note:



In this section we will be introducing the frames of the DELTA miro product range.

All components of the DELTA i-system product range can be used as central inserts and cover plates.




Frames

Selection and ordering data

Version	Order No.	Price 1 unit	PG	PS/ P. unit Unit(s)												
General information																
<ul style="list-style-type: none"> • For horizontal and vertical mounting • Degree of protection: IP20 																
<table border="1"> <thead> <tr> <th>Note</th> <th>Section</th> <th>Page</th> </tr> </thead> <tbody> <tr> <td>All components of the <i>DELTA i-system</i> product range can be used as central inserts and cover plates, see ...</td> <td><i>Design / DELTA i-system</i></td> <td>1/6</td> </tr> <tr> <td>Degree of protection IP44 for rockers can be achieved with the <i>IP44 set of seals, for rockers</i>, see ...</td> <td><i>Design / DELTA i-system / Accessories and spare parts</i></td> <td>1/44</td> </tr> <tr> <td>Degree of protection IP44 for SCHUKO socket outlets with hinged lid can be achieved using an <i>IP44 seal, for socket outlets</i>, see ...</td> <td><i>Design / DELTA i-system / Accessories and spare parts</i></td> <td>1/44</td> </tr> </tbody> </table>					Note	Section	Page	All components of the <i>DELTA i-system</i> product range can be used as central inserts and cover plates, see ...	<i>Design / DELTA i-system</i>	1/6	Degree of protection IP44 for rockers can be achieved with the <i>IP44 set of seals, for rockers</i> , see ...	<i>Design / DELTA i-system / Accessories and spare parts</i>	1/44	Degree of protection IP44 for SCHUKO socket outlets with hinged lid can be achieved using an <i>IP44 seal, for socket outlets</i> , see ...	<i>Design / DELTA i-system / Accessories and spare parts</i>	1/44
Note	Section	Page														
All components of the <i>DELTA i-system</i> product range can be used as central inserts and cover plates, see ...	<i>Design / DELTA i-system</i>	1/6														
Degree of protection IP44 for rockers can be achieved with the <i>IP44 set of seals, for rockers</i> , see ...	<i>Design / DELTA i-system / Accessories and spare parts</i>	1/44														
Degree of protection IP44 for SCHUKO socket outlets with hinged lid can be achieved using an <i>IP44 seal, for socket outlets</i> , see ...	<i>Design / DELTA i-system / Accessories and spare parts</i>	1/44														
	5TG4 324	1 set	021	1 set/ 10 sets												
	5TG4 318		021	1 set/ 10 sets												
Frames, 90 mm, real glass																
• Single, 90 mm x 90 mm	5TG1 201		021	1												
• Double, 161 mm x 90 mm	5TG1 202		021	1												
• Triple, 232 mm x 90 mm	5TG1 203		021	1												
• Quadruple, 303 mm x 90 mm	5TG1 204		021	1												
• Quintuple, 374 mm x 90 mm 	5TG1 205		021	1												
Frames, 90 mm, real wood 																
• Maple red																
– single, 90 mm x 90 mm	5TG1 101-2		021	1												
– double, 161 mm x 90 mm	5TG1 102-2		021	1												
– triple, 232 mm x 90 mm	5TG1 103-2		021	1												
– quadruple, 303 mm x 90 mm	5TG1 104-2		021	1												
• Maple																
– single, 90 mm x 90 mm	5TG1 101-3		021	1												
– double, 161 mm x 90 mm	5TG1 102-3		021	1												
– triple, 232 mm x 90 mm	5TG1 103-3		021	1												
– quadruple, 303 mm x 90 mm	5TG1 104-3		021	1												
• Beech (color achieved through staining)																
– single, 90 mm x 90 mm	5TG1 101-4		021	1												
– double, 161 mm x 90 mm	5TG1 102-4		021	1												
– triple, 232 mm x 90 mm	5TG1 103-4		021	1												
– quadruple, 303 mm x 90 mm	5TG1 104-4		021	1												
• Cherry (color achieved through staining)																
– single, 90 mm x 90 mm	5TG1 101-1		021	1												
– double, 161 mm x 90 mm	5TG1 102-1		021	1												
– triple, 232 mm x 90 mm	5TG1 103-1		021	1												
– quadruple, 303 mm x 90 mm	5TG1 104-1		021	1												
• Wenge																
– single, 90 mm x 90 mm	5TG1 101-0		021	1												
– double, 161 mm x 90 mm	5TG1 102-0		021	1												
– triple, 232 mm x 90 mm	5TG1 103-0		021	1												
– quadruple, 303 mm x 90 mm	5TG1 104-0		021	1												



5TG1 201



5TG1 101-2