



**you are ready!**



**LAZIO | 8018509 · IP44**



**8016905** | · 10W · 3000K  
**8016906** | · 10W · 4000K




**DRIVER | 9020171**


Driver 12W Eaglerise  
 Input: 100-240V AC 50/60Hz  
 Output: 12-24VDC 500mA  
 Not Dimmable




**LAZIO | 8044909 · IP54**



**LAZIO | 8044809 · IP54**



**LAZIO | 8000502 · IP54**



**LAZIO | 8000503 · IP54**




Photo	Code	Material	Recessed	CRI	UGR	LED Chip	Dimension (cm)	Cut Out (cm)	Beam Angle	Kelvin	Protection	Adjustable	Driver Included	
	8018509	White & Black Alum.	✓	>90	<8	X	D:9 H:7.3	7.8	36°	X	IP44	✓	X	
	8044909	White Aluminium	✓	>90	<14	X	D:9 H:8.6	8.2	36°	X	IP54	✓	X	
	8044809	White Aluminium	✓	>90	<16	X	L:16.8 W:9 H:8.9	16 x 8.2	36°	X	IP54	✓	X	
	8000502	White Aluminium	✓	>90	<27	X	D:9.2 H:5.4	8.2	36°	X	IP54	✓	X	
	8000503	Black Aluminium	✓	>90	<27	X	D:9.2 H:5.4	8.2	36°	X	IP54	✓	X	
MUST HAVE ACCESSORY														
Photo	Code	Material	Watt	Volt	Ma	LED Chip	Dimension (cm)	Lumen	CRI	Beam Angle	Kelvin	Protection	Dimmable	Driver Included
	8016905	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>90	X	3000K	IP44	X	X
	8016906	Black Aluminium	10W	20V	500	Citizen	D:6.3 H:3.8	810Lm	>90	X	4000K	IP44	X	X

**DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020171**

