




☑=105 Nova mini



Choose! ☑=106



Decorative ☑=119



☑=124 Panels





Easy to Shop – Paulmann Recessed Luminaire Range
 Easy to Shop – Surtido de luminarias empotradas Paulmann
 Easy to Shop – L'assortimento di faretti a incasso Paulmann

□□=91		□□=92-95			□□=96-102		
Base		Nova			Nova Plus		
<p>IP23 Swivelling Orientable Orientabili</p>		<p>IP23 Swivelling Orientable Orientabili</p>		<p>IP44 Rigid Rígida Fissi</p>	<p>IP23 Swivelling Orientable Orientabili</p>	<p>IP65 Rigid Rígida Fissi</p>	<p>IP65 Swivelling Orientable Zwenkbaar</p>
<p>COIN GU10</p>		<p>COIN GU10</p>	<p>COIN GU10</p>	<p>COIN GU10</p>	<p>COIN GU10</p>	<p>COIN GU10</p>	<p>COIN GU10</p>
<p>3 step dim</p>		<p>3 step dim</p>	<p>3 step dim</p>	<p>dimming</p>	<p>dimming</p>	<p>dimming</p>	<p>dimming</p>
<p>COIN GU10</p>		<p>COIN GU10</p>	<p>COIN GU10</p>	<p>COIN GU10</p>	<p>COIN GU10</p>	<p>COIN GU10</p>	<p>COIN GU10</p>
<p>3000 K</p>		<p>2700 K</p>			<p>□□=103</p>		
<p>Metal Metal Metallo</p>		<p>Aluminium Aluminio Alluminio</p>			<p>Aluminium Aluminio Alluminio</p>		

<p>dimming</p>	<p>Infinitely dimmable Regulable sin escalonados Con dimming continuo</p>	<p>3 step dim</p>	<p>100% 50% 25% off</p>	<p>Dimmable in steps with wall switch Regulable de forma escalonada con interruptor de pared Con dimming a livelli tramite interruttore a parete</p>
-----------------------	---	--------------------------	-------------------------------------	--

<p>Safe connection, without transformer Conexión segura, sin transformador Collegamento sicuro senza trasformatore</p>	<p>Link up any number of luminaires via the connection box supplied Concatenable sin limitaciones con caja de conexión incluida Applicazione illimitata con scatola di collegamento compresa</p>	<p>Standard 68 mm bore diameter Diámetro de taladro estándar 68 mm Diametro foro standard 68 mm</p>	<p>Retaining springs for easy installation and removal Resortes de sujeción para facilitar el montaje y desmontaje Molle per facilitare montaggio e smontaggio</p>	<p>With replaceable lamp Con lámpara reemplazable Con lampadine sostituibili</p>	<p>Sets</p> <p>3-piece set is sufficient for 12 m²-15 m² Basic lighting Juego de 3 unidades para 12 m²-15 m² como luz de fondo Un set da 3 è sufficiente per un'illuminazione di base da 12m²-15m²</p>
--	--	---	--	--	---





Nova LED Coin 230V

Aluminium Aluminio Alluminio

Matt white Blanco mate Bianco opaco



incl. 1x6 W	470 lm	Coin	2.700 K	◊100°	EAN 4000870 934487	934.48
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934494	934.49
incl. 1x6 W	470 lm	Coin	2.700 K	◊100°	EAN 4000870 934845	934.84
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934852	934.85
incl. 1x6 W	470 lm	Coin	2.700 K	◊100°	EAN 4000870 934531	934.53
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934548	934.54
incl. 1x6 W	470 lm	Coin	2.700 K	◊100°	EAN 4000870 934890	934.89
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934906	934.90

Brushed iron Hierro mateado Ferro spazzolato



incl. 1x6 W	470 lm	Coin	2.700 K	◊100°	EAN 4000870 934463	934.46
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934470	934.47
incl. 1x6 W	470 lm	Coin	2.700 K	◊100°	EAN 4000870 934821	934.82
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934838	934.83

Chrome Cromo Cromo



incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934524	934.52
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934883	934.88

Turned aluminium Aluminio torneado Alluminio tornito



incl. 1x6 W	470 lm	Coin	2.700 K	◊100°	EAN 4000870 934500	934.50
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934517	934.51
incl. 1x6 W	470 lm	Coin	2.700 K	◊100°	EAN 4000870 934869	934.86
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934876	934.87
incl. 1x6 W	470 lm	Coin	2.700 K	◊100°	EAN 4000870 934555	934.55
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934562	934.56
incl. 1x6 W	470 lm	Coin	2.700 K	◊100°	EAN 4000870 934913	934.91
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 934920	934.92

Black matt Negro mate Nero opaco



incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 944714	944.71
incl. 3x6 W	3x470 lm	Coin	2.700 K	◊100°	EAN 4000870 944721	944.72

