




☑=105 Nova mini



Choose! ☑=106



Decorative ☑=119



☑=124 Panels



Easy to Shop – Paulmann Recessed Luminaire Range
 Easy to Shop – Surtido de luminarias empotradas Paulmann
 Easy to Shop – L'assortimento di faretti a incasso Paulmann

□□=91		□□=92-95		□□=96-102		
Base		Nova		Nova Plus		
<p>IP23 Swivelling Orientable Orientabili</p>		<p>IP23 Swivelling Orientable Orientabili</p>		<p>IP44 Rigid Rígida Fissi</p>		<p>IP23 Swivelling Orientable Orientabili</p>
<p>COIN GU10</p>		<p>COIN GU10</p>		<p>COIN GU10</p>		<p>COIN GU10</p>
<p>3 step dim</p>		<p>3 step dim</p>		<p>3 step dim</p>		<p>dimmable</p>
<p>COIN GU10</p>		<p>COIN GU10</p>		<p>COIN GU10</p>		<p>COIN GU10</p>
						<p>dimmable</p>
<p>3000 K</p>		<p>2700 K</p>		<p>2700 K</p>		<p>2700 K</p>
<p>Metal Metal Metallo</p>		<p>Aluminium Aluminio Alluminio</p>		<p>Aluminium Aluminio Alluminio</p>		

□□=103

smart controllable
zigbee


dimmable **tunable white** **RGBW**


2700 K

dimmable Infinitely dimmable
 Regulable sin escalonados
 Con dimming continuo

3 step dim 100%
 50%
 25%
 off Dimmable in steps with wall switch
 Regulable de forma escalonada con interruptor de pared
 Con dimming a livelli tramite interruttore a parete

					Sets
Safe connection, without transformer Conexión segura, sin transformador Collegamento sicuro senza trasformatore	Link up any number of luminaires via the connection box supplied Concatenable sin limitaciones con caja de conexión incluida Applicazione illimitata con scatola di collegamento compresa	Standard 68 mm bore diameter Diámetro de taladro estándar 68 mm Diametro foro standard 68 mm	Retaining springs for easy installation and removal Resortes de sujeción para facilitar el montaje y desmontaje Molle per facilitare montaggio e smontaggio	With replaceable lamp Con lámpara reemplazable Con lampadine sostituibili	3-piece set is sufficient for 12 m ² -15 m ² Basic lighting Juego de 3 unidades para 12 m ² -15 m ² como luz de fondo Un set da 3 è sufficiente per un'illuminazione di base da 12m ² -15m ²





Nova mini Coin

Aluminium Aluminium Alluminio

Matt white Blanco mate Bianco opaco



incl. 1x4 W		310 lm		Coin		2.700 K		38°	EAN 4000870 942925	📦	942.92
incl. 3x4 W		3x310 lm		Coin		2.700 K		38°	EAN 4000870 942932		942.93

Brushed iron Hierro mateado Ferro spazzolato




incl. 1x4 W		310 lm		Coin		2.700 K		38°	EAN 4000870 942949	📦	942.94
incl. 3x4 W		3x310 lm		Coin		2.700 K		38°	EAN 4000870 942956		942.95

Turned aluminium Aluminio torneado Alluminio tornito



incl. 1x4 W		310 lm		Coin		2.700 K		38°	EAN 4000870 942963	📦	942.96
incl. 3x4 W		3x310 lm		Coin		2.700 K		38°	EAN 4000870 942970		942.97



Nova mini Coin IP44

Aluminium Aluminium Alluminio

Matt white Blanco mate Bianco opaco



incl. 1x4 W		310 lm		Coin		2.700 K		38°	EAN 4000870 942987	📦	942.98
incl. 3x4 W		3x310 lm		Coin		2.700 K		38°	EAN 4000870 942994		942.99

Brushed iron Hierro mateado Ferro spazzolato



incl. 1x4 W		310 lm		Coin		2.700 K		38°	EAN 4000870 943007	📦	943.00
incl. 3x4 W		3x310 lm		Coin		2.700 K		38°	EAN 4000870 943014		943.01

Chrome Cromo Cromo



incl. 1x4 W		310 lm		Coin		2.700 K		38°	EAN 4000870 943021	📦	943.02
incl. 3x4 W		3x310 lm		Coin		2.700 K		38°	EAN 4000870 943038		943.03

Turned aluminium Aluminio torneado Alluminio tornito



incl. 1x4 W		310 lm		Coin		2.700 K		38°	EAN 4000870 943045	📦	943.04
incl. 3x4 W		3x310 lm		Coin		2.700 K		38°	EAN 4000870 943052		943.05

