LED STREET LIGHT

HIGH QUALITY
LONG LASTING

Braytron
lighting expert

GENERAL OVERVIEW

Aluminum Die Casting Body

PC- Lens

High Heat Rasistant Glass

Adjustable Spigot

Easy Wall Mounting

IP66 | -20C +40C | 70°x140°

LED STREET LIGHT 30w - 50w - 100w

IP66

BT42-93012
BT42-93032

BT42-95012
BT42-95032

BT42-99112
BT42-99132

FEATURES

GENERAL

Body Material	**Aluminium**
IK	**IK08**
IP	**IP66**
Working Temperature	**-20°C / +40°C**
Lifetime	**20.000 hrs**

ELECTRICAL

Power	**30w - 50w - 100w**
Voltage	**220-240VAC**
Frequency	**50/60Hz**
Electrical Class	**CLASS I**
CRI	**70**

LAMP

Lumen	**3300lm - 5500lm - 11000lm**
Beam Angle	**70x140 Degrees**
Light Source	**LED**
Color Temperature	**4000K - 6500K**

LED STREET LIGHT 150w - 200w

FEATURES

IP66

GENERAL

Body Material	**Aluminium**
IK	**IK08**
IP	**IP66**
Working Temperature	**-20°C / +40°C**
Lifetime	**20.000 hrs**

BT42-99612
BT42-99632

ELECTRICAL

Power	**150w - 200w**
Voltage	**220-240VAC**
Frequency	**50/60Hz**
Electrical Class	**CLASS I**
CRI	**70**

BT42-99412
BT42-99432

LAMP

Lumen	**16500lm - 22000lm**
Beam Angle	**70x140 Degrees**
Light Source	**LED**
Color Temperature	**4000K - 6500K**

multifunctional led street lights

30w



50w



100w



150w



200w



Aluminum Die Casting Body

01

PC- Lens
High Heat Rasistant Glass

02

Adjustable Spigot
Easy Wall Mounting

03

AREA OF APPLICATON



Braytron
lighting expert



BRAYTRON S.R.L

Bulevardul Iuliu Maniu, Nr.616, Sector 6, 061129
Bucharest, Romania

Phone: +40 748 201 403

info@braytron.com

www.braytron.com