

COMPANY SOLAR UP&DOWN DOWNLIGHT IN-GROUND BRICKLIGHT FLOODLIGHT BOLLARD BULKHEAD GARDEN URBAN CLASSIC URBAN MODERN POST LAMPS REFERENCES

GLOBE 250 MODERN

SMALL SIZE



Ø 250 mm PMMA globe, complete with modern globe base made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for post top or wall installation. Supplied as optional with TÜV-CB certified, long-life and efficient **LED lamps** suitable for outdoor use. Insulation class II, protection rating IP 55.


Globo Ø 250 mm in polimetilmetacrilato (PMMA) completo di base moderna realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idoneo per il montaggio a palo o a parete. Fornito anche completo di lampadine LED adatte ad uso in ambiente esterno, certificate TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.

6,5W 800 lm	8,5W 920 lm	11W 1200 lm
2700 K	2700 K	4000 K 6500 K
+80°C -30°	90% HUMIDITY	VOLTAGE SURGE RESISTANT
INDOOR & OUTDOOR USE		



G26.114






GLOBE 300 MODERN - COMPONENTS

IP55



Ø 300 mm **GLOBE** made of UV-rays stabilized polymethylmethacrylate (PMMA), one piece only. Available in clear, opal or smoked colour.

GLOBO Ø 300 mm in polimetilmetacrilato (PMMA), resistente all'ingiallimento ed ai raggi UV, realizzato in un unico pezzo. Disponibile nei colori trasparente, bianco o fumé.




GLOBE BASE with modern design, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied complete with E27 lampholder.

REGGIBOCCIA con disegno moderno realizzato in resina antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione. Fornito completo di portalampana E27.

GLOBE 300 MODERN

G31.B31 *



Dimensions and weight

Height: 310 mm
Diameter: 300 mm
Weight: 1,1 Kg

Moulded colours:

Black White

Diffuser PMMA:

Clear Opal Smoked

E27 FILAMENT



- Perfect **MATCHING WITH CLASSIC LANTERNS.**
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **360°OMNIDIRECTIONAL LIGHT.**
- **HIGH EFFICIENCY:** 90% ENERGY SAVING.

E27 CCT SET(*)



- **A60 CCT SETTABLE:** 2700K/4000K/6500K.
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **EYE COMFORT** opal glass.
- **HIGH EFFICIENCY:** >85% ENERGY SAVING.

100 - 240 V

*ADD. SUFFIX

suitable lamps: CFL-LED E27 lampholder only .E27

LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
FILAMENT LED E27	6,5W	800 lm	2700 K	.F1R
CCT SET LED E27	8,5 W	920 lm	6500 K 4000 K 2700 K	.V1K
CCT SET LED E27	11 W	1200 lm	6500 K 4000 K 2700 K	.T1K

6,5W filament = 60W incandescent
8,5W CCT = 75W incandescent
11W CCT = 75W incandescent


SAVE up to 89%

LED LAMPS





Comply with: EU2019/2015
EU2019/2020
Technical details on page 596.

CCT SETTABLE LED LAMP(*)



CCT switch settable in three different positions, to select the desired Kelvin temperature (2700K/4000K/6500K) and get a customized ambiance.

PHOTOMETRIC DATA SAMPLE



GLOBE 300 MODERN clear with Fumagalli Led Lamp CCT set 8,5W.


POST height 2mt
6x6mt area: average 3,5 lux

The photometric data for all the versions are available upon request or on our website.


* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

GLOBE 300 MODERN

MEDIUM SIZE



MADE IN ITALY



NARDO /G300

E27 lampholder	G31.240.E27
6,5W filament	G31.240.F1R
8,5W CCT set	G31.240.V1K
11W CCT set	G31.240.T1K

Pcs 24
Kg 39,4
mc 0,638

DISMA /G300

E27 lampholder	G31.114.E27
6,5W filament	G31.114.F1R
8,5W CCT set	G31.114.V1K
11W CCT set	G31.114.T1K

Pcs 24
Kg 40,6
mc 0,638

GIAFFA /G300

E27 lampholder	G31.242.E27
6,5W filament	G31.242.F1R
8,5W CCT set	G31.242.V1K
11W CCT set	G31.242.T1K

Pcs 2
Kg 4,6
mc 0,117

GLOBE 300 MODERN

G31.B31.E27

Pcs 2
Kg 2,2
mc 0,059

ARGO 300/G300 *

E27 lampholder	G31.255.E27 resin
6,5W filament	G31.255.F1R resin
8,5W CCT set	G31.255.V1K resin
11W CCT set	G31.255.T1K resin

Pcs 2
Kg 4,9
mc 0,08

*available colour: black

ARGO 800/G300 *

E27 lampholder	G31.257.E27 resin
6,5W filament	G31.257.F1R resin
8,5W CCT set	G31.257.V1K resin
11W CCT set	G31.257.T1K resin

Pcs 2
Kg 6,7
mc 0,117

FEBO 1500/G300 *

E27 lampholder	G31.263.E27
6,5W filament	G31.263.F1R
8,5W CCT set	G31.263.V1K
11W CCT set	G31.263.T1K

Pcs 2
Kg 12
mc 0,207

ENEА 2000/G300 *

E27 lampholder	G31.264.E27
6,5W filament	G31.264.F1R
8,5W CCT set	G31.264.V1K
11W CCT set	G31.264.T1K

ENEА 2400/G300 *

E27 lampholder	G31.265.E27
6,5W filament	G31.265.F1R
8,5W CCT set	G31.265.V1K
11W CCT set	G31.265.T1K

Pcs 2
Kg 18,2
mc 0,281

Pcs 2
Kg 22,2
mc 0,323

*available colour: black

ARGO 500/G300 *

E27 lampholder	G31.256.E27 resin
6,5W filament	G31.256.F1R resin
8,5W CCT set	G31.256.V1K resin
11W CCT set	G31.256.T1K resin

Pcs 2
Kg 5,6
mc 0,094

*available colour: black

ARGO 800/G300 *

E27 lampholder	G31.257.E27 resin
6,5W filament	G31.257.F1R resin
8,5W CCT set	G31.257.V1K resin
11W CCT set	G31.257.T1K resin

Pcs 2
Kg 6,7
mc 0,117

*available colour: black

FEBO 1500/G300 *

E27 lampholder	G31.263.E27
6,5W filament	G31.263.F1R
8,5W CCT set	G31.263.V1K
11W CCT set	G31.263.T1K

Pcs 2
Kg 12
mc 0,207

*available colour: black