

POWER - IVORY VERSION

SOCKET-OUTLETS - ITALIAN/GERMAN STANDARD



GW 11 203

ITALIAN STANDARD SOCKET-OUTLETS - 250V AC

Code	Description	Socket-out type	For plug pins	No. Chorus modules	Pack Carton
GW 11 203	2P+E - 16 A Dual amperage	P11-P17	Ø 4 / 5 mm	1	12/96

CHARACTERISTICS: with safety shields.

DOMESTIC RANGES

SOCKET-OUTLETS - GERMAN STANDARD



GW 11 241

GERMAN STANDARD SOCKET-OUTLET - 250V AC

Code	Description	For plug pins	No. Chorus modules	Pack Carton
GW 11 241	2P+E - 16A	Ø 4.8 mm	2	6/48

CHARACTERISTICS: with safety shields.



GW 11 242

GERMAN STANDARD SOCKET-OUTLET WITH LID IP40 - 250V AC

Code	Description	For plug pins	No. Chorus modules	Pack Carton
GW 11 242	2P+E - 16A	Ø 4.8 mm	2	6/48

CHARACTERISTICS: with safety shields. Equipped with a transparent rigid cover with a glossy finish. IP40 degree of protection with the cover closed.

SOCKET-OUTLETS - FRENCH STANDARD




GW 11 246

FRENCH STANDARD SOCKET-OUTLETS - 250V AC


Code	Description	For plug pins	No. Chorus modules	Pack Carton
GW 11 246	2P - 16A	Ø 4 / 4.8 mm	2	1/24
GW 11 247	2P+E - 16A	Ø 4 / 4.8 mm	2	6/48

CHARACTERISTICS: with safety shields.


ONE PLATES




ONE INTERNATIONAL PLATES







GEO PLATES



GEO INTERNATIONAL PLATES



LUX PLATES



DOMESTIC RANGES

LUX INTERNATIONAL PLATES

