

**SOCKET-OUTLETS - GERMAN STANDARD**



GW 14 241

**GERMAN STANDARD SOCKET-OUTLET - 250V AC**

Code	Description	For plug pins	No. Chorus modules	Pack Carton
GW 14 241	2P+E - 16A	Ø 4.8 mm	2	6/48

**CHARACTERISTICS:** with safety shields.




GW 14 242

**GERMAN STANDARD SOCKET-OUTLET WITH LID IP40 - 250 V AC**

Code	Description	For plug pins	No. Chorus modules	Pack Carton
GW 14 242	2P+E - 16A	Ø 4.8 mm	2	6/48

**CHARACTERISTICS:** with safety shields. Equipped with a transparent rigid cover with a glossy finish. IP40 degree of protection with the cover closed.



GW 10 251

**GERMAN STANDARD SOCKET-OUTLET FOR DEDICATED LINES - 250V AC**

Code	Description	Colour	For plug pins	No. Chorus modules	Pack Carton
GW 10 251	2P+E - 16A	Red	Ø 4.8 mm	2	6/12

**CHARACTERISTICS:** with safety shields.




GW 14 341

**GERMAN STANDARD SOCKET-OUTLET WITH FRONT TIGHTENING TERMINALS - 250V AC**


Code	Description	For plug pins	No. Chorus modules	Pack Carton
GW 14 341	2P+E - 16A	Ø 4.8 mm	2	6/12

**CHARACTERISTICS:** with safety shields. Front access terminals with screw fixing, side input of the conductors.

## CENTRE DISTANCE OF BOXES FOR THE CORRECT FIXING OF THE CHORUS ONE, GEO, LUX AND ART PLATES (MINIMUM RECOMMENDED DISTANCES)




151  
3 GANG, HORIZONTAL




114

3 GANG, VERTICAL




176  
4 GANG, HORIZONTAL




119

4 GANG, VERTICAL




226  
6 GANG, HORIZONTAL




124

6 GANG, VERTICAL


**ONE PLATES**



**ONE INTERNATIONAL PLATES**



## GEO PLATES



## GEO INTERNATIONAL PLATES

