

## SOCKET-OUTLETS FOR DEDICATED LINES



GW 20 281

### ITALIAN STANDARD SOCKET-OUTLETS FOR DEDICATED LINES - 250V AC

Code	Description	Colour	Type	For plug pins	No. SYSTEM modules	Pack Carton
GW 20 295	2P+E - 16 A Dual amperage	Red	P17-11	Ø 4 / 5 mm	1	30/60
GW 20 281	2P+E - 16 A Dual amperage	Green	P17-11	Ø 4 / 5 mm	1	30/60
GW 20 286	2P+E - 16 A Dual amperage	Orange	P17-11	Ø 4 / 5 mm	1	30/60

CHARACTERISTICS: with safety shields.




GW 20 282

### ITALIAN/GERMAN STANDARD SOCKET-OUTLETS FOR DEDICATED LINES - 250V AC

Code	Description	Earth pit	Colour	Type	For plug pins	No. SYSTEM modules	Pack Carton
GW 20 296	2P+E - 16 A Dual amperage	Side and central	Red	P40	Ø 4 / 4.8 / 5 mm	2	30/60
GW 20 282	2P+E - 16 A Dual amperage	Side and central	Green	P40	Ø 4 / 4.8 / 5 mm	2	15/30
GW 20 287	2P+E - 16 A Dual amperage	Side and central	Orange	P40	Ø 4 / 4.8 / 5 mm	2	15/30

CHARACTERISTICS: with safety shields.



GW 20 283

### GERMAN STANDARD SOCKET-OUTLETS FOR DEDICATED LINES - 250V AC

Code	Description	Colour	For plug pins	No. SYSTEM modules	Pack Carton
GW 20 297	2P+E - 16A	Red	Ø 4.8 mm	2	15/30
GW 20 283	2P+E - 16A	Green	Ø 4.8 mm	2	15/30
GW 20 288	2P+E - 16A	Orange	Ø 4.8 mm	2	15/30

CHARACTERISTICS: with safety shields.




GW 20 312

### FRENCH STANDARD SOCKET-OUTLETS FOR DEDICATED LINES - 250V AC


Code	Description	Colour	For plug pins	No. SYSTEM modules	Pack Carton
GW 20 312	2P+E - 16A	Red	Ø 4 / 4.8 mm	2	15/30

CHARACTERISTICS: with safety shields.


**ONE PLATES**




**ONE INTERNATIONAL PLATES**





## GEO PLATES



## GEO INTERNATIONAL PLATES



**LUX PLATES**



DOMESTIC RANGES

**LUX INTERNATIONAL PLATES**

