




# Cable Trays - System of Side Heights H30-H110






1. Cable Tray <b>KCJ/KCOJ200H60</b> . . . . .	I-68
2. Cable Tray <b>KGJ/KGOJ200H60</b> . . . . .	I-67
3. Straight Connector <b>LPMLH60</b> . . . . .	I-71
4. Joint Protection Plate <b>BL/BLO200</b> . . . . .	I-150
5. Horizontal Bend <b>KKPJ200H60</b> . . . . .	I-73
6. Horizontal Tee <b>TKPJ200H60</b> . . . . .	I-77
7. Horizontal Cross-over <b>CZKPJ200H60</b> . . . . .	I-79
8. Horizontal Tee <b>TKJ200H60</b> . . . . .	I-76
9. Horizontal Bend 45° <b>KKMJ200H60</b> . . . . .	I-74
10. Adjustable Vertical Bend <b>LLJ200H60</b> . . . . .	I-86
11. Vertical Tee - Crosswise <b>TRSJ200H60</b> . . . . .	I-88
12. Edge Protection Plate <b>BZK/BZKO200</b> . . . . .	I-148
13. Ceiling Bracket <b>WPCW/WPCO</b> ... . . . .	XII-16
14. Bracket <b>WMC/WMCO200</b> . . . . .	XI-6
15. Anchor Bolt <b>PSRM10x90</b> . . . . .	X-14
16. Bracket <b>WFL/WFLO200</b> . . . . .	XI-2
17. Support Channel <b>CWP/CWOP40H40</b> .... . . . .	IX-12
18. Threaded Rod <b>PGM8</b> .... . . . .	X-3
19. Drop-In Anchor <b>TRSM8</b> . . . . .	X-3
20. Angle Reducer <b>RKJ100H60</b> . . . . .	I-80
21. Cable Tray <b>KCJ/KCOJ100H60</b> . . . . .	I-68





**Cover**

PK...



**PKR...**

CODE	Width a mm	Length L mm	kg 1 m	± 0.5 mm	
				Catalogue No.	Qty/m
PKR35/2	35	2000	0.18	100303	20/40
PKR50/2	50	2000	0.28	100305	20/40
PKR50/3	50	3000	0.28	100405	20/60
PKR100/2	100	2000	0.45	100310	10/20
PKR100/3	100	3000	0.45	100410	10/30
PKR150/2	150	2000	0.67	100315	6/12
PKR150/3	150	3000	0.67	100415	6/18
PKR200/2	200	2000	0.86	100320	6/12
PKR200/3	200	3000	0.86	100420	6/18
PKR300/2	300	2000	1.25	100330	4/8
PKR300/3	300	3000	1.25	100430	4/12

**PKL...**

CODE	Width a mm	Length L mm	kg 1 m	± 0.7 mm	
				Catalogue No.	Qty/m
PKL35/2	35	2000	0.29	100503	20/40
PKL50/2	50	2000	0.42	100505	20/40
PKL50/3	50	3000	0.42	100605	20/60
PKL100/2	100	2000	0.72	100510	10/20
PKL100/3	100	3000	0.72	100610	10/30
PKL150/2	150	2000	1.02	100515	6/12
PKL150/3	150	3000	1.02	100615	6/18
PKL200/2	200	2000	1.32	100520	6/12
PKL200/3	200	3000	1.32	100620	6/18
PKL300/2	300	2000	1.92	100530	4/8
PKL300/3	300	3000	1.92	100630	4/12
PKL400/2	400	2000	2.52	100340	4/8
PKL400/3	400	3000	2.52	100440	4/12
PKL500/2	500	2000	3.12	100350	2/4
PKL500/3	500	3000	3.12	100450	2/6
PKL600/2	600	2000	3.72	100360	2/4
PKL600/3	600	3000	3.72	100460	2/6

**PKJ...**

CODE	Width a mm	Length L mm	kg 1 m	± 1.0 mm	
				Catalogue No.	Qty/m
PKJ35/2	35	2000	0.45	100703	20/40
PKJ50/2	50	2000	0.64	100705	20/40
PKJ50/3	50	3000	0.64	100805	20/60
PKJ100/2	100	2000	1.04	100710	10/20
PKJ100/3	100	3000	1.04	100810	10/30
PKJ150/2	150	2000	1.44	100715	6/12
PKJ150/3	150	3000	1.44	100815	6/18
PKJ200/2	200	2000	1.84	100720	6/12
PKJ200/3	200	3000	1.84	100820	6/18
PKJ300/2	300	2000	2.64	100730	4/8
PKJ300/3	300	3000	2.64	100830	4/12
PKJ400/2	400	2000	3.44	100540	4/8
PKJ400/3	400	3000	3.44	100640	4/12
PKJ500/2	500	2000	4.24	100550	2/4
PKJ500/3	500	3000	4.24	100650	2/6
PKJ600/2	600	2000	5.04	100560	2/4
PKJ600/3	600	3000	5.04	100660	2/6

**PKD...**


CODE	Width a mm	Length L mm	kg 1 m	± 1.2 mm	
				Catalogue No.	Qty/m
PKD50/3	50	3000	0.80	101005	10/30
PKD100/3	100	3000	1.30	101010	6/18
PKD150/3	150	3000	1.80	101015	6/18
PKD200/3	200	3000	2.30	101020	4/12
PKD300/3	300	3000	3.30	101030	4/12
PKD400/3	400	3000	4.30	100840	4/12
PKD500/3	500	3000	5.30	100850	2/6
PKD600/3	600	3000	6.30	100860	2/6

**PKP...**

CODE	Width a mm	Length L mm	kg 1 m	± 1.5 mm	
				Catalogue No.	Qty/m
PKP50/3	50	3000	0.96	101205	10/30
PKP100/3	100	3000	1.56	101210	6/18
PKP150/3	150	3000	2.16	101215	6/18
PKP200/3	200	3000	2.76	101220	6/18
PKP300/3	300	3000	3.96	101230	4/12
PKP400/3	400	3000	5.16	101040	4/12
PKP500/3	500	3000	6.36	101050	2/6
PKP600/3	600	3000	7.56	101060	2/6

**Reinforced cover**

PKW...



**APPLICATIONS**


Protecting cables against damage.  
Used in heavy dust indoor conditions.

**PKWR...**

CODE	Width a mm	Length L mm	kg 1 m	± 0.5 mm	
				Catalogue No.	Qty/m
PKWR300/2	300	2000	1.25	108030	4/8
PKWR300/3	300	3000	1.25	108130	4/12

**PKWL...**

CODE	Width a mm	Length L mm	kg 1 m	± 0.7 mm	
				Catalogue No.	Qty/m
PKWL300/2	300	2000	1.92	108230	4/8
PKWL300/3	300	3000	1.92	108331	4/12
PKWL400/2	400	2000	2.52	108241	4/8
PKWL400/3	400	3000	2.52	108341	4/12
PKWL500/2	500	2000	3.12	108250	2/4
PKWL500/3	500	3000	3.12	108350	2/6
PKWL600/2	600	2000	3.72	108260	2/4
PKWL600/3	600	3000	3.72	108360	2/6



**MATERIAL**

Steel, strip-galv. acc. to the Sendzimir method PN-EN 10346:2015-09 (SG)

Available finishes:

F- steel, hot-dip galv to PN-EN ISO 1461:2011 (HDG) for min. 1 mm thickness

E- stainless steel (SS), grade 1.4301 (AISI304) up to 1.2 mm thickness

L- powder coating in a full range of colours (PC) (info p. 4)