



Braytron
lighting expert



2024

**LIGHTING &
ELECTRICAL
PRODUCT
CATALOGUE**

www.braytron.com



BRAYTRON GLOBAL Head Office



BRAYTRON GLOBAL Head Office

Welcome to Braytron – Illuminating Excellence in Lighting and Electrical Solutions!

For 17 years, Braytron has been at the forefront of the lighting and electrical industry, dedicating itself to providing top-notch products that illuminate spaces and power connections with unmatched precision and reliability. Our journey began with a commitment to quality, and today, we stand proud as a global leader in the field.

With a rich legacy spanning nearly two decades, Braytron has been exporting its superior lighting and electrical products to more than 40 countries, with a primary focus on the European market. Our extensive catalog boasts over 1500 different products, each meticulously designed and crafted to meet the diverse needs of our discerning customers.

At Braytron, quality is not just a promise; it's a standard that defines us. Our products adhere to the rigorous standards set by Europe, ensuring that every item bearing the Braytron name is synonymous with excellence. We take pride in our unwavering commitment to delivering high-quality solutions that illuminate spaces and power connections seamlessly.

As we look ahead, Braytron remains dedicated to innovation, sustainability, and customer satisfaction. Our journey is illuminated by the trust and loyalty of our customers, and we continue to strive for excellence in every product we create.

Discover the brilliance of Braytron – where quality, innovation, and reliability converge to light up your world.

HEAD OFFICE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

EUROPE WAREHOUSE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

BALKAN WAREHOUSE

BRAYTRON BALKAN DOO
Dimitrija Tucovica bb, 36300
Novi Pazar, Serbia
info@braytron.com

FACTORY

Eksioglu Mah. Saray Cad. No.7
Cekmekoy, Istanbul, Turkey
info@braytron.com

BRAYTRON ROMANIA

S.C. Spotvision Electric & Lighting S.R.L.
(DISTRIBUTOR UNIC IN ROMANIA)
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
061129 Bucharest, Romania
www.spotvisionelectric.ro
sales@spotvisionelectric.ro

• Distribution network:




In order to provide the best service to its customers BRAYTRON set up its own warehouses and companies at different locations:
For more specific details please visit website:
www.braytron.com





BRAYTRON ROMANIA




EUROPE WAREHOUSE










TECHNICAL LIGHTING







LNR300 BD60-00301 BD60-00311
10W 3000K 10W 4000K
950lm Black 950lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



LNR600 BD60-00601 BD60-00611
18W 3000K 18W 4000K
1850lm Black 1850lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium




LNR900 BD60-00901 BD60-00911
36W 3000K 36W 4000K
3890lm Black 3890lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




LNS110 BD60-01101 BD60-01111
6W 3000K 6W 4000K
440lm Black 440lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium




LNS220 BD60-01201 BD60-01211
12W 3000K 12W 4000K
1020lm Black 1020lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



LNS330 BD60-01301 BD60-01311
18W 3000K 18W 4000K
1580lm Black 1580lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



NEW




LNS440 BD60-01401 BD60-01411
24W 3000K 24W 4000K
2040lm Black 2040lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



WSL110 BD60-03101 BD60-03111
 6W 3000K 6W 4000K
 440lm Black 440lm Black
 48VDC CRI>90 48VDC CRI>90
 IP20 Aluminium IP20 Aluminium



WSL250 BD60-03201 BD60-03211
 12W 3000K 12W 4000K
 1020lm Black 1020lm Black
 48VDC CRI>90 48VDC CRI>90
 IP20 Aluminium IP20 Aluminium



NEW



WSL360 BD60-03301
 18W 3000K
 1580lm Black
 48VDC CRI>90
 IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



TRC035 BD61-00101 BD61-00111
6W 3000K 6W 4000K
440lm Black 440lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



TRC045 BD61-00201 BD61-00211
10W 3000K 10W 4000K
810lm Black 810lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



TRC045 BD61-00301 BD61-00311
18W 3000K 18W 4000K
1580lm Black 1580lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium












PDT030 BD62-00201 BD62-00211
7W 3000K 7W 4000K
520lm Black 520lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



PDT100 BD62-00401
7W 3000K
610lm Black
48VDC CRI>90
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



LNR300 BD60-10301 BD60-10311
10W 3000K 10W 4000K
950lm Black 950lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



NEW




LNR600 BD60-10601 BD60-10611
18W 3000K 18W 4000K
1850lm Black 1850lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium




NEW




LNS110 BD60-11101 BD60-11111
6W 3000K 6W 4000K
370lm Black 370lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



NEW



LNS220 BD60-11201 BD60-11211
12W 3000K 12W 4000K
850lm Black 850lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



LNS330 BD60-11301 BD60-11311
 18W 3000K 18W 4000K
 1340lm Black 1340lm Black
 48VDC CRI>90 48VDC CRI>90
 IP20 Aluminium IP20 Aluminium




NEW



SRC035 BD60-14001 BD60-14011
 8W 3000K 8W 4000K
 630lm Black 630lm Black
 48VDC CRI>90 48VDC CRI>90
 IP20 Aluminium IP20 Aluminium




NEW




WSL110 BD60-13101 BD60-13111
 6W 3000K 6W 4000K
 370lm Black 370lm Black
 48VDC CRI>90 48VDC CRI>90
 IP20 Aluminium IP20 Aluminium



NEW



WSL250 BD60-13201 BD60-13211
 12W 3000K 12W 4000K
 850lm Black 850lm Black
 48VDC CRI>90 48VDC CRI>90
 IP20 Aluminium IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



NEW



NEW

TRC035 BD61-10101 BD61-10111
6W 3000K 6W 4000K
440lm Black 440lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



TRC045 BD61-10201 BD61-10211
10W 3000K 10W 4000K
810lm Black 810lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium




TRC060 BD61-10301 BD61-10311
18W 3000K 18W 4000K
1580lm Black 1580lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium




NEW




BY41-01011
TR02-1M Black
Voltage 48VDC
IP20 Aluminium



BY41-01021
TR02-2M Black
Voltage 48VDC
IP20 Aluminium




BY41-01031
TR02-3M Black
Voltage 48VDC
IP20 Aluminium




NEW




BY41-01111
SR02-1M Black
Voltage 48VDC
IP20 Aluminium



BY41-01121
SR02-2M Black
Voltage 48VDC
IP20 Aluminium




BY41-01131
SR02-3M Black
Voltage 48VDC
IP20 Aluminium




NEW




BY41-01211
SR03-1M Black
Voltage 48VDC
IP20 Aluminium



BY41-01221
SR03-2M Black
Voltage 48VDC
IP20 Aluminium




BY41-01231
SR03-3M Black
Voltage 48VDC
IP20 Aluminium




NEW




BY41-01311
RC02-1M Black
Voltage 48VDC
IP20 Aluminium



BY41-01321
RC02-2M Black
Voltage 48VDC
IP20 Aluminium



BY41-01331
RC02-3M Black
Voltage 48VDC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




BY41-10511
Trimless Corner
TRC02 Black
Voltage 48VDC
IP20 Aluminium

NEW




BY41-10611
Surface Corner
SRC03 Black
Voltage 48VDC
IP20 Aluminium

NEW





BY41-10711
Recessed Corner
RCC02 Black
Voltage 48VDC
IP20 Aluminium

NEW





BY41-80011
Straight Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW




BY41-80021
L Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW





BY41-80031
L Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW




BY41-80041
T Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW



BY41-80051
Cross Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW




BY41-80061
Straight Connector
SC01 Black
Voltage 48VDC
IP20 PC

NEW



BY41-80071
Corner Connector
SC01 Black
Voltage 48VDC
IP20 PC

NEW




BY41-90101
Blind Cover
Black
IP20 PC

NEW




BY41-80081
Power Cord
Voltage 48VDC
Black IP20 PC

NEW




BY41-80091
End Socket
SC01 Black
Voltage 48VDC
IP20 PC

NEW



BY41-80101
Pendant
SD01 Black
Voltage 48VDC
IP20 Metal

NEW



BY41-90301
Spring
CRC04
IP20 Metal

NEW



Driver


BY03-21101
2A 100W 48VDC
220-240V
IP20 PC

BY03-22101
3.1A 150W 48VDC
220-240V
IP20 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




BY39-00121
SR1707-2M Black
IP20 Aluminium

NEW




BY39-00123
SR1707-2M Silver
IP20 Aluminium

NEW




BY39-00621
RC1707-2M Black
IP20 Aluminium

NEW





BY39-00623
RC1707-2M Silver
IP20 Aluminium

NEW





BY39-01123
CR1818-2M Silver
IP20 Aluminium

NEW



BY39-01423
TR15-2M Silver
IP20 Aluminium

NEW



BY39-01523
TR20-2M Silver
IP20 Aluminium

NEW



BY39-99901
Diffuser 2M Black
IP20 PC



Shopline BD30-00300

30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00310

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-00301

30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00311

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-00200

30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00210

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Shopline BD30-00201
30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00211
30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-50200
30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50210
30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires



Shopline BD30-50201
30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50211
30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Shoptline BD30-00400



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00410

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shoptline BD30-00401



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00411

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shoptline BD30-50400



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50410

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Shopline BD30-50401
30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50411
30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



Shopline BD30-01300
30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01310
30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-01301
30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01311
30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Shopline BD30-01600



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01610

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-01601



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01611

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-51600



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-51610

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires



Shopline BD30-51601



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-51611

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Shopline BD30-01400
15W 3000K
1180lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-01401
15W 3000K
1180lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline BD30-51400
15W 3000K
1180lm White
220-240V CRI>80
IP20 Aluminium 4-Wires



Shopline BD30-51401
15W 3000K
1180lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

Shopline BD40-00480



15W 3 CCT
1400lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD40-00481

15W 3 CCT
1400lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



NEW

Shopline BD40-00580



15W 3 CCT
1400lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD40-00581

15W 3 CCT
1400lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



NEW

Shopline BD40-00680



30W 3 CCT
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD40-00681

30W 3 CCT
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



NEW

Shopline BD40-00780



30W 3 CCT
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD40-00781

30W 3 CCT
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Shopline	BD40-00100	BD40-00110	BD40-00120	BD40-00130
	15W 3000K	15W 4000K	15W 5000K	15W 6500K
	1120lm White	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires



Shopline	BD40-00101	BD40-00111	BD40-00121	BD40-00131
	15W 3000K	15W 4000K	15W 5000K	15W 6500K
	1120lm Black	1120lm Black	1120lm Black	1120lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires






Shopline	BD40-00300	BD40-00310	BD40-00320	BD40-00330
	30W 3000K	30W 4000K	30W 5000K	30W 6500K
	2450lm White	2450lm White	2450lm White	2450lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires



Shopline	BD40-00301	BD40-00311	BD40-00321	BD40-00331
	30W 3000K	30W 4000K	30W 5000K	30W 6500K
	2450lm Black	2450lm Black	2450lm Black	2450lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LED DOWNLIGHT

NEW



Linex BD37-00180
 10W 3 CCT
 1150lm White
 220-240V CRI>80
 IP20 Aluminium



NEW



Linex BD37-00181
 10W 3 CCT
 1150lm Black
 220-240V CRI>80
 IP20 Aluminium



NEW



Linex BD37-00280
 20W 3 CCT
 2200lm White
 220-240V CRI>80
 IP20 Aluminium




NEW



Linex BD37-00281
 20W 3 CCT
 2200lm Black
 220-240V CRI>80
 IP20 Aluminium



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Linex BD37-20180
1x10W 3 CCT
1150lm White
220-240V CRI>80
IP20 Aluminium

NEW



Linex BD37-20181
1x10W 3 CCT
1150lm Black
220-240V CRI>80
IP20 Aluminium

NEW



Linex BD37-20280
2x10W 3 CCT
2200lm White
220-240V CRI>80
IP20 Aluminium

NEW



Linex BD37-20281
2x10W 3 CCT
2200lm Black
220-240V CRI>80
IP20 Aluminium

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP COMPLIANT

RoHS


Hg 0.0mg

Non-Flammable

Life > 25,000

-20°C ~ 40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




NEW



Linex BD63-00280 BD63-00281

LED 9W 3 CCT 9W 3 CCT
720lm White 720lm Black
220-240V CRI>90 220-240V CRI>90
IP20 Aluminium IP20 Aluminium




NEW



Linex BD63-00380 BD63-00381

LED 18W 3 CCT 18W 3 CCT
1440lm White 1440lm Black
220-240V CRI>90 220-240V CRI>90
IP20 Aluminium IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch


4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Spotled	BD02-00300	BD02-00310	BD02-00330
	3W 3000K	3W 4000K	3W 6500K
	200lm White	200lm White	200lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC




Spotled	BD02-00301	BD02-00311	BD02-00331
	3W 3000K	3W 4000K	3W 6500K
	200lm Black	200lm Black	200lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



Spotled	BD02-00500	BD02-00510	BD02-00530
	5W 3000K	5W 4000K	5W 6500K
	400lm White	400lm White	400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC




Spotled	BD02-00501	BD02-00511	BD02-00531
	5W 3000K	5W 4000K	5W 6500K
	400lm Black	400lm Black	400lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Spotted	BD02-00700	BD02-00710	BD02-00730
	7W 3000K 630lm White 220-240V CRI>80 IP20 PC	7W 4000K 630lm White 220-240V CRI>80 IP20 PC	7W 6500K 630lm White 220-240V CRI>80 IP20 PC




Spotted	BD02-00701	BD02-00711	BD02-00731
	7W 3000K 630lm Black 220-240V CRI>80 IP20 PC	7W 4000K 630lm Black 220-240V CRI>80 IP20 PC	7W 6500K 630lm Black 220-240V CRI>80 IP20 PC



Spotted	BD02-01000	BD02-01010	BD02-01030
	10W 3000K 770lm White 220-240V CRI>80 IP20 PC	10W 4000K 770lm White 220-240V CRI>80 IP20 PC	10W 6500K 770lm White 220-240V CRI>80 IP20 PC



Spotted	BD02-01001	BD02-01011	BD02-01031
	10W 3000K 770lm Black 220-240V CRI>80 IP20 PC	10W 4000K 770lm Black 220-240V CRI>80 IP20 PC	10W 6500K 770lm Black 220-240V CRI>80 IP20 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW




 	Spotled BD02-10500	BD02-10510	BD02-10530
	5W 3000K	5W 4000K	5W 6500K
	400lm White	400lm White	400lm White
	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC



 	Spotled BD02-10501	BD02-10511	BD02-10531
	5W 3000K	5W 4000K	5W 6500K
	400lm Black	400lm Black	400lm Black
	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC



 	Spotled BD02-10700	BD02-10710	BD02-10730
	7W 3000K	7W 4000K	7W 6500K
	630lm White	630lm White	630lm White
	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC	220-240V CRI>80 IP20 PC



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



IP54

Spotled BD01-00780


3 CCT
7W 630lm White
220-240V CRI>80
IP54 PC



IP54

Spotled BD01-00781

3 CCT
7W 630lm Black
220-240V CRI>80
IP54 PC



IP54

3 COLOUR INSIDE



Minispot BH06-00209

3W 3000K
210lm 3 Color
220-240V CRI>80
IP54 PC

BH06-00219

3W 4000K
210lm 3 Color
220-240V CRI>80
IP54 PC

BH06-00239

3W 6500K
210lm 3 Color
220-240V CRI>80
IP54 PC



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Spotled BD02-00780

3 CCT
7W 630lm White
220-240V CRI>80
IP20 PC

Dimmable
BD02-60780

3 CCT - Dimmable
7W 630lm White
220-240V CRI>80
IP20 PC



Spotled BD02-00781

3 CCT
7W 630lm Black
220-240V CRI>80
IP20 PC

Dimmable
BD02-60781

3 CCT - Dimmable
7W 630lm Black
220-240V CRI>80
IP20 PC



Spotled BD02-00783

3 CCT
7W 630lm Silver
220-240V CRI>80
IP20 PC

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Spotted BD02-10780



3 CCT
7W 630lm White
220-240V CRI>80
IP20 PC

BD02-70780

3 CCT - Dimmable
7W 630lm White
220-240V CRI>80
IP20 PC




Spotted BD02-10781



3 CCT
7W 630lm Black
220-240V CRI>80
IP20 PC

BD02-70781


3 CCT - Dimmable
7W 630lm Black
220-240V CRI>80
IP20 PC



Spotted BD02-10783



3 CCT
7W 630lm Silver
220-240V CRI>80
IP20 PC



3 CCT - Color Temperature Changeable

3000K

4000K


6500K

CCT Switch


4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



 	Modul BA23-00580	BA23-00780	
	3 CCT 110°	3 CCT 110°	
	5W 430lm White	7W 700lm White	
	220-240V CRI>80	220-240V CRI>80	
	IP20 PC	IP20 PC	



 	Modul BA23-10580	BA23-10780	
	3 CCT 45°	3 CCT 60°	
	5W 380lm White	7W 700lm White	
	220-240V CRI>80	220-240V CRI>80	
	IP20 PC	IP20 PC	



NEW

 	Modul BA23-31001	BA23-31011	BA23-31031	
	3000K 38°	4000K 38°	6500K 38°	
	10W 1000lm Black	10W 1000lm Black	10W 1000lm Black	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 PC	IP20 PC	IP20 PC	

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K


6500K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Faton	BP13-00800	BP13-00810	BP13-00830
	8W 3000K	8W 4000K	8W 6500K
	800lm White	800lm White	800lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Faton	BP13-00801	BP13-00811	BP13-00831
	8W 3000K	8W 4000K	8W 6500K
	800lm Black	800lm Black	800lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Faton	BP13-01200	BP13-01210	BP13-01230
	12W 3000K	12W 4000K	12W 6500K
	1200lm White	1200lm White	1200lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Faton	BP13-01800	BP13-01810	BP13-01830
LED	18W 3000K	18W 4000K	18W 6500K
FA	1800lm White	1800lm White	1800lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Faton	BP13-02400	BP13-02410	BP13-02430
LED	24W 3000K	24W 4000K	24W 6500K
FA	2400lm White	2400lm White	2400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Faton	BP13-03200	BP13-03210	BP13-03230
LED	32W 3000K	32W 4000K	32W 6500K
FA	2880lm White	2880lm White	2880lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

DW11 BP11-10580
 5W 3 CCT
 360lm White
 220-240V CRI>80
 IP40 Plastic



NEW

DW11 BP11-10880
 8W 3 CCT
 800lm White
 220-240V CRI>80
 IP40 Plastic




NEW

DW11 BP11-11280
 12W 3 CCT
 1160lm White
 220-240V CRI>80
 IP40 Plastic



NEW

DW11 BP11-11680
 16W 3 CCT
 1500lm White
 220-240V CRI>80
 IP40 Plastic




NEW

DW11 BP11-12080
 20W 3 CCT
 2120lm White
 220-240V CRI>80
 IP40 Plastic



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP54

DW12

BP11-42080

LED

20W 3 CCT

2120lm White

220-240V CRI>80

IP40 Plastic

Ø220

30

NEW



IP54

DW12

BP11-42880

LED

28W 3 CCT

2760lm White

220-240V CRI>80

IP40 Plastic

Ø300

30

NEW



IP54

DW12

BP11-52080

LED

20W 3 CCT

2120lm White


220-240V CRI>80

IP40 Plastic

220x220

30

NEW



IP54

DW12

BP11-52880

LED

28W 3 CCT

2760lm White

220-240V CRI>80

IP40 Plastic

300x300

30

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-halogen


> 25,000

-20°C ~ +40°C



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




LED PANEL LIGHT




Panelled	BP15-36600	BP15-36610	BP15-36630
	40W 3000K 4200lm White 220-240V CRI>80 IP20 Aluminium	40W 4000K 4200lm White 220-240V CRI>80 IP20 Aluminium	40W 6500K 4200lm White 220-240V CRI>80 IP20 Aluminium



Panelled	BP15-56600	BP15-56610	BP15-56630
	48W 3000K 5000lm White 220-240V CRI>80 IP20 Aluminium	48W 4000K 5000lm White 220-240V CRI>80 IP20 Aluminium	48W 6500K 5000lm White 220-240V CRI>80 IP20 Aluminium



NEW



Panelled	BP16-46280
	White 220-240V CRI>80 IP20 Aluminium

28W - 3000K - 3350lm 28W - 4000K - 3550lm 28W - 6500K - 3450lm 36W - 3000K - 4000lm 36W - 4000K - 4320lm 36W - 6500K - 4200lm 40W - 3000K - 4400lm 40W - 4000K - 4800lm 40W - 6500K - 4600lm
--



Panelled	BP16-33110	BP16-33130
	40W 4000K 4400lm White 220-240V CRI>80 IP20 Aluminium	40W 6500K 4400lm White 220-240V CRI>80 IP20 Aluminium



3 CCT - Color Temperature Changeable



CCT Switch




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW

**Panelled** BP27-26680

 White
 220-240V
 CRI>80
 IP20
 Aluminium

27W - 3000K - 2800lm	27W - 4000K - 3150lm	27W - 6500K - 3000lm
33W - 3000K - 3200lm	33W - 4000K - 3650lm	33W - 6500K - 3500lm
38W - 3000K - 3700lm	38W - 4000K - 4200lm	38W - 6500K - 4000lm




NEW

**Panelled** BP27-36280


 White
 220-240V
 CRI>80
 IP20
 Aluminium

27W - 3000K - 2800lm	27W - 4000K - 3150lm	27W - 6500K - 3000lm
33W - 3000K - 3200lm	33W - 4000K - 3650lm	33W - 6500K - 3500lm
38W - 3000K - 3700lm	38W - 4000K - 4200lm	38W - 6500K - 4000lm

**Panelled** BP27-36610

 40W 4000K
 4200lm White
 220-240V CRI>80
 IP20 Aluminium

BP27-36630
 40W 6500K
 4200lm White
 220-240V CRI>80
 IP20 Aluminium



IP40

**Backlite** BP28-56600


 50W 3000K
 5200lm White
 220-240V CRI>80
 IP40 Aluminium

BP28-56610


50W 4000K
 5200lm White
 220-240V CRI>80
 IP40 Aluminium

BP28-56630

50W 6500K
 5200lm White
 220-240V CRI>80
 IP40 Aluminium



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW

NEW



IP40



Panelled BP21-06600	BP21-06610	BP21-06630	
50W 3000K 5300lm White 220-240V CRI>80 IP20 Metal	50W 4000K 5300lm White 220-240V CRI>80 IP20 Metal	50W 6500K 5300lm White 220-240V CRI>80 IP20 Metal	

Panelled BP25-56680	
White 220-240V CRI>80 IP40 Aluminium	30W - 3000K - 3400lm 30W - 4000K - 3900lm 30W - 6500K - 3700lm 40W - 3000K - 4300lm 40W - 4000K - 5080lm 40W - 6500K - 4600lm 50W - 3000K - 4900lm 50W - 4000K - 5700lm 50W - 6500K - 5200lm

Panelled BP22-06610	BP22-06630	
40W 4000K 4000lm White 220-240V CRI>80 IP20 Metal	40W 6500K 4000lm White 220-240V CRI>80 IP20 Metal	

NEW




IP40




Panelled BP21-03110	BP21-03130	
50W 4000K 5300lm White 220-240V CRI>80 IP20 Metal	50W 6500K 5300lm White 220-240V CRI>80 IP20 Metal	

Panelled BP25-53180	
White 220-240V CRI>80 IP40 Aluminium	30W - 3000K - 3400lm 30W - 4000K - 3900lm 30W - 6500K - 3700lm 40W - 3000K - 4300lm 40W - 4000K - 5080lm 40W - 6500K - 4600lm 50W - 3000K - 4900lm 50W - 4000K - 5700lm 50W - 6500K - 5200lm


3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BP16-99040
60x60 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99070
62x62 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99030
30x120 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99060
Adjustable Suspension Wire
Metal-Steel
Pcs/Ctn 100



BP16-99050
Recessed Apparatus
Metal
Pcs/Ctn 125



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP40

SMD-CRB

BP03-72080

LED

20W 3 CCT

2000lm White

220-240V CRI>80

IP40 PC

Recessed

65-165

225x725

725

Surface

725

225x725



IP40

SMD-CRB

BP03-72081

LED

20W 3 CCT

2000lm Black

220-240V CRI>80

IP40 PC

Recessed

65-165

225x725

725

Surface

725

225x725



IP40

SMD-CRB

BP04-72080

LED

20W 3 CCT

2000lm White

220-240V CRI>80

IP40 PC

Recessed

65-165

225x725

725

Surface

725

225x725



IP40

SMD-CRB

BP04-72081

LED

20W 3 CCT

2000lm Black

220-240V CRI>80

IP40 PC

Recessed

65-165

225x725

725

Surface

725

225x725

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-Halogen

> 25,000

-20°C ~40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP40



JADE BP07-00280
 18W 3 CCT
 1800lm White
 220-240V CRI>80
 IP40 PC




NEW



IP40



JADE BP07-00281
 18W 3 CCT
 1800lm Black
 220-240V CRI>80
 IP40 PC



NEW



IP40



JADE BP07-00380
 24W 3 CCT
 2400lm White
 220-240V CRI>80
 IP40 PC



NEW





IP40



JADE BP07-00381
 24W 3 CCT
 2400lm Black
 220-240V CRI>80
 IP40 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW

NEW




IP40

IP40



JADE BP07-00480
32W 3 CCT
3200lm White
220-240V CRI>80
IP40 PC



JADE BP07-00481
32W 3 CCT
3200lm Black
220-240V CRI>80
IP40 PC



NEW

NEW



IP40

IP40




JADE BP07-00580
40W 3 CCT
4000lm White
220-240V CRI>80
IP40 PC



JADE BP07-00581
40W 3 CCT
4000lm Black
220-240V CRI>80
IP40 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP40



SMD	BP01-60300	BP01-60310	BP01-60330	BP01-60380
LED	3W 3000K	3W 4000K	3W 6500K	3W 3 CCT
	220lm White	220lm White	220lm White	220lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC



IP40



SMD	BP01-60600	BP01-60610	BP01-60630
LED	6W 3000K	6W 4000K	6W 6500K
	470lm White	470lm White	470lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC




IP40



SMD	BP01-60900	BP01-60910	BP01-60930
LED	9W 3000K	9W 4000K	9W 6500K
	790lm White	790lm White	790lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC



3 CCT - Color Temperature Changeable



CCT Switch

4000K 3000K 6500K


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP40




SMD	BP01-61200	BP01-61210	BP01-61230
	12W 3000K	12W 4000K	12W 6500K
	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC



IP40




SMD	BP01-61500	BP01-61510	BP01-61530
	15W 3000K	15W 4000K	15W 6500K
	1440lm White	1440lm White	1440lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC



IP40




SMD	BP01-61800	BP01-61810	BP01-61830
	18W 3000K	18W 4000K	18W 6500K
	1760lm White	1760lm White	1760lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC



IP40



SMD	BP01-62400	BP01-62410	BP01-62430
	24W 3000K	24W 4000K	24W 6500K
	2400lm White	2400lm White	2400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



Dimmable
IP40



SMD BP01-90480
4W 3 CCT
280lm White
220-240V CRI>80
IP40 PC




NEW



Dimmable
IP40



SMD BP01-90680
6W 3 CCT
470lm White
220-240V CRI>80
IP40 PC



NEW



Dimmable
IP40



SMD BP01-91280
12W 3 CCT
1120lm White
220-240V CRI>80
IP40 PC



NEW




Dimmable
IP40



SMD BP01-91880
18W 3 CCT
1800lm White
220-240V CRI>80
IP40 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




Dimmable
IP40



SMD BP01-90481

LED 4W 3 CCT
280lm Black
220-240V CRI>80
IP40 PC



NEW




Dimmable
IP40



SMD BP01-90681

LED 6W 3 CCT
470lm Black
220-240V CRI>80
IP40 PC



NEW




Dimmable
IP40



SMD BP01-91281

LED 12W 3 CCT
1120lm Black
220-240V CRI>80
IP40 PC



NEW



Dimmable
IP40



SMD BP01-91881

LED 18W 3 CCT
1800lm Black
220-240V CRI>80
IP40 PC



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



SMD	BP02-90480	BP02-90481
LED	4W 3 CCT 280lm White 220-240V CRI>80	4W 3 CCT 280lm Black 220-240V CRI>80
IP	IP40 PC	IP40 PC



NEW



IP40



SMD	BP02-60600	BP02-60610	BP02-60630
LED	6W 3000K 470lm White 220-240V CRI>80	6W 4000K 470lm White 220-240V CRI>80	6W 6500K 470lm White 220-240V CRI>80
IP	IP40 PC	IP40 PC	IP40 PC



NEW




IP40



SMD	BP02-61200	BP02-61210	BP02-61230
LED	12W 3000K 1120lm White 220-240V CRI>80	12W 4000K 1120lm White 220-240V CRI>80	12W 6500K 1120lm White 220-240V CRI>80
IP	IP40 PC	IP40 PC	IP40 PC




NEW




IP40



SMD	BP02-61800	BP02-61810	BP02-61830
LED	18W 3000K 1760lm White 220-240V CRI>80	18W 4000K 1760lm White 220-240V CRI>80	18W 6500K 1760lm White 220-240V CRI>80
IP	IP40 PC	IP40 PC	IP40 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP40

SMD	BP03-61200	BP03-61210	BP03-61230
	12W 3000K 1120lm White 220-240V CRI>80 IP40 PC	12W 4000K 1120lm White 220-240V CRI>80 IP40 PC	12W 6500K 1120lm White 220-240V CRI>80 IP40 PC



IP40

SMD	BP03-61800	BP03-61810	BP03-61830
	18W 3000K 1760lm White 220-240V CRI>80 IP40 PC	18W 4000K 1760lm White 220-240V CRI>80 IP40 PC	18W 6500K 1760lm White 220-240V CRI>80 IP40 PC




IP40

SMD	BP03-62400	BP03-62410	BP03-62430
	24W 3000K 2400lm White 220-240V CRI>80 IP40 PC	24W 4000K 2400lm White 220-240V CRI>80 IP40 PC	24W 6500K 2400lm White 220-240V CRI>80 IP40 PC




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP40

SMD	BP04-61200	BP04-61210	BP04-61230	
	12W 3000K	12W 4000K	12W 6500K	
	1120lm White	1120lm White	1120lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP40 PC	IP40 PC	IP40 PC	



IP40

SMD	BP04-61800	BP04-61810	BP04-61830	
	18W 3000K	18W 4000K	18W 6500K	
	1760lm White	1760lm White	1760lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP40 PC	IP40 PC	IP40 PC	



IP40

SMD	BP04-62400	BP04-62410	BP04-62430	
	24W 3000K	24W 4000K	24W 6500K	
	2400lm White	2400lm White	2400lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP40 PC	IP40 PC	IP40 PC	




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




SMD BP05-01080
10W 3 CCT
1100lm White
220-240V CRI>70
IP20 Plastic



NEW




SMD BP05-01680
16W 3 CCT
1650lm White
220-240V CRI>70
IP20 Plastic



NEW




SMD BP05-02480
24W 3 CCT
2500lm White
220-240V CRI>70
IP20 Plastic



NEW



SMD BP05-03680
36W 3 CCT
3500lm White
220-240V CRI>70
IP20 Plastic



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




SMD BP05-21080
 10W 3 CCT
 1100lm White
 220-240V CRI>70
 IP20 Plastic



NEW




SMD BP05-21680
 16W 3 CCT
 1650lm White
 220-240V CRI>70
 IP20 Plastic



NEW




SMD BP05-22480
 24W 3 CCT
 2500lm White
 220-240V CRI>70
 IP20 Plastic





NEW



SMD BP05-23680
 36W 3 CCT
 3500lm White
 220-240V CRI>70
 IP20 Plastic



3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW

SMD BP06-02480
24W 3 CCT
2500lm White
220-240V CRI>70
IP20 Plastic




NEW

SMD BP06-03680
36W 3 CCT
3500lm White
220-240V CRI>70
IP20 Plastic




NEW

SMD BP06-32480
24W 3 CCT
2500lm White
220-240V CRI>70
IP20 Plastic



NEW

SMD BP06-33680
36W 3 CCT
3500lm White
220-240V CRI>70
IP20 Plastic



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-Halogen

> 25,000

-20°C ~ +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SMD	BP01-30300	BP01-30310	BP01-30330	
	3W 3000K	3W 4000K	3W 6500K	
	220lm White	220lm White	220lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	

SMD	BP01-30600	BP01-30610	BP01-30630	
	6W 3000K	6W 4000K	6W 6500K	
	470lm White	470lm White	470lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



SMD	BP01-30900	BP01-30910	BP01-30930	
	9W 3000K	9W 4000K	9W 6500K	
	790lm White	790lm White	790lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	

SMD	BP01-31200	BP01-31210	BP01-31230	
	12W 3000K	12W 4000K	12W 6500K	
	1120lm White	1120lm White	1120lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




SMD	BP01-31500	BP01-31510	BP01-31530
	15W 3000K	15W 4000K	15W 6500K
	1440lm White	1440lm White	1440lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



SMD	BP01-31800	BP01-31810	BP01-31830
	18W 3000K	18W 4000K	18W 6500K
	1760lm White	1760lm White	1760lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



SMD	BP01-32400	BP01-32410	BP01-32430
	24W 3000K	24W 4000K	24W 6500K
	2400lm White	2400lm White	2400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW




NEW



SMD	BP01-30380	BP01-30381	BP01-30680	BP01-30681
LED	3W 3 CCT	3W 3 CCT	6W 3 CCT	6W 3 CCT
	220lm White	220lm Black	470lm White	470lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



SMD	BP01-31280	BP01-31281
LED	12W 3 CCT	12W 3 CCT
	1120lm White	1120lm Black
	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium




NEW



NEW




SMD	BP01-31880	BP01-31881
LED	18W 3 CCT	18W 3 CCT
	1760lm White	1760lm Black
	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium



SMD	BP01-32480	BP01-32481
LED	24W 3 CCT	24W 3 CCT
	2400lm White	2400lm Black
	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium



3 CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



SMD	BP02-30600	BP02-30610	BP02-30630	
	6W 3000K	6W 4000K	6W 6500K	
	470lm White	470lm White	470lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	

SMD	BP02-31200	BP02-31210	BP02-31230	
	12W 3000K	12W 4000K	12W 6500K	
	1120lm White	1120lm White	1120lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



SMD	BP02-31800	BP02-31810	BP02-31830	
	18W 3000K	18W 4000K	18W 6500K	
	1760lm White	1760lm White	1760lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	

SMD	BP02-32400	BP02-32410	BP02-32430	
	24W 3000K	24W 4000K	24W 6500K	
	2400lm White	2400lm White	2400lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



SMD	BP03-30600	BP03-30610	BP03-30630	
	6W 3000K 470lm White	6W 4000K 470lm White	6W 6500K 470lm White	
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	



SMD	BP03-31200	BP03-31210	BP03-31230	
	12W 3000K 1120lm White	12W 4000K 1120lm White	12W 6500K 1120lm White	
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	



SMD	BP03-31800	BP03-31810	BP03-31830	
	18W 3000K 1760lm White	18W 4000K 1760lm White	18W 6500K 1760lm White	
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	




SMD	BP03-32400	BP03-32410	BP03-32430	
	24W 3000K 2400lm White	24W 4000K 2400lm White	24W 6500K 2400lm White	
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



SMD	BP04-30600	BP04-30610	BP04-30630	
	6W 3000K 470lm White 220-240V CRI>80 IP20 Aluminium	6W 4000K 470lm White 220-240V CRI>80 IP20 Aluminium	6W 6500K 470lm White 220-240V CRI>80 IP20 Aluminium	

SMD	BP04-31200	BP04-31210	BP04-31230	
	12W 3000K 1120lm White 220-240V CRI>80 IP20 Aluminium	12W 4000K 1120lm White 220-240V CRI>80 IP20 Aluminium	12W 6500K 1120lm White 220-240V CRI>80 IP20 Aluminium	



SMD	BP04-31800	BP04-31810	BP04-31830	
	18W 3000K 1760lm White 220-240V CRI>80 IP20 Aluminium	18W 4000K 1760lm White 220-240V CRI>80 IP20 Aluminium	18W 6500K 1760lm White 220-240V CRI>80 IP20 Aluminium	

SMD	BP04-32400	BP04-32410	BP04-32430	
	24W 3000K 2400lm White 220-240V CRI>80 IP20 Aluminium	24W 4000K 2400lm White 220-240V CRI>80 IP20 Aluminium	24W 6500K 2400lm White 220-240V CRI>80 IP20 Aluminium	



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




NEW

SMD BP03-31880 BP03-31881
 18W 3 CCT 18W 3 CCT
 1760lm White 1760lm Black
 220-240V CRI>80 220-240V CRI>80
 IP20 Aluminium IP20 Aluminium



NEW

SMD BP03-32480 BP03-32481
 24W 3 CCT 24W 3 CCT
 2400lm White 2400lm Black
 220-240V CRI>80 220-240V CRI>80
 IP20 Aluminium IP20 Aluminium



NEW

SMD BP04-31880 BP04-31881
 18W 3 CCT 18W 3 CCT
 1760lm White 1760lm Black
 220-240V CRI>80 220-240V CRI>80
 IP20 Aluminium IP20 Aluminium




NEW

SMD BP04-32480 BP04-32481
 24W 3 CCT 24W 3 CCT
 2400lm White 2400lm Black
 220-240V CRI>80 220-240V CRI>80
 IP20 Aluminium IP20 Aluminium



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

SPOTLIGHT FIXTURE





Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00400
Beta
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00401
Beta
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00406
Beta
Golden 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00100
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00101
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00110
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00111
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30100
Beta
White 1xGU10
Max. 1x35W
220-240V
IP20 Aluminium

12.7
50mm



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30101
Beta
Black 1xGU10
Max. 1x35W
220-240V
IP20 Aluminium


12.7
50mm



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30110
Beta
White 1xGU10
Max. 1x35W
220-240V
IP20 Aluminium

12.7
50mm



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30111
Beta
Black 1xGU10
Max. 1x35W
220-240V
IP20 Aluminium

12.7
50mm



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00200
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00201
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00210
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00211
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BH04-00300
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00301
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00306
Gama
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH04-00310
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00311
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00316
Gama
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30300
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

100
80



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30301
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

100
80



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30310
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

100
80x80




Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30311
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

100
80x80



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
H=50mm
BH04-00560
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

Bulb not included.
Suitable For
GU10 BULB
H=50mm
BH04-00561
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.

Suitable For

GU10 BULB

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

BH04-00900
Beta
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



Bulb not included.

Suitable For

GU10 BULB

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

BH04-00901
Beta
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



BH04-00800
Beta
White 1xGU10
Max.1x35W
220-240VAC
IP20 Aluminium

BH04-00801
Beta
Black 1xGU10
Max.1x35W
220-240VAC
IP20 Aluminium






BH04-00810
Beta
White 1xGU10
Max.1x35W
220-240VAC
IP20 Aluminium

BH04-00811
Beta
Black 1xGU10
Max.1x35W
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




BV04-00020
G002C
Golden+Black
1xGU10 Max.1x10w
220-240VAC
IP20 METAL



NEW




BV04-00021
G002C
Golden+Black
3xGU10 Max.1x10w
220-240VAC
IP20 METAL



NEW




BV04-00022
G002C
Golden+Black
2xGU10 Max.2x10w
220-240VAC
IP20 METAL



NEW




BV04-00023
G002C
Golden+Black
3xGU10 Max.3x10w
220-240VAC
IP20 METAL





NEW



BV04-00024
G002C
Golden+Black
4xGU10 Max.4x10w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
50mm
BH03-06030
Alfa
White+Golden 1xMR16
Max. 1x35W
220-240V
Suitable For
MR16 BULB
IP20 Aluminium



Bulb not included.
50mm
BH03-06031
Alfa
Black+Golden 1xMR16
Max. 1x35W
220-240V
Suitable For
MR16 BULB
IP20 Aluminium



Bulb not included.
50mm
BH03-06032
Alfa
White+White 1xMR16
Max. 1x35W
220-240V
Suitable For
MR16 BULB
IP20 Aluminium



Bulb not included.
50mm
BH03-06034
Alfa
Black+Black 1xMR16
Max. 1x35W
220-240V
Suitable For
MR16 BULB
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
50mm
BH03-06040
Alfa
White 1xMR16
Max.1x35W
220-240V
Suitable For
MR16 BULB
IP20 Aluminium
Ø70
Ø52



Bulb not included.
50mm
BH03-06041
Alfa
Black+Black 1xMR16
Max.1x35W
220-240V
Suitable For
MR16 BULB
IP20 Aluminium
Ø70
Ø52





Bulb not included.
50mm
BH03-06042
Alfa
Black+White 1xMR16
Max.1x35W
220-240V
Suitable For
MR16 BULB
IP20 Aluminium
Ø70
Ø52



Bulb not included.
50mm
BH03-06043
Alfa
White+Black 1xMR16
Max.1x35W
220-240V
Suitable For
MR16 BULB
IP20 Aluminium
Ø70
Ø52





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



NEW



NEW




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




BH03-00750
Gata
White+Black 1xMR16
Max. 1x35W
220-240V
IP20 Iron



NEW




BH03-00751
Gata
Black+Black 1xMR16
Max. 1x35W
220-240V
IP20 Iron



NEW




BH03-00760
Gata
White+Black 2xMR16
Max. 2x35W
220-240V
IP20 Iron



NEW




BH03-00761
Gata
Black+Black 2xMR16
Max. 2x35W
220-240V
IP20 Iron



NEW




BH03-00770
Gata
White+Black 3xMR16
Max. 3x35W
220-240V
IP20 Iron



NEW



BH03-00771
Gata
Black+Black 3xMR16
Max. 3x35W
220-240V
IP20 Iron




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05010
Beta
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05011
Beta
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05020
Beta
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05021
Beta
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05030
Beta
White 2xGU10
Max.2x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05031
Beta
Black 2xGU10
Max.2x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05040
Beta
White 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm



BH03-05041
Beta
Black 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BH03-04090
Tetra
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




BH03-04091
Tetra
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



BH03-04100
Tetra
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



BH03-04101
Tetra
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-04050
Tetra
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-04051
Tetra
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-04040
Tetra
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-04041
Tetra
Black 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.

Suitable For

GU10 BULB

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm


50mm

50mm

50mm

50mm

BH03-00161
Spotli
Black Silver 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.

Suitable For

GU10 BULB

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm


50mm

50mm

50mm

50mm

BH03-00163
Spotli
Brushed Silver 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.

Suitable For

GU10 BULB

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm


50mm

50mm

50mm

50mm

BH03-00111
Spotli
Black Silver 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.

Suitable For

GU10 BULB

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm

50mm


50mm

50mm

50mm

50mm


BH03-00113
Spotli
Brushed Silver 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BH03-00121
Spotlight
Black Silver 2xGU10
Max. 2x35w
220-240VAC
IP20 Aluminium



BH03-00123
Spotlight
Brushed Silver 2xGU10
Max. 2x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-02070
Mitto
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-02074
Mitto
Nickel 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-02040
Mitto
White 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm


BH03-02044
Mitto
Nickel 1xGU10
Max. 1x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54



IP54



IP54



IP54



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

DESK LAMP





LB124 BK01-00516
4.5W 5000K
350lm White
13.2V DC CRI>80
IP20 ABS



LB125 BK01-00710
5W 5000K
400lm White
5V DC CRI>80
IP20 ABS



LB131 BK01-01310
7W 5000K
580lm White
12V DC CRI>80
IP20 ABS



LB132 BK01-01411
7W 5000K
580lm Black
12V DC CRI>80
IP20 ABS



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



LB145 BK01-02680
 5W CCT TUNABLE
 500lm White
 5V DC CRI>80
 IP20 ABS



LB145 BK01-02681
 5W CCT TUNABLE
 500lm Black
 5V DC CRI>80
 IP20 ABS



LB146 BK01-02781
 5W CCT TUNABLE
 500lm Black
 5V DC CRI>80
 IP20 ABS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Tower BK06-00080
LED 3W 3000K
200lm White
5V DC CRI>80
IP44 Metal+PC




Tower BK06-00081
LED 3W 3000K
200lm Black
5V DC CRI>80
IP44 Metal+PC



Tower BK06-00090
LED 3W 3 CCT
200lm White
5V DC CRI>80
IP44 Metal+PC

3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Tower BK06-00091

LED 3W 3 CCT
200lm Black
5V DC CRI>80
IP44 Metal+PC



Tower BK06-00092


LED 3W 3 CCT
200lm Green
5V DC CRI>80
IP44 Metal+PC



Tower BK06-00093

LED 3W 3 CCT
200lm Coffee
5V DC CRI>80
IP44 Metal+PC

3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

DECORATIVE LIGHTING







Lina BH16-09180
3 CCT
35W 3500lm White
220-240V CRI>80
IP20 Aluminium



Lina BH16-09181
3 CCT
35W 3500lm Black
220-240V CRI>80
IP20 Aluminium



Lina BH16-09186
3 CCT
35W 3500lm Golden
220-240V CRI>80
IP20 Aluminium

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K



CE

LVD

EMC

ErP

RoHS

Hg

0.0mg

Non-hazardous

> 25,000


-20°C

+40°C


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Lina BH16-09280
 3 CCT
 45W 4520lm White
 220-240V CRI>80
 IP20 Aluminium




Lina BH16-09281
 3 CCT
 45W 4520lm Black
 220-240V CRI>80
 IP20 Aluminium



Lina BH16-09286
 3 CCT
 45W 4520lm Golden
 220-240V CRI>80
 IP20 Aluminium



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Lina BH16-09680
3 CCT
65W 6500lm White
220-240V CRI>80
IP20 Aluminium



Lina BH16-09681
3 CCT
65W 6500lm Black
220-240V CRI>80
IP20 Aluminium



Lina BH16-09686
3 CCT
65W 6500lm Golden
220-240V CRI>80
IP20 Aluminium

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K



CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-halogen


> 25,000

-20°C ~40°C



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Lina BH16-09980
3 CCT
30W 3000lm White
220-240V CRI>80
IP20 Aluminium



Lina BH16-09981
3 CCT
30W 3000lm Black
220-240V CRI>80
IP20 Aluminium



Lina BH16-09986
3 CCT
30W 3000lm Golden
220-240V CRI>80
IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


BELLA







Bella BH17-00280
 3 CCT
 36W 4260lm White
 220-240V CRI>80
 IP20 Aluminium




Bella BH17-00281
 3 CCT
 36W 4260lm Black
 220-240V CRI>80
 IP20 Aluminium





Bella BH17-00286
 3 CCT
 36W 4260lm Golden
 220-240V CRI>80
 IP20 Aluminium





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bella BH17-00780
3 CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-00781
3 CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-00786
3 CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bella BH17-01280
 3 CCT
 36W 4260lm White
 220-240V CRI>80
 IP20 Aluminium





Bella BH17-01281
 3 CCT
 36W 4260lm Black
 220-240V CRI>80
 IP20 Aluminium




Bella BH17-01286
 3 CCT
 36W 4260lm Golden
 220-240V CRI>80
 IP20 Aluminium




3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bella BH17-01380
3 CCT
46W 5200lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-01381
3 CCT
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium



Bella BH17-01386
3 CCT
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-Halogen

> 25,000

-20°C ~40°C


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Bella BH17-01780
3 CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



Bella BH17-01781
3 CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



3000K 4000K 6500K

A number line with points at 4000K, 3000K, and 6500K. A bracket spans from 4000K to 6500K, and a tick mark is at 3000K.



106

ARCANA





NEW

Arcana BH18-01101

3000K
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium

BH18-01191

3 CCT - With Remote
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium



Dimmable



NEW

Arcana BH18-01201


3000K
32W 3520lm Black
220-240V CRI>80
IP20 Aluminium

BH18-01291

3 CCT - With Remote
32W 3520lm Black
220-240V CRI>80
IP20 Aluminium



Dimmable



NEW

Arcana BH18-01301


3000K
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium

BH18-01391

3 CCT - With Remote
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium



Dimmable



3 CCT - Color Temperature Changeable

3000K

4000K


6500K

CCT Switch



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




Crystal BH17-04890

3 CCT - With Remote
55W 6050lm White
220-240V CRI>80
IP20 Aluminium



Dimmable



NEW




Crystal BH17-04891


3 CCT - With Remote
55W 6050lm Black
220-240V CRI>80
IP20 Aluminium



Dimmable



NEW




Crystal BH17-04990


3 CCT - With Remote
80W 8800lm White
220-240V CRI>80
IP20 Aluminium



Dimmable



NEW




Crystal BH17-04991

3 CCT - With Remote
80W 8800lm Black
220-240V CRI>80
IP20 Aluminium



Dimmable



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch


4000K 3000K 6500K

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




Crystal BH17-05090
3 CCT - With Remote
40W 4400lm White
220-240V CRI>80
IP20 Aluminium



NEW




Crystal BH17-05091
3 CCT - With Remote
40W 4400lm Black
220-240V CRI>80
IP20 Aluminium



NEW




Crystal BH17-05190
3 CCT - With Remote
55W 6050lm White
220-240V CRI>80
IP20 Aluminium



NEW



Crystal BH17-05191
3 CCT - With Remote
55W 6050lm Black
220-240V CRI>80
IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg


Non-Halogen

> 25,000


-20°C ~40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW




NEW




NEW



NEW



3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




 Dimmable
Nela BH17-04290
 3 CCT - With Remote
60W 6050lm White
220-240V CRI>80
 IP20 Aluminium




NEW




 Dimmable
Nela BH17-04291
 3 CCT - With Remote
60W 6050lm Black
220-240V CRI>80
 IP20 Aluminium



NEW




 Dimmable
Nela BH17-04390
 3 CCT - With Remote
65W 7150lm White
220-240V CRI>80
 IP20 Aluminium




NEW



 Dimmable
Nela BH17-04391
 3 CCT - With Remote
65W 7150lm Black
220-240V CRI>80
 IP20 Aluminium




3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW





NEW




NEW



NEW




3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW





Nela
BH17-04691

3 CCT - With Remote
80W 8800lm Black
220-240V CRI>80
IP20 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-Halogen

Hand icon

> 25,000

-20°C

+40°C



BLADE





Blade BH16-04181

3 CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-04180

3 CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05001

PENDANT KIT • BLADE
Black • SH16-05002

PENDANT KIT • BLADE
Wooden • SH16-05003




Blade BH16-04187

3 CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com






Blade BH16-04290



3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal








Blade BH16-04291



3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal








Blade BH16-04297



3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal





- PENDANT KIT • BLADE
White • SH16-05001
- PENDANT KIT • BLADE
Black • SH16-05002
- PENDANT KIT • BLADE
Wooden • SH16-05003



3 CCT - Color Temperature Changeable



3000K



4000K



6500K

CCT Switch





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




PENDANT KIT • BLADE
White • SH16-05004

PENDANT KIT • BLADE
Black • SH16-05005

PENDANT KIT • BLADE
Wooden • SH16-05006



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com






Blade BH16-05290



3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal





Blade BH16-05291



3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal





Blade BH16-05297



3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



- PENDANT KIT • BLADE
White • SH16-05004
- PENDANT KIT • BLADE
Black • SH16-05005
- PENDANT KIT • BLADE
Wooden • SH16-05006



3 CCT - Color Temperature Changeable



3000K



4000K



6500K

CCT Switch

4000K 3000K 6500K






*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Blade BH16-06180
 3 CCT
 36W 3680lm White
 220-240V CRI>80
 IP20 Metal



Blade BH16-06181
 3 CCT
 36W 3680lm Black
 220-240V CRI>80
 IP20 Metal



Blade BH16-06187
 3 CCT
 36W 3680lm Wooden
 220-240V CRI>80
 IP20 Metal



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Blade BH16-06290
3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal



Blade BH16-06291
3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal



Blade BH16-06297
3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable

3000K	4000K	6500K
-------	-------	-------

CCT Switch


4000K 3000K 6500K




CE LVD EMC ErP COMPLIANT RoHS COMPLIANT Hg 0.0mg Non-Flammable > 25,000h -20°C ~40°C




Blade BH16-07180
 3 CCT
 36W 3680lm White
 220-240V CRI>80
 IP20 Metal





Blade BH16-07181
 3 CCT
 36W 3680lm Black
 220-240V CRI>80
 IP20 Metal



Blade BH16-07187
 3 CCT
 36W 3680lm Wooden
 220-240V CRI>80
 IP20 Metal



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com






Blade BH16-07290



3 CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal








Blade BH16-07291



3 CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal








Blade BH16-07297



3 CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable



3000K



4000K



6500K

CCT Switch








*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Blade BH16-08280

3 CCT
45W 4650lm White
220-240V CRI>80
IP20 Metal



Blade BH16-08281

3 CCT
45W 4650lm Black
220-240V CRI>80
IP20 Metal



PENDANT KIT • BLADE
White • SH16-05007

PENDANT KIT • BLADE
Black • SH16-05008

PENDANT KIT • BLADE
Wooden • SH16-05009




Blade BH16-08287

3 CCT
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Jade BH16-20080

3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20180

3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



BH16-20190

3 CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20280

3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal

BH16-20290

3 CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch


4000K 3000K 6500K





Jade BH16-20380

3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20480

3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Dimmable

BH16-20490
3 CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal




Jade BH16-20580

3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal




Dimmable

BH16-20590
3 CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal




3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Jade BH16-20680
3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal




Jade BH16-20780
3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-20880
3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal




3 CCT - Color Temperature Changeable





Jade BH16-21080

 3 CCT
24W 2450lm White
220-240V CRI>80
 IP20 Metal




Jade BH16-21180

 3 CCT
34W 3550lm White
220-240V CRI>80
 IP20 Metal



BH16-21190

3 CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal




Jade BH16-21280

 3 CCT
44W 4580lm White
220-240V CRI>80
 IP20 Metal



BH16-21290

3 CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch


4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Jade BH16-22130
LED 6500K White
18W 1760lm
220-240V CRI>80
IP20 Metal



Jade BH16-22230
LED 6500K White
24W 2450lm
220-240V CRI>80
IP20 Metal+PC


BH16-22280
3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal

BH16-22290
3 CCT - With Remote
24W 2450lm White
220-240V CRI>80
IP20 Metal




Jade BH16-22380
LED 3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal

BH16-22390
3 CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal



Jade BH16-22480
LED 3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal

BH16-22490
3 CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-halogen

> 25,000

-20°C ~ 40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Jade BH16-23130

6500K White
18W 1760lm
220-240V CRI>80
IP20 Metal




Jade BH16-23280

3 CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal



Dimmable

BH16-23290
3 CCT - With Remote
24W 2450lm White
220-240V CRI>80
IP20 Metal



Jade BH16-23380

3 CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal



Dimmable

BH16-23390
3 CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal




Jade BH16-23480

3 CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal




Dimmable

BH16-23490
3 CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

PENDANT LIGHT





NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00010
S001R
Golden 1xG9
Max. 1x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00011
S001R
Golden 3xG9
Max. 3x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00012
S001R
Golden 5xG9
Max. 5x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV01-00020
S002R
Golden 1xE27
Max. 1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00021
S002R
Golden 1xG9
Max. 1x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00022
S002R
Golden 3xG9
Max. 3x10w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Bulb not included.
Suitable For
G9 BULB

BV01-00023
S002R
Golden 5xG9
Max.5x10w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
G9 BULB

BV01-00024
S002S
Golden 5xG9
Max.5x10w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
G9 BULB

BV01-00013
S001C
Golden 1xG9
Max.1x10w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
G9 BULB

BV01-00014
S001W
Golden 1xG9
Max.1x10w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



Bulb not included.
Suitable For
G9 BULB



BV01-00030
S003R
Smoke 1xG9
Max.1x10w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
G9 BULB



BV01-00031
S003R
Smoke 3xG9
Max.3x10w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
G9 BULB



BV01-00032
S003R
Smoke 6xG9
Max.6x10w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
G9 BULB



BV01-00033
S003S
Smoke 4xG9
Max.4x10w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Bulb not included.
Suitable For
G9 BULB



BV01-00034
S003R
Golden 1xG9
Max.1x10w
220-240VAC
IP20 METAL





NEW

Bulb not included.
Suitable For
G9 BULB



BV01-00035
S003R
Golden 3xG9
Max.3x10w
220-240VAC
IP20 METAL





NEW

Bulb not included.
Suitable For
G9 BULB



BV01-00036
S003R
Golden 6xG9
Max.6x10w
220-240VAC
IP20 METAL





NEW

Bulb not included.
Suitable For
G9 BULB



BV01-00037
S003S
Golden 4xG9
Max.4x10w
220-240VAC
IP20 METAL





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW



Bulb not included.
Suitable For
E27 BULB

BV01-00040
S004R
Smoke 1xE27
Max. 1x23w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
E27 BULB

BV01-00041
S004R
Smoke 3xE27
Max. 3x23w
220-240VAC
IP20 METAL




NEW



Bulb not included.
Suitable For
E27 BULB

BV01-00042
S004S
Smoke 3xE27
Max. 3x23w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
E27 BULB


BV01-00043
S004W
Smoke 1xE27
Max. 1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW



NEW



NEW




NEW




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW




NEW



NEW



NEW



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00060
S006R
Golden 1xG9
Max.1x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00061
S006R
Golden 3xG9
Max.3x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00062
S006W
Golden 1xG9
Max.1x10w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW



Bulb not included.
Suitable For
E27 BULB

BV01-00070
S007R
Silver 1xE27
Max. 1x23w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
E27 BULB

BV01-00071
S007R
Silver 3xE27
Max. 3x23w
220-240VAC
IP20 METAL




NEW



Bulb not included.
Suitable For
E27 BULB

BV01-00072
S007S
Silver 3xE27
Max. 3x23w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
E27 BULB

BV01-00073
S007W
Silver 1xE27
Max. 1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Bulb not included.
Suitable For
E14 BULB

BV01-00081
S008R
Silver 3xE14
Max. 3x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E14 BULB

BV01-00082
S008S
Silver 4xE14
Max. 4x23w
220-240VAC
IP20 METAL




NEW



NEW

Bulb not included.
Suitable For
E14 BULB

BV01-00083
S008W
Silver 1xE14
Max. 1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E14 BULB

BV01-00084
S008T
Silver 1xE14
Max. 1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E14 BULB


BV01-00080
S008R
Silver 1xE14
Max. 1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW




NEW



NEW



NEW



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV01-00100
S011R
Black 1x E27
Max. 1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV01-00101
S011R
Black 1x E27
Max. 1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV01-00102
S011R
Black 1x E27
Max. 1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E14 BULB

BV01-00103
S011R
Black 1x E14
Max. 1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E14 BULB

BV01-00104
S011R
Black 1x E14
Max. 1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E14 BULB

BV01-00105
S011R
Black 1x E14
Max. 1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E14 BULB

BV01-00106
S011R
Black 3x E14
Max. 3x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
G9 BULB


BV01-00107
S012C
Black 3x G9
Max. 3x10w
220-240VAC
IP20 METAL




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW




NEW



NEW




NEW




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




BV01-00114
S013R
Black 1x23w
Max.1x23w
220-240VAC
IP20 METAL

NEW




BV01-00115
S013S
Black 4xG9
Max.4x10w
220-240VAC
IP20 METAL

NEW



BV01-00116
S013R
Black 3xG9
Max.3x10w
220-240VAC
IP20 METAL

NEW



BV01-00117
S013W
Black 1xG9
Max.1x10w
220-240VAC
IP20 METAL

NEW



BV01-00118
S013T
Black 1xG9
Max.1x10w
220-240VAC
IP20 METAL

NEW



BV01-00119
S013T
Black 1xG9
Max.1x10w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



Bulb not included.
Suitable For
G9 BULB

BV01-00120
S014R
Black 5xG9
Max.5x10W
220-240VAC
IP20 METAL




NEW



Bulb not included.
Suitable For
G9 BULB

BV01-00121
S011S
Black 6xG9
Max.6x10W
220-240VAC
IP20 METAL




NEW




Bulb not included.
Suitable For
G9 BULB

BV01-00122
S011R
Black 11xG9
Max.11x10W
220-240VAC
IP20 METAL




NEW



Bulb not included.
Suitable For
G9 BULB

BV01-00123
S011W
Black 1xG9
Max.1x10W
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00124
S014R
Amber 5xG9
Max.5x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00125
S011S
Amber 5xG9
Max.5x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00126
S011R
Amber 6xG9
Max.6x10w
220-240VAC
IP20 METAL








NEW

Bulb not included.
Suitable For
G9 BULB

BV01-00127
S011W
Amber 1xG9
Max.1x10w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV02-00020
D002S
Wooden 4xE27
Max.4x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV02-00021
D002S
Wooden 6xE27
Max.6x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV02-00023
D002C
Wooden 3xE27
Max.3x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV02-00024
D002W
Wooden 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV02-00025
D002T
Wooden 1xE27
Max.1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV02-00030
D003R
Wooden 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV02-00031
D003R
Wooden 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV02-00032
D003R
Wooden 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV02-00033
D003R
Wooden 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV02-00034
D003R
Wooden 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV02-00035
D003R
Wooden 1xE27
Max.1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Bulb not included.
Suitable For
E14 BULB

BV03-00010
W001C
Wooden 1xE14
Max.1x23w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
E14 BULB

BV03-00011
W001C
Wooden 2xE14
Max.2x23w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
E27 BULB

BV03-00015
W001S
Wooden 3xE27
Max.3x23w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
E27 BULB

BV03-00014
W001R
Wooden 1xE27
Max.1x23w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
E14 BULB

BV03-00012
W001C
Wooden 3xE14
Max.3x23w
220-240VAC
IP20 METAL

NEW




Bulb not included.
Suitable For
E14 BULB

BV03-00013
W001C
Wooden 4xE14
Max.4x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




Bulb not included.
Suitable For
E27 BULB
BV03-00016
W001T
Wooden 1xE27
Max.1x23w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
E14 BULB
BV03-00020
W002R
Black 1xE14
Max.1x23w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
E14 BULB
BV03-00021
W002S
Black 3xE14
Max.3x23w
220-240VAC
IP20 METAL

NEW




Bulb not included.
Suitable For
E14 BULB
BV03-00022
W002W
Black 1xE14
Max.1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW



Bulb not included.
Suitable For
E27 BULB
BV03-00030
W003R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL




NEW



Bulb not included.
Suitable For
E27 BULB
BV03-00031
W003R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL




NEW



Bulb not included.
Suitable For
E27 BULB
BV03-00032
W003S
Black 3xE27
Max.3x23w
220-240VAC
IP20 METAL




NEW



Bulb not included.
Suitable For
E27 BULB
BV03-00033
W003W
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
E27 BULB
BV03-00042
W004R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
E27 BULB
BV03-00043
W004S
Black 3xE27
Max.3x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Bulb not included.
Suitable For
E27 BULB

BV03-00050
W005R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
E27 BULB

BV03-00051
W005R
Black 3xE27
Max.3x23w
220-240VAC
IP20 METAL

NEW



NEW



Bulb not included.
Suitable For
E27 BULB

BV03-00052
W005S
Black 3xE27
Max.3x23w
220-240VAC
IP20 METAL

NEW



Bulb not included.
Suitable For
E27 BULB

BV03-00053
W005T
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL

Bulb not included.
Suitable For
E27 BULB

BV03-00054
W005T
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Bulb not included.
Suitable For
E27 BULB

BV03-00060
W006R
Black 1x E27
Max. 1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB


BV03-00061
W006R
Black 1x E27
Max. 1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV03-00062
W006C
Black 1x E27
Max. 1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV03-00040
W004R
Black 1x E27
Max. 1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV03-00041
W004R
Black 1x E27
Max. 1x23w
220-240VAC
IP20 METAL




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW




NEW



NEW



NEW



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Bulb not included.
Suitable For
E27 BULB

BV03-00080
W008R
Black 3x E27
Max. 3x 23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV03-00081
W008S
Black 4x E27
Max. 4x 23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV03-00082
W008S
Black 3x E27
Max. 3x 23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB


BV03-00083
W008C
Black 1x E27
Max. 1x 23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV03-00084
W008T
Black 1x E27
Max. 1x 23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




BV04-00020
G002C
Golden+Black
1xGU10 Max.1x10w
220-240VAC
IP20 METAL



NEW




BV04-00021
G002C
Golden+Black
3xGU10 Max.1x10w
220-240VAC
IP20 METAL



NEW




BV04-00022
G002C
Golden+Black
2xGU10 Max.2x10w
220-240VAC
IP20 METAL



NEW




BV04-00023
G002C
Golden+Black
3xGU10 Max.3x10w
220-240VAC
IP20 METAL



NEW




BV04-00024
G002C
Golden+Black
4xGU10 Max.4x10w
220-240VAC
IP20 METAL




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



NEW




NEW



NEW



NEW



NEW




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW



NEW



NEW



NEW



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV04-00050
G005R
Black 1x27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV04-00054
G005R
Black 5x27
Max.5x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV04-00052
G005S
Black 5x27
Max.5x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV04-00051
G005R
Golden 1x27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV04-00055
G005R
Golden 5x27
Max.5x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV04-00053
G005S
Golden 4x27
Max.4x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



BV04-00060
G006R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW




BV04-00061
G006R
Black 3xE27
Max.3x23w
220-240VAC
IP20 METAL



NEW



BV04-00062
G006S
Black 3xE27
Max.3x23w
220-240VAC
IP20 METAL



NEW



BV04-00063
G006S
Black 5xE27
Max.5x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Bulb not included.
Suitable For
G9 BULB

BV04-00070
G007R
Black 1xG9
Max.1x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV04-00072
G007S
Black 1xG9
Max.1x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV04-00071
G007R
Golden 1xG9
Max.1x10w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
G9 BULB

BV04-00073
G007S
Golden 1xG9
Max.1x10w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



BV05-00010
P001R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW



BV05-00011
P001S
Black 3xE27
Max.3x23w
220-240VAC
IP20 METAL



NEW



BV05-00014
P001W
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW



BV05-00012
P001C
Black 5xE27
Max.5x23w
220-240VAC
IP20 METAL



NEW



BV05-00013
P001W
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV05-00020
P002R
Copper 1xE27
Max.1x23w
220-240VAC
IP20 METAL

Bulb not included.
Suitable For
E27 BULB

BV05-00021
P002R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL

Bulb not included.
Suitable For
E27 BULB

BV05-00022
P003R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL

Bulb not included.
Suitable For
E27 BULB

BV05-00023
P003R
Copper 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV05-00024
P004R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL

Bulb not included.
Suitable For
E27 BULB


BV05-00028
P006R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL

Bulb not included.
Suitable For
E27 BULB


BV05-00025
P004W
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW




NEW



NEW



NEW



NEW



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00040
P008R
White 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00041
P008R
Grey 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00042
P008R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00043
P008R
Blue 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00044
P008R
Beige 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00045
P008R
Green 1xE27
Max.1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00060
P010R
White 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB


BV05-00061
P010R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00062
P010R
Grey 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00063
P010R
Blue 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00064
P010R
Beige 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00050
P009R
White 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB

BV05-00051
P009R
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW

Bulb not included.
Suitable For
E27 BULB


BV05-00052
P009R
Blue 1xE27
Max.1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW




NEW



NEW




NEW



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW



Bulb not included.
Suitable For
GU10 BULB
BV05-00070
P011R
Black 1xGU10
Max.1x10w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
GU10 BULB
BV05-00071
P011S
Black 4xGU10
Max.4x10w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
GU10 BULB
BV05-00072
P011R
Black 5xGU10
Max.5x10w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
GU10 BULB
BV05-00073
P011T
Black 1xGU10
Max.1x10w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



Bulb not included.
Suitable For
E27 BULB

BV06-00010
F001T
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
E27 BULB

BV06-00011
F001T
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
E14 BULB

BV06-00012
F001T
White 1xE14
Max.1x23w
220-240VAC
IP20 METAL



NEW



Bulb not included.
Suitable For
E14 BULB

BV06-00013
F001T
Black 1xE14
Max.1x23w
220-240VAC
IP20 METAL



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
E27 BULB

BV06-00020
F002T
White 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV06-00021
F002T
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV06-00022
F002T
Grey 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV06-00030
F003T
White 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV06-00031
F003T
Black 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV06-00032
F003T
Grey 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Bulb not included.
Suitable For
E27 BULB

BV06-00033
F003T
Beige 1xE27
Max.1x23w
220-240VAC
IP20 METAL



Hg
0.0mg

-20°C
+40°C

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Linear	BN02-00600	BN02-00610	BN02-00630
	18W 3000K	18W 4000K	18W 6500K
	1620lm White	1620lm White	1620lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium

Linear	BN02-00601	BN02-00611	BN02-00631
	18W 3000K	18W 4000K	18W 6500K
	1620lm Black	1620lm Black	1620lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium

Linear	BN02-01200	BN02-01210	BN02-01230
	36W 3000K	36W 4000K	36W 6500K
	3240lm White	3240lm White	3240lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium


Linear	BN02-01201	BN02-01211	BN02-01231
	36W 3000K	36W 4000K	36W 6500K
	3240lm Black	3240lm Black	3240lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium

Linear	BN02-01500	BN02-01510	BN02-01530
	45W 3000K	45W 4000K	45W 6500K
	4050lm White	4050lm White	4050lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium

Linear	BN02-01501	BN02-01511	BN02-01531
	45W 3000K	45W 4000K	45W 6500K
	4050lm Black	4050lm Black	4050lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Ledline	BN10-00400	BN10-00410	BN10-00430
	4W 3000K	4W 4000K	4W 6500K
	440lm White	440lm White	440lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



Ledline	BN10-00700	BN10-00710	BN10-00730
	7W 3000K	7W 4000K	7W 6500K
	780lm White	780lm White	780lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



Ledline	BN10-01100	BN10-01110	BN10-01130
	11W 3000K	11W 4000K	11W 6500K
	1220lm White	1220lm White	1220lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



Ledline	BN10-01400	BN10-01410	BN10-01430
	14W 3000K	14W 4000K	14W 6500K
	1550lm White	1550lm White	1550lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Ledline	BN11-00400	BN11-00410	BN11-00430
	4W 3000K	4W 4000K	4W 6500K
	440lm White	440lm White	440lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



NEW



Ledline	BN11-00700	BN11-00710	BN11-00730
	7W 3000K	7W 4000K	7W 6500K
	780lm White	780lm White	780lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



NEW




Ledline	BN11-01100	BN11-01110	BN11-01130
	11W 3000K	11W 4000K	11W 6500K
	1220lm White	1220lm White	1220lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



NEW



Ledline	BN11-01400	BN11-01410	BN11-01430
	14W 3000K	14W 4000K	14W 6500K
	1550lm White	1550lm White	1550lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC



NEW



BN99-99105
15cm 2HD Cable
White 220-240V



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Proline BN18-00610
18W 4000K
1800lm White
220-240V CRI>80
IP40 PC


BN18-00630
18W 6500K
1800lm White
220-240V CRI>80
IP40 PC



Proline BN18-01200
35W 3000K
3600lm White
220-240V CRI>80
IP40 PC

BN18-01210
35W 4000K
3600lm White
220-240V CRI>80
IP40 PC

BN18-01230
35W 6500K
3600lm White
220-240V CRI>80
IP40 PC



Proline BN20-10680
18W 3 CCT
2160lm White
220-240V CRI>80
IP40 PC


BN20-11280
36W 3 CCT
4320lm White
220-240V CRI>80
IP40 PC



Proline BN20-41280
36W 3CCT Sensor
4320lm White
220-240V CRI>80
IP40 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44

Sensa	BC15-00300	BC15-00310	BC15-00330
LED	15W 3000K	15W 4000K	15W 6500K
	1460lm White	1460lm White	1460lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Metal	IP20 Metal	IP20 Metal




Jade	BH15-01100	BH15-01110	BH15-01130
LED	18W 3000K	18W 4000K	18W 6500K
	1740lm White	1740lm White	1740lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC	IP44 PC



NEW



SNS-SRP	BP03-92080	BP03-92081
LED	20W 3 CCT	20W 3 CCT
	1800lm White	1800lm Black
	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC



3 CCT - Color Temperature Changeable




CCT Switch



IP65

Grande	BH15-04180	BH15-04280
LED	20W 2000lm 3 CCT	20W 2000lm 3 CCT
	White Daylight Switch	White Daylight Switch
	With Sensor	With Sensor
	Time Adjustable: 30-60-120sec	Emergency Kit & Battery
	220-240V CRI>80	1800mA 3.7V Li-ion
	IP65 PC	Time Adjustable: 30-60-120sec
		220-240V CRI>80
		IP65 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP44




IP44


Jade	BH15-02100	BH15-02110	BH15-02130
	20W 3000K	20W 4000K	20W 6500K
	1980lm White	1980lm White	1980lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC	IP44 PC



Jade	BH15-02200	BH15-02230
	30W 3000K	30W 6500K
	3050lm White	3050lm White
	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC



IP44



IP44

Jade	BH15-03100	BH15-03110	BH15-03130
	20W 3000K	20W 4000K	20W 6500K
	1980lm White	1980lm White	1980lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC	IP44 PC




Jade	BH15-03200	BH15-03230
	30W 3000K	30W 6500K
	2940lm White	2940lm White
	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Avva BH07-03000
LED 8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium




Avva BH07-03001
LED 8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium



Avva BH07-03100
LED 8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium



Avva BH07-03101
LED 8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




Leva BH07-03401
 10W 3000K
 1060lm Black
 220-240V CRI>80
 IP20 Aluminium



NEW





Leva BH07-03501
 20W 3000K
 2100lm Black
 220-240V CRI>80
 IP20 Aluminium



NEW



Leva BH07-03601
 30W 3000K
 3260lm Black
 220-240V CRI>80
 IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Nela

BH07-03700

LED

12W 3000K

1200lm White

220-240V CRI>80

IP20 Aluminium

Ø200

100

NEW



Nela

BH07-03701

LED

12W 3000K

1200lm Black

220-240V CRI>80

IP20 Aluminium

Ø200

100



CE

LVD

EMC

ErP

RoHS

Hg

0.0mg


WEEE

> 25,000

-20°C

+40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP44

Aria

BN12-00780

LED

12W 3 CCT

900lm White

220-240V CRI>80

IP44 Aluminium



IP44

Aria

BN12-00781

LED

12W 3 CCT

900lm Black

220-240V CRI>80

IP44 Aluminium



IP44

Aria

BN12-00785

LED

12W 3 CCT

900lm Chrome

220-240V CRI>80

IP44 Aluminium



IP44

Aria

BN12-00786

LED

12W 3 CCT

900lm Golden

220-240V CRI>80

IP44 Aluminium

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Non-Flammable

Hand icon

> 25,000

-20°C


+40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW




Sara BN12-00880
8W 3 CCT
700lm White
220-240V CRI>80
IP20 Metal





Sara BN12-00881
8W 3 CCT
700lm Black
220-240V CRI>80
IP20 Metal



Sara BN12-00885
8W 3 CCT
700lm Chrome
220-240V CRI>80
IP20 Metal



Sara BN12-00886
8W 3 CCT
700lm Golden
220-240V CRI>80
IP20 Metal




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP54


 	Bulkhead BC17-00700	BC17-00730
	8W 3000K	8W 6500K
	700lm White	700lm White
	220-240V CRI>80	220-240V CRI>80
	IP54 PP	IP54 PP



NEW

IP54


 	Bulkhead BC17-00800	BC17-00830
	12W 3000K	12W 6500K
	1140lm White	1140lm White
	220-240V CRI>80	220-240V CRI>80
	IP54 PP	IP54 PP



NEW

IP54

 	Bulkhead BC17-00900	BC17-00930
	18W 3000K	18W 6500K
	1780lm White	1780lm White
	220-240V CRI>80	220-240V CRI>80
	IP54 PP	IP54 PP




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP54


Bulkhead	BC17-01100	BC17-01130
	12W 3000K	12W 6500K
	1140lm White	1140lm White
	220-240V CRI>80	220-240V CRI>80
	IP54 PP	IP54 PP



NEW

IP54


Bulkhead	BC17-01200	BC17-01230
	18W 3000K	18W 6500K
	1780lm White	1780lm White
	220-240V CRI>80	220-240V CRI>80
	IP54 PP	IP54 PP



NEW

IP54

Bulkhead	BC17-21100	BC17-21130
	15W 3000K Sensor	15W 6500K Sensor
	1460lm White	1460lm White
	220-240V CRI>80	220-240V CRI>80
	IP54 PP	IP54 PP



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulkhead BC18-00280

12W 3 CCT
1320lm White
220-240V CRI>80
IP65 PP




Bulkhead BC18-00281

12W 3 CCT
1320lm Black
220-240V CRI>80
IP65 PP




Bulkhead BC18-00680

12W 3 CCT
1320lm White
220-240V CRI>80
IP65 PP



Bulkhead BC18-00681

12W 3 CCT
1320lm Black
220-240V CRI>80
IP65 PP




3 CCT - Color Temperature Changeable

3000K

4000K

6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP65

Bulkhead BC18-00300



25W 3000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00310

25W 4000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00330

25W 6500K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00380

18W 3 CCT
2020lm White
220-240V CRI>80
IP65 PP



NEW

IP65

Bulkhead BC18-00301



25W 3000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00311

25W 4000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00331

25W 6500K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00381

18W 3 CCT
2020lm Black
220-240V CRI>80
IP65 PP



NEW

IP65

Bulkhead BC18-00700



25W 3000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00710


25W 4000K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00730

25W 6500K
2250lm White
220-240V CRI>80
IP65 PP

BC18-00780

18W 3 CCT
2020lm White
220-240V CRI>80
IP65 PP



NEW

IP65

Bulkhead BC18-00701



25W 3000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00711


25W 4000K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00731

25W 6500K
2250lm Black
220-240V CRI>80
IP65 PP

BC18-00781

18W 3 CCT
2020lm Black
220-240V CRI>80
IP65 PP



3 CCT - Color Temperature Changeable

3000K

4000K

6500K


CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




Solaris BG36-00211
15W 4000K
1500lm Black
Voltage: Solar Panel Energy
CRI>80 IP54 ABS



Miles BG36-10110
30W 4000K
3120lm White
220-240V CRI>70
IP54 Aluminium+PC

NEW



Solaris BG36-00130
3W 6500K
240lm White
Voltage: Solar Panel Energy
CRI>80 IP54 ABS



Solaris BG36-00381
10W 3 CCT
1000lm Black
Voltage: Solar Panel Energy
CRI>70 IP54 PC

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

RoHS

> 25,000


-20°C ~+40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP65

Spike BG36-00582
 12W 2 CCT (3000K-6500K)
 250lm Grey
 Voltage: Solar Panel Energy
 CRI>70 IP65 PC



IP65

Spike BG36-00592
 12W RGB
 Grey
 Voltage: Solar Panel Energy
 CRI>70 IP65 PC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





IP44

Veneto BG37-00381
LED 10W 3 CCT
950lm White
220-240V CRI>80
IP44 PC






IP44

Veneto BG37-00481
LED 20W 3 CCT
1900lm White
220-240V CRI>80
IP44 PC



IP44

Veneto BG37-00381
LED 10W 3 CCT
950lm Black
220-240V CRI>80
IP44 PC



IP44

Veneto BG37-00481
LED 20W 3 CCT
1900lm Black
220-240V CRI>80
IP44 PC



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

Non-Flammable

> 25,000



-20°C ~40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP65

Palermo	BG37-00080	BG37-00081
LED	8W 3 CCT	8W 3 CCT
	760lm White	760lm Black
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC




IP65

Palermo	BG37-00180	BG37-00181	BG37-00182	BG37-00183
LED	10W 3 CCT	10W 3 CCT	10W 3 CCT	10W 3 CCT
	950lm White	950lm Black	950lm Cement	950lm Blue
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC	IP65 PC




IP65

Palermo	BG37-00280	BG37-00281	BG37-00282	BG37-00283	BG37-00286
LED	12W 3 CCT	12W 3 CCT	12W 3 CCT	12W 3 CCT	12W 3 CCT
	1160lm White	1160lm Black	1160lm Cement	1160lm Blue	1160lm Golden
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC	IP65 PC	IP65 PC



3 CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Walls	BG38-01001	BG38-01011	BG38-01081
	15W 3000K	15W 4000K	15W 3 CCT
	1450lm Black	1450lm Black	1450lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC




IP65

Walls	BG38-01101	BG38-01111	BG38-01181
	15W 3000K	15W 4000K	15W 3 CCT
	1450lm Black	1450lm Black	1450lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



IP65

Walls	BG38-01201	BG38-01211	BG38-01281
	15W 3000K	15W 4000K	15W 3 CCT
	1450lm Black	1450lm Black	1450lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



IP65

Walls	BG38-01301	BG38-01311	BG38-01381
	15W 3000K	15W 4000K	15W 3 CCT
	1450lm Black	1450lm Black	1450lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K

3000K

6500K

CE

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

Non-halogen

> 25,000



-20°C ~40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Walls	BG38-01481	BG38-01482
LED	15W 3 CCT 1450lm Black 220-240V CRI>80	15W 3 CCT 1450lm Grey 220-240V CRI>80
IP	IP65 PC	IP65 PC




IP65

Walls	BG38-01581	BG38-01582
LED	15W 3 CCT 1450lm Black 220-240V CRI>80	15W 3 CCT 1450lm Grey 220-240V CRI>80
IP	IP65 PC	IP65 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Walls	BG38-00102	BG38-00112	BG38-00132	BG38-00182
	15W 3000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 4000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 6500K 1460lm Black 220-240V CRI>80 IP65 PC	15W 3 CCT 1460lm Black 220-240V CRI>80 IP65 PC



IP65

Walls	BG38-00302	BG38-00312	BG38-00332	BG38-00382
	15W 3000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 4000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 6500K 1460lm Black 220-240V CRI>80 IP65 PC	15W 3 CCT 1460lm Black 220-240V CRI>80 IP65 PC




IP65

Walls	BG38-00202	BG38-00212	BG38-00232	BG38-00282
	15W 3000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 4000K 1460lm Black 220-240V CRI>80 IP65 PC	15W 6500K 1460lm Black 220-240V CRI>80 IP65 PC	15W 3 CCT 1460lm Black 220-240V CRI>80 IP65 PC




IP65


Walls	BG38-00402	BG38-00482
	20W 3000K 1980lm Black 220-240V CRI>80 IP65 PC	20W 3 CCT 1980lm Black 220-240V CRI>80 IP65 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Walls	BG38-00702	BG38-00712	BG38-00732
LED	12W 3000K 1140lm Grey	12W 4000K 1140lm Grey	12W 6500K 1140lm Grey
F A G	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC



IP65

Walls	BG38-00902	BG38-00912	BG38-00932
LED	15W 3000K 1450lm Grey	15W 4000K 1450lm Grey	15W 6500K 1450lm Grey
F A G	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC



NEW




IP65

Napoli	BG37-00582
LED	20W 3 CCT 2000lm Grey
F A G	220-240V CRI>80 IP65 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP65



BG37-00700
D300
White 1xE27
Max.1x23W
220-240V
IP65 PC



NEW

IP65



BG37-00702
D300
Grey 1xE27
Max.1x23W
220-240V
IP65 PC



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP65


Line BG38-03501
LED 18W 3000K
1860lm Black
220-240V CRI>80
IP65 Aluminium



NEW

IP65

Vekta BG38-02682
LED 1x6W 3 CCT
600lm Grey
220-240V CRI>80
IP65 PC




NEW

IP65

Vekta BG38-02782
LED 2x6W 3 CCT
1200lm Grey
220-240V CRI>80
IP65 PC



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP65

LSD

F A

Vekta BG38-02480
1x9W 3 CCT
900lm White
220-240V CRI>80
IP65 PC



NEW

IP65

LSD

F A

Vekta BG38-02482
1x9W 3 CCT
900lm Grey
220-240V CRI>80
IP65 PC



NEW

IP65

LSD

F A

Vekta BG38-02580
2x9W 3 CCT
1780lm White
220-240V CRI>80
IP65 PC



NEW

IP65

LSD

F A

Vekta BG38-02582
2x9W 3 CCT
1780lm Grey
220-240V CRI>80
IP65 PC



3 CCT - Color Temperature Changeable

3000K

4000K

6500K


CCT Switch

4000K 3000K 6500K


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP65




IP65



IP65




IP65



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW




IP65

VEKTA	BG38-01880	BG38-01882
LED	3W 3 CCT	3W 3 CCT
	180lm White	180lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC




NEW




IP65

VEKTA	BG38-01980	BG38-01982
LED	3W 3 CCT	3W 3 CCT
	180lm White	180lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP65



Vector	BG38-03180	BG38-03182
LED	2x1W 3 CCT 180lm White	2x1W 3 CCT 180lm Grey
F	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC



NEW

IP65


Vector	BG38-03282
LED	4x1W 3 CCT 320lm Grey
F	220-240V CRI>80 IP65 PC




NEW

IP65

Vector	BG38-03380	BG38-03382
LED	6x1W 3 CCT 480lm White	6x1W 3 CCT 480lm Grey
F	220-240V CRI>80 IP65 PC	220-240V CRI>80 IP65 PC




3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP54

Bulb not included.
Suitable For
G9 BULB

BG38-03400
Vekta
White 1xG9
Max.1x10w
220-240V
IP54 Aluminium



NEW



IP54

Bulb not included.
Suitable For
G9 BULB

BG38-03401
Vekta
Black 1xG9
Max.1x10w
220-240V
IP54 Aluminium




NEW



IP54

Bulb not included.
Suitable For
G9 BULB

BG38-03402
Vekta
Grey 1xG9
Max.1x10w
220-240V
IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Vector BG38-02200
 2W 3000K
 240lm White
 220-240V CRI>80
 IP65 Aluminium



IP65

Vector BG38-02201
 2W 3000K
 240lm Black
 220-240V CRI>80
 IP65 Aluminium



IP65

Vector BG38-02300
 2W 3000K
 240lm White
 220-240V CRI>80
 IP65 Aluminium



IP65

Vector BG38-02301
 2W 3000K
 240lm Black
 220-240V CRI>80
 IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00200
Rita
White 1xGU10
Max.1x35w
220-240V
IP44 Aluminium



68 81 92



IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00202
Rita
Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium



68 81 92



IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00402
RITA
Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium



81 92 68






*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP44



Bulb not included.
Suitable For
GU10 BULB
50mm

BG32-00220
Rita
White 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



IP44




Bulb not included.
Suitable For
GU10 BULB
50mm

BG32-00222
Rita
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



IP44



Bulb not included.
Suitable For
GU10 BULB
50mm

BG32-00422
RITA
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00302
Rita
Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium



90
90
60



IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00322
Rita
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



90
90
60



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Spotlux BT25-00102

9W 3000K
680lm Grey
220-240V CRI>80
IP65 Aluminium

BT25-00132

9W 6500K
680lm Grey
220-240V CRI>80
IP65 Aluminium

BT25-00152

9W Green
Grey 220-240V
CRI>80 IP65
Aluminium

BT25-00172

9W Amber
Grey 220-240V
CRI>80 IP65
Aluminium



IP65

Bulb not included.
Suitable For
GU10 BULB
50mm

BT25-00351
Spotlux
Black 1xGU10
Max. 1x35W
220-240V
IP65 PC



IP67

Indus BT27-00101

Max. 1x35W
1xGU10 Nickel
220-240V
IP67 Aluminium+304SS



IP67

Indus BT27-00111

Max. 1x35W
1xGU10 Nickel
220-240V
IP67 Aluminium+304SS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54

Pirus

BG40-00502

LED

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Pirus

BG40-00602

LED

10W 3000K
930lm Grey
220-240V CRI>80
IP54 Aluminium



CE

LVD

EMC

ErP

RoHS

Hg 0.0mg

Recycle

25,000

-20°C
+40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54



Dallas BG43-02002

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium




IP54



Dallas BG43-02102

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium




IP54



Dallas BG43-02302

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44

BG43-04002
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04102
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04202
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04302
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



IP65

Proline BT07-00610



16W 4000K
1600lm White
220-240V CRI>80
IP65 PC

BT07-00630

16W 6500K
1600lm White
220-240V CRI>80
IP65 PC



IP65

Proline BT07-01210



32W 4000K
3400lm White
220-240V CRI>80
IP65 PC

BT07-01230

32W 6500K
3400lm White
220-240V CRI>80
IP65 PC



IP65

Aqualine BT04-01210



42W 4000K
4800lm White
220-240V CRI>80
IP65 PC

BT04-01230

48W 6500K
4800lm White
220-240V CRI>80
IP65 PC

BT04-01280

48W 3 CCT
4800lm White
220-240V CRI>80
IP65 PC



3 CCT - Color Temperature Changeable



3000K



4000K



6500K

CCT Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65




Proline BT07-30610 BT07-30630
20W 4000K 20W 6500K
2240lm White 2240lm White
220-240V CRI>80 220-240V CRI>80
IP65 PC IP65 PC



IP65



Proline BT07-31210 BT07-31230
40W 4000K 40W 6500K
4500lm White 4500lm White
220-240V CRI>80 220-240V CRI>80
IP65 PC IP65 PC



IP65




Proline BT07-31510 BT07-31530
60W 4000K 60W 6500K
6300lm White 6300lm White
220-240V CRI>80 220-240V CRI>80
IP65 PC IP65 PC



IP65



Proline BT07-61510 BT07-61530
85W 4000K 85W 6500K
8800lm White 8800lm White
220-240V CRI>80 220-240V CRI>80
IP65 PC IP65 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP65

NEW



IP65

BT05-11282

Aqualine 1x1.2mt
Double/Single Side
T8 G13 220-240V
IP65 Metal+PC
Bulb not included



BT05-11283

Aqualine 1x1.2mt
Double/Single Side
T8 G13 220-240V
IP65 Metal+PS
Bulb not included

BT05-11582

Aqualine 1x1.5mt
Double/Single Side
T8 G13 220-240V
IP65 Metal+PC
Bulb not included



BT05-11583

Aqualine 1x1.5mt
Double/Single Side
T8 G13 220-240V
IP65 Metal+PS
Bulb not included

BT05-10685

Aqualine 1x0.6mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-20685

Aqualine 2x0.6mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-20682

Aqualine 2x0.6mt
Double/Single Side
T8 G13 220-240V
IP65 Metal+PC
Bulb not included



BT05-20683

Aqualine 2x0.6mt
Double/Single Side
T8 G13 220-240V
IP65 Metal+PS
Bulb not included

BT05-21282

Aqualine 2x1.2mt
Double/Single Side
T8 G13 220-240V
IP65 Metal+PC
Bulb not included



BT05-21283

Aqualine 2x1.2mt
Double/Single Side
T8 G13 220-240V
IP65 Metal+PS
Bulb not included

BT05-11285

Aqualine 1x1.2mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-21285

Aqualine 2x1.2mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-21582

Aqualine 2x1.5mt
Double/Single Side
T8 G13 220-240V
IP65 Metal+PC
Bulb not included



BT05-21583

Aqualine 2x1.5mt
Double/Single Side
T8 G13 220-240V
IP65 Metal+PS
Bulb not included

BT05-11585

Aqualine 1x1.5mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-21585

Aqualine 2x1.5mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

SOLAR PRODUCTS






*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Solar BT43-15032
100W 6500K
1700lm Grey
Solar Capacity: 50W
Voltage: Solar Panel Energy
CRI>70 IP65 Aluminium



Solar BT43-29132
200W 6500K
3000lm Grey
Solar Capacity: 100W
Voltage: Solar Panel Energy
CRI>70 IP65 Aluminium



Solar BT43-29432
300W 6500K
4000lm Grey
Solar Capacity: 150W
Voltage: Solar Panel Energy
CRI>70 IP65 Aluminium





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP65

Solar BT63-01532
LED 50W 6500K
 400lm Grey
 Solar Capacity: 15W
 Voltage: Solar Panel Energy
 CRI>70 IP65 Aluminium





IP65

Solar BT63-03032
LED 100W 6500K
 900lm Grey
 Solar Capacity: 30W
 Voltage: Solar Panel Energy
 CRI>70 IP65 Aluminium





IP65

Solar BT63-05032
LED 200W 6500K
 1800lm Grey
 Solar Capacity: 50W
 Voltage: Solar Panel Energy
 CRI>70 IP65 Aluminium



IP65

Solar BT63-09032
LED 300W 6500K
 2600lm Grey
 Solar Capacity: 90W
 Voltage: Solar Panel Energy
 CRI>70 IP65 Aluminium





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP65

Solar BT64-00682
50W 3 CCT
1500lm(@%100 Brightness) Grey
Solar Capacity: 15W
Voltage: Solar Panel Energy
CRI>80 IP65 Aluminium




NEW



IP65

Solar BT64-01282
100W 3 CCT
3000lm(@%100 Brightness) Grey
Solar Capacity: 30W
Voltage: Solar Panel Energy
CRI>80 IP65 Aluminium




NEW



IP65

Solar BT64-01882
150W 3 CCT
4500lm(@%100 Brightness) Grey
Solar Capacity: 50W
Voltage: Solar Panel Energy
CRI>80 IP65 Aluminium





NEW



IP65

Solar BT64-02482
250W 3 CCT
7500lm(@%100 Brightness) Grey
Solar Capacity: 75W
Voltage: Solar Panel Energy
CRI>80 IP65 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

SMD LED FLOODLIGHT





IP65

Hibay	BT45-29111	BT45-29131	
LED	100W 4000K 14000lm Black	100W 6500K 14000lm Black	
DA	100-265V CRI>80 IP65 Aluminium	100-265V CRI>80 IP65 Aluminium	



IP65

Hibay	BT45-29411	BT45-29431	
LED	150W 4000K 21000lm Black	150W 6500K 21000lm Black	
DA	100-265V CRI>80 IP65 Aluminium	100-265V CRI>80 IP65 Aluminium	



IP65

Hibay	BT45-29611	BT45-29631	
LED	200W 4000K 28000lm Black	200W 6500K 28000lm Black	
DA	100-265V CRI>80 IP65 Aluminium	100-265V CRI>80 IP65 Aluminium	



BT45-99001
291x1 Black
For 100w Bracket



BT45-99002
294x1 Black
For 150w Bracket



BT45-99003
296x1 Black
For 200w Bracket




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP65

Hibay	BT45-39111	BT45-39131
LED	100W 4000K 12000lm Black	100W 6500K 12000lm Black
E A	220-240V CRI>80 IP65 Aluminium	220-240V CRI>80 IP65 Aluminium




IP65

Hibay	BT45-39611	BT45-39631
LED	200W 4000K 24000lm Black	200W 6500K 24000lm Black
E A	220-240V CRI>80 IP65 Aluminium	220-240V CRI>80 IP65 Aluminium




IP65

Hibay	BT45-59181	50W - 4000K - 7500lm 50W - 5000K - 8500lm 50W - 6500K - 7500lm
LED	Grey	75W - 4000K - 11250lm 75W - 5000K - 12750lm 75W - 6500K - 11250lm
E A	220-240V CRI>70 IP65 Aluminium	100W - 4000K - 15000lm 100W - 5000K - 17000lm 100W - 6500K - 15000lm




IP65

Hibay	BT45-59681	150W - 4000K - 22500lm 150W - 5000K - 25500lm 150W - 6500K - 22500lm
LED	Grey	175W - 4000K - 26250lm 175W - 5000K - 29750lm 175W - 6500K - 26250lm
E A	220-240V CRI>70 IP65 Aluminium	200W - 4000K - 30000lm 200W - 5000K - 34000lm 200W - 6500K - 30000lm



3 CCT - Color Temperature Changeable



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP66

Flood	BT62-09112	BT62-09132	
LED	100W 4000K 13000lm Grey	100W 6500K 13000lm Grey	
E A	220-240V CRI>80 IP66 Aluminium	220-240V CRI>80 IP66 Aluminium	



IP66

Flood	BT62-09402	BT62-09412	BT62-09432	
LED	150W 3000K 19500lm Grey	150W 4000K 19500lm Grey	150W 6500K 19500lm Grey	
E A	220-240V CRI>80 IP66 Aluminium	220-240V CRI>80 IP66 Aluminium	220-240V CRI>80 IP66 Aluminium	



IP66


Flood	BT62-09612	BT62-09632	
LED	200W 4000K 26000lm Grey	200W 6500K 26000lm Grey	
E A	220-240V CRI>80 IP66 Aluminium	220-240V CRI>80 IP66 Aluminium	




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Flood BT62-09712 BT62-09732
 300W 4000K 300W 6500K
 39000lm Grey 39000lm Grey
 220-240V CRI>80 220-240V CRI>80
 IP66 Aluminium IP66 Aluminium



Flood BT62-09812 BT62-09832
 400W 4000K 400W 6500K
 52000lm Grey 52000lm Grey
 220-240V CRI>80 220-240V CRI>80
 IP66 Aluminium IP66 Aluminium



Flood BT60-09802 BT60-09812 BT60-09832
 300W 3000K 300W 4000K 300W 6500K
 26000lm Grey 26000lm Grey 26000lm Grey
 220-240V CRI>70 220-240V CRI>70 220-240V CRI>70
 IP65 Aluminium IP65 Aluminium IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65


Flood	BT60-95031	BT60-95081	
	50W 6500K	50W 3 CCT	
	4200lm Black	4200lm Black	
	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT60-99131	BT60-99181	
	100W 6500K	100W 3 CCT	
	8500lm Black	8500lm Black	
	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	


Rechargeable with battery



IP65

WLB20	BT59-00231	
	20W 6500K	
	2000lm Black	
	3.7V 6600mA CRI>90	
	IP54 Aluminium	

3 CCT - Color Temperature Changeable




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Flood BT60-51080
 10W 3 CCT
 950lm White
 220-240V CRI>70
 IP65 Aluminium




NEW



IP65

Flood BT60-52080
 20W 3 CCT
 1900lm White
 220-240V CRI>70
 IP65 Aluminium




NEW



IP65

Flood BT60-53080
 30W 3 CCT
 2850lm White
 220-240V CRI>70
 IP65 Aluminium



3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Flood BT60-55080

LSD 50W 3 CCT
4750lm White
220-240V CRI>70

F A B IP65 Aluminium

198 51 43



IP65

Flood BT60-59180

LSD 100W 3 CCT
9500lm White
220-240V CRI>70

F A B IP65 Aluminium

280 61 43



IP65

Flood BT60-63080

LSD 30W 3 CCT
2850lm White
220-240V CRI>70

F A B IP65 Aluminium

162 73 43

3 CCT - Color Temperature Changeable

3000K

4000K

6500K

CCT Switch

4000K 3000K 6500K



CE LVD EMC ErP COMPLIANT RoHS COMPLIANT Hg 0.0mg Non-Hazardous > 25,000 ~20°C ~40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Flood	BT60-31001	BT60-31011	BT60-31031	
	10W 3000K	10W 4000K	10W 6500K	
	800lm Black	800lm Black	800lm Black	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT60-31041	BT60-31051	BT60-31061	BT60-31091	
	10W Red	10W Green	10W Blue	10W RGB	
	Black	Black	Black	Black	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT60-32001	BT60-32011	BT60-32031	
	20W 3000K	20W 4000K	20W 6500K	
	1620lm Black	1620lm Black	1620lm Black	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT60-33001	BT60-33011	BT60-33031	BT60-33091	
	30W 3000K	30W 4000K	30W 6500K	30W RGB	
	2550lm Black	2550lm Black	2550lm Black	Black	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

Flood	BT60-35001	BT60-35011	BT60-35031	BT60-35051	BT60-35091
LED	50W 3000K 4200lm Black	50W 4000K 4200lm Black	50W 6500K 4200lm Black	50W Green Black	50W RGB Black
FA	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium




IP65

Flood	BT60-39101	BT60-39111	BT60-39131
LED	100W 3000K 8500lm Black	100W 4000K 8500lm Black	100W 6500K 8500lm Black
FA	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium




IP65

Flood	BT60-39401	BT60-39411	BT60-39431
LED	150W 3000K 13000lm Black	150W 4000K 13000lm Black	150W 6500K 13000lm Black
FA	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium



IP65

Flood	BT60-39601	BT60-39611	BT60-39631
LED	200W 3000K 17200lm Black	200W 4000K 17200lm Black	200W 6500K 17200lm Black
FA	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




IP54

Flood BT60-41031
 10W 6500K
 800lm Black
 220-240V CRI>70
 IP54 Aluminium




IP54

Flood BT60-42001 BT60-42031
 20W 3000K 20W 6500K
 1620lm Black 1620lm Black
 220-240V CRI>70 220-240V CRI>70
 IP54 Aluminium IP54 Aluminium




IP54

Flood BT60-43031
 30W 6500K
 2550lm Black
 220-240V CRI>70
 IP54 Aluminium



IP54

Flood BT60-45031
 50W 6500K
 4200lm Black
 220-240V CRI>70
 IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Flood	BT61-01002	BT61-01032	
	10W 3000K	10W 6500K	
	800lm Grey	800lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT61-02002	BT61-02032	BT61-02052	
	20W 3000K	20W 6500K	20W Green	
	1620lm Grey	1620lm Grey	1620lm Grey	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT61-03002	BT61-03032	
	30W 3000K	30W 6500K	
	2400lm Grey	2400lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT61-05002	BT61-05012	BT61-05032	BT61-05052	
	50W 3000K	50W 4000K	50W 6500K	50W Green	
	4100lm Grey	4100lm Grey	4100lm Grey	Grey	
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Flood	BT61-09102	BT61-09112	BT61-09132	
	100W 3000K	100W 4000K	100W 6500K	
	8300lm Grey	8300lm Grey	8300lm Grey	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT61-09402	BT61-09432	
	150W 3000K	150W 6500K	
	12200lm Grey	12200lm Grey	
	220-240V CRI>80	220-240V CRI>80	
	IP65 Aluminium	IP65 Aluminium	



IP65

Flood	BT61-09602	BT61-09632	
	200W 3000K	200W 6500K	
	16000lm Grey	16000lm Grey	
	220-240V CRI>80	220-240V CRI>80	
	IP65 Aluminium	IP65 Aluminium	



IP54

Flood	BT61-23002	BT61-23032	
	30W 3000K	30W 6500K	
	2400lm Grey	2400lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP54 Aluminium	IP54 Aluminium	



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

LED STREET LIGHT



NEW



IP66

ST95 BT42-42912
 29.5W 4000K
 4500lm Grey
 120-277V CRI>70
 IP66 Aluminium



NEW



IP66

ST95 BT42-43912
 39W 4000K
 5500lm Grey
 120-277V CRI>70
 IP66 Aluminium



NEW



IP66

ST95 BT42-45612
 56.5W 4000K
 7900lm Grey
 120-277V CRI>70
 IP66 Aluminium



NEW



IP66

ST95 BT42-48312
 83W 4000K
 11600lm Grey
 120-277V CRI>70
 IP66 Aluminium



NEW



IP66

ST95 BT42-49212
 112W 4000K
 16300lm Grey
 120-277V CRI>70
 IP66 Aluminium



NEW



IP66

ST95 BT42-49412
 148W 4000K
 20800lm Grey
 120-277V CRI>70
 IP66 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP66

 	BT42-83012	BT42-83032
	30W 4000K	30W 6500K
	3300lm Grey	3300lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



IP66

 	BT42-85012	BT42-85032
	50W 4000K	50W 6500K
	5600lm Grey	5600lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



IP66

 	BT42-89112	BT42-89132
	100W 4000K	100W 6500K
	11500lm Grey	11500lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



IP65

 	BT42-03032	BT42-05032
	30W 6500K	50W 6500K
	3300lm Grey	5500lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP66

ST89	BT42-93012	BT42-93032
LED	30W 4000K	30W 6500K
	3300lm Grey	3300lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



BT42-95012	BT42-95032
50W 4000K	50W 6500K
5500lm Grey	5500lm Grey
220-240V CRI>70	220-240V CRI>70
IP66 Aluminium	IP66 Aluminium



NEW

IP66

ST89	BT42-99112	BT42-99132
LED	100W 4000K	100W 6500K
	11000lm Grey	11000lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



NEW

IP66

ST89	BT42-99412	BT42-99432
LED	150W 4000K	150W 6500K
	16500lm Grey	16500lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



NEW

IP66

ST89	BT42-99612	BT42-99632
LED	200W 4000K	200W 6500K
	22000lm Grey	22000lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

LED TORCH







TR010 BC03-00100
 3W 120lm 6500K
 Rechargeable White
 220-240V CRI>70
 IP20 PC




TR012 BC03-00121
 3W 150lm 6500K
 Rechargeable Red+Black
 220-240V CRI>70
 IP20 PC




TR013 BC03-00137
 10W 400lm 6500K
 Rechargeable Yellow+Black
 220-240V CRI>70
 IP20 PC



TR016 BC03-00161
 5W 300lm 6500K
 Rechargeable Red+Black
 220-240V CRI>70
 IP20 PC



TR018 BC03-00187
 15W 450lm 6500K
 Rechargeable Red+Black
 220-240V CRI>70
 IP20 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW

PICTOGRAMS INCLUDED



IP54

BC14-00800
White 3W
Dual Mode
Maintained and
Non-Maintained
220-240VAC ABS
Lithium Battery



PICTOGRAMS



BC14-01311



BC14-01312





BC14-01313



BC14-01314

IP65


BC14-00900
White 5W
Maintained and
Non-Maintained
220-240VAC ABS
Lithium Battery



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BC14-01100
White 3W
Maintained
220-240VAC ABS
Lithium Battery



PICTOGRAMS



BC14-01315



BC14-01301



BC14-01302



BC14-01310



BC14-01306



BC14-01304



BC14-01303



BC14-01305



BC14-01307

STEP 1




STEP 2



STEP 3



BC14-01120
White 3W
Maintained
220-240VAC ABS
Lithium Battery



PICTOGRAMS



BC14-01315



BC14-01301



BC14-01302



BC14-01310



BC14-01306



BC14-01304



BC14-01303



BC14-01305



BC14-01307

STEP 1



STEP 2



STEP 3



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



BC14-00553
Silver
3W
220-240VAC
Aluminium
Lithium Battery



NEW




BC14-00653
Silver
3W
220-240VAC
Aluminium
Lithium Battery



NEW



BC14-00753
Silver
3W
220-240VAC
Aluminium
Lithium Battery



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BM30 BC01-00130
2W 6500K
30Led White
220-240V IP20
ABS



BM60 BC01-00330
4W 6500K
60Led White
220-240V IP20
ABS



BM90 BC01-00430
6W 6500K
90Led White
220-240V IP20
PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

BULBS & TUBES


- LED CANDLE BULB
- LED GLOBE BULB
- LED A SHAPE BULB
- LED T SHAPE BULB
- LED SENSOR BULB
- LED GU10 BULB
- LED MR16 BULB
- LED CAPSULE BULB
- LED R BULB
- LED FILAMENT BULB
- LED TUBE



The ultimate light experience

Make home sweet home even sweeter with the right solution

We are committed to delivering expanded value to our customers by providing superior lighting and controls solutions, light your home smarter. Create your own uniqueness, Create your future, Think Smart, Live Smart.




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

Smart Bulb



MODEL NO	TYPE	SOCKET	CCT	WATT	LUMEN	VOLTAGE	P.F.	BEAM ANGLE	MATERIAL	PCS/CTN
BA13-00929	A60	E27	RGBW	9W	806Lm	220-240VAC	>0.5	220°	ThermoPC	60






Smart Bulb



MODEL NO	TYPE	SOCKET	CCT	WATT	LUMEN	VOLTAGE	P.F.	BEAM ANGLE	MATERIAL	PCS/CTN
BA24-00559	MR16	GU10	RGBW	5W	430Lm	220-240VAC	>0.5	110°	ThermoPC	100







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA07-00510	C37-Tail	E14	3000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA07-00511	C37-Tail	E14	4000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA07-00513	C37-Tail	E14	6500K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA07-00710	C37-Tail	E14	3000K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA07-00713	C37-Tail	E14	6500K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS2 YEARS
WARRANTY

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA09-00510	C37	E14	3000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA09-00511	C37	E14	4000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA09-00513	C37	E14	6500K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS2 YEARS
WARRANTY

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA09-00710	C37	E14	3000K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA09-00711	C37	E14	4000K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA09-00713	C37	E14	6500K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS2 YEARS
WARRANTY

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA09-00520	C37	E27	3000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA09-00523	C37	E27	6500K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS2 YEARS
WARRANTY

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA09-00720	C37	E27	3000K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA09-00721	C37	E27	4000K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA09-00723	C37	E27	6500K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS

2 YEARS
WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00510	P45	E14	3000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA11-00511	P45	E14	4000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA11-00513	P45	E14	6500K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS

2 YEARS
WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00710	P45	E14	3000K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA11-00711	P45	E14	4000K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA11-00713	P45	E14	6500K	6.5W	45W	560Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS

2 YEARS
WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00520	G45	E27	3000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA11-00521	G45	E27	4000K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100
BA11-00523	G45	E27	6500K	5W	35W	450Lm	220-240VAC	180°	ThermoPC	100

LED

15,000
HOURS

2 YEARS
WARRANTY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00720	G45	E27	3000K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA11-00721	G45	E27	4000K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100
BA11-00723	G45	E27	6500K	6,5W	45W	560Lm	220-240VAC	180°	ThermoPC	100

LED **15,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-00520	A60	E27	3000K	5W	40W	470Lm	220-240VAC	180°	ThermoPC	100
BA13-00523	A60	E27	6500K	5W	40W	470Lm	220-240VAC	180°	ThermoPC	100

LED **15,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-00720	A55	E27	3000K	7W	50W	630Lm	220-240VAC	180°	ThermoPC	100
BA13-00721	A55	E27	4000K	7W	50W	630Lm	220-240VAC	180°	ThermoPC	100
BA13-00723	A55	E27	6500K	7W	50W	630Lm	220-240VAC	180°	ThermoPC	100

LED **15,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-00920	A60	E27	3000K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100
BA13-00921	A60	E27	4000K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100
BA13-00923	A60	E27	6500K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100

LED **15,000 HOURS** **2 YEARS WARRANTY**



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-60920	A60	E27	3000K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100
BA13-60921	A60	E27	4000K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01120	A60	E27	3000K	11W	75W	1055Lm	220-240VAC	180°	ThermoPC	100
BA13-01121	A60	E27	4000K	11W	75W	1055Lm	220-240VAC	180°	ThermoPC	100
BA13-01123	A60	E27	6500K	11W	75W	1055Lm	220-240VAC	180°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01220	A60	E27	3000K	12W	75W	1055Lm	220-240VAC	180°	ThermoPC	100
BA13-01221	A60	E27	4000K	12W	75W	1055Lm	220-240VAC	180°	ThermoPC	100
BA13-01223	A60	E27	6500K	12W	75W	1055Lm	220-240VAC	180°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01321	A65	E27	4000K	13W	90W	1350Lm	220-240VAC	180°	ThermoPC	100
BA13-01323	A65	E27	6500K	13W	90W	1350Lm	220-240VAC	180°	ThermoPC	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01520	A65	E27	3000K	15W	90W	1350Lm	220-240VAC	180°	ThermoPC	100
BA13-01521	A65	E27	4000K	15W	90W	1350Lm	220-240VAC	180°	ThermoPC	100
BA13-01523	A65	E27	6500K	15W	90W	1350Lm	220-240VAC	180°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01620	A70	E27	3000K	16W	105W	1620Lm	220-240VAC	180°	ThermoPC	100
BA13-01621	A70	E27	4000K	16W	105W	1620Lm	220-240VAC	180°	ThermoPC	100
BA13-01623	A70	E27	6500K	16W	105W	1620Lm	220-240VAC	180°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01820	A80	E27	3000K	18W	105W	1800Lm	220-240VAC	180°	ThermoPC	50
BA13-01821	A80	E27	4000K	18W	105W	1800Lm	220-240VAC	180°	ThermoPC	50
BA13-01823	A80	E27	6500K	18W	105W	1800Lm	220-240VAC	180°	ThermoPC	50



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA14-31023	A65	E27	6500K	10W	60W	806Lm	220-240VAC	180°	ThermoPC	50



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA14-70920	A60-Sensor	E27	3000K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100
BA14-70923	A60-Sensor	E27	6500K	9W	60W	806Lm	220-240VAC	180°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA33-01420	G95	E27	3000K	14W	90W	1360Lm	220-240VAC	180°	ThermoPC	36
BA33-01421	G95	E27	4000K	14W	90W	1360Lm	220-240VAC	180°	ThermoPC	36
BA33-01423	G95	E27	6500K	14W	90W	1360Lm	220-240VAC	180°	ThermoPC	36



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA34-00610	R50	E14	3000K	6W	45W	550Lm	220-240VAC	150°	ThermoPC	100
BA34-00613	R50	E14	6500K	6W	45W	550Lm	220-240VAC	150°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA34-00920	R63	E27	3000K	9W	60W	830Lm	220-240VAC	150°	ThermoPC	100
BA34-00923	R63	E27	6500K	9W	60W	830Lm	220-240VAC	150°	ThermoPC	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-22020	T80	E27	3000K	18W	125W	1760Lm	220-240VAC	180°	ThermoPC	40
BA13-22023	T80	E27	6500K	18W	125W	1760Lm	220-240VAC	180°	ThermoPC	40



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-23020	T100	E27	3000K	28W	175W	2850Lm	220-240VAC	180°	ThermoPC	30
BA13-23023	T100	E27	6500K	28W	175W	2850Lm	220-240VAC	180°	ThermoPC	30



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-24020	T120	E27	3000K	38W	200W	3950Lm	220-240VAC	180°	ThermoPC	20
BA13-24023	T120	E27	6500K	38W	200W	3950Lm	220-240VAC	180°	ThermoPC	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-25020	T140	E27	3000K	48W	250W	4980Lm	220-240VAC	180°	ThermoPC	8
BA13-25023	T140	E27	6500K	48W	250W	4980Lm	220-240VAC	180°	ThermoPC	8



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-31820	T80	E27	3000K	18W	130W	2100Lm	220-240VAC	180°	ThermoPC	40
BA13-31821	T80	E27	4000K	18W	130W	2100Lm	220-240VAC	180°	ThermoPC	40
BA13-31823	T80	E27	6500K	18W	130W	2100Lm	220-240VAC	180°	ThermoPC	40
BA13-32020	T80	E27	3000K	20W	130W	2100Lm	220-240VAC	180°	ThermoPC	40
BA13-32021	T80	E27	4000K	20W	130W	2100Lm	220-240VAC	180°	ThermoPC	40
BA13-32023	T80	E27	6500K	20W	130W	2100Lm	220-240VAC	180°	ThermoPC	40



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-32820	T100	E27	3000K	28W	175W	3000Lm	220-240VAC	180°	ThermoPC	30
BA13-32821	T100	E27	4000K	28W	175W	3000Lm	220-240VAC	180°	ThermoPC	30
BA13-32823	T100	E27	6500K	28W	175W	3000Lm	220-240VAC	180°	ThermoPC	30
BA13-33020	T100	E27	3000K	30W	175W	3000Lm	220-240VAC	180°	ThermoPC	30
BA13-33021	T100	E27	4000K	30W	175W	3000Lm	220-240VAC	180°	ThermoPC	30
BA13-33023	T100	E27	6500K	30W	175W	3000Lm	220-240VAC	180°	ThermoPC	30



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-33820	T120	E27	3000K	38W	250W	4260Lm	220-240VAC	180°	ThermoPC	20
BA13-33823	T120	E27	6500K	38W	250W	4260Lm	220-240VAC	180°	ThermoPC	20
BA13-34020	T120	E27	3000K	40W	250W	4260Lm	220-240VAC	180°	ThermoPC	20
BA13-34021	T120	E27	4000K	40W	250W	4260Lm	220-240VAC	180°	ThermoPC	20
BA13-34023	T120	E27	6500K	40W	250W	4260Lm	220-240VAC	180°	ThermoPC	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-35021	T140	E27	4000K	50W	320W	5500Lm	220-240VAC	180°	ThermoPC	8
BA13-35023	T140	E27	6500K	50W	320W	5500Lm	220-240VAC	180°	ThermoPC	8



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA23-00580	MR16 LED Modul	3 CCT	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA23-00780	MR16 LED Modul	3 CCT	7W	70W	700Lm	220-240VAC	110°	ThermoPC	100

LED

20,000 HOURS

2 YEARS WARRANTY



NEW



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA23-10580	MR16 LED Modul	3 CCT	5W	50W	380Lm	220-240VAC	45°	ThermoPC	100
BA23-10780	MR16 LED Modul	3 CCT	7W	70W	700Lm	220-240VAC	60°	ThermoPC	100

LED

20,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA23-31001	MR16 LED Modul	3000K	10W	70W	1000Lm	220-240VAC	38°	ThermoPC	100
BA23-31011	MR16 LED Modul	4000K	10W	70W	1000Lm	220-240VAC	38°	ThermoPC	100
BA23-31031	MR16 LED Modul	6500K	10W	70W	1000Lm	220-240VAC	38°	ThermoPC	100

LED

20,000 HOURS

2 YEARS WARRANTY



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA24-00450	MR16	GU10	3000K	4.5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00451	MR16	GU10	4000K	4.5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00453	MR16	GU10	6500K	4.5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00550	MR16	GU10	3000K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00551	MR16	GU10	4000K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00553	MR16	GU10	6500K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA24-00650	MR16	GU10	3000K	6.5W	70W	550Lm	220-240VAC	110°	ThermoPC	100
BA24-00651	MR16	GU10	4000K	6.5W	70W	550Lm	220-240VAC	110°	ThermoPC	100
BA24-00653	MR16	GU10	6500K	6.5W	70W	550Lm	220-240VAC	110°	ThermoPC	100
BA24-00750	MR16	GU10	3000K	7W	70W	580Lm	220-240VAC	110°	ThermoPC	100
BA24-00751	MR16	GU10	4000K	7W	70W	580Lm	220-240VAC	110°	ThermoPC	100
BA24-00753	MR16	GU10	6500K	7W	70W	580Lm	220-240VAC	110°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA24-00560	MR16	GU5.3	3000K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00561	MR16	GU5.3	4000K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00563	MR16	GU5.3	6500K	5W	50W	430Lm	220-240VAC	110°	ThermoPC	100
BA24-00660	MR16	GU5.3	3000K	6.5W	70W	550Lm	220-240VAC	110°	ThermoPC	100
BA24-00663	MR16	GU5.3	6500K	6.5W	70W	550Lm	220-240VAC	110°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-00450	MR16	GU10	3000K	4.5W	50W	350Lm	220-240VAC	38°	ThermoPC	100
BA25-00451	MR16	GU10	4000K	4.5W	50W	350Lm	220-240VAC	38°	ThermoPC	100
BA25-00453	MR16	GU10	6500K	4.5W	50W	350Lm	220-240VAC	38°	ThermoPC	100
BA25-00550	MR16	GU10	3000K	5W	50W	380Lm	220-240VAC	38°	ThermoPC	100
BA25-00551	MR16	GU10	4000K	5W	50W	380Lm	220-240VAC	38°	ThermoPC	100
BA25-00553	MR16	GU10	6500K	5W	50W	380Lm	220-240VAC	38°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-00650	MR16	GU10	3000K	6.5W	70W	500Lm	220-240VAC	38°	ThermoPC	100
BA25-00651	MR16	GU10	4000K	6.5W	70W	500Lm	220-240VAC	38°	ThermoPC	100
BA25-00750	MR16	GU10	3000K	7W	70W	530Lm	220-240VAC	38°	ThermoPC	100
BA25-00751	MR16	GU10	4000K	7W	70W	530Lm	220-240VAC	38°	ThermoPC	100
BA25-00753	MR16	GU10	6500K	7W	70W	530Lm	220-240VAC	38°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-00660	MR16	GU10	3000K	6.5W	70W	500Lm	220-240VAC	38°	ThermoPC	100
BA25-00661	MR16	GU10	4000K	6.5W	70W	500Lm	220-240VAC	38°	ThermoPC	100
BA25-00663	MR16	GU10	6500K	6.5W	70W	500Lm	220-240VAC	38°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-00754	MR16	GU10	Red	7W	/	/	220-240VAC	38°	ThermoPC	100
BA25-00755	MR16	GU10	Green	7W	/	/	220-240VAC	38°	ThermoPC	100
BA25-00756	MR16	GU10	Blue	7W	/	/	220-240VAC	38°	ThermoPC	100
BA25-00757	MR16	GU10	Amber	7W	/	/	220-240VAC	38°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-30460	MR16	GU5.3	3000K	4.5W	50W	360Lm	12VAC	38°	ThermoPC	100
BA25-30461	MR16	GU5.3	4000K	4.5W	50W	360Lm	12VAC	38°	ThermoPC	100
BA25-30463	MR16	GU5.3	6500K	4.5W	50W	360Lm	12VAC	38°	ThermoPC	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA26-00650	MR16	GU10	3000K	6.5W	70W	630Lm	220-240VAC	38°	ThermoPC	100
BA26-00651	MR16	GU10	4000K	6.5W	70W	630Lm	220-240VAC	38°	ThermoPC	100
BA26-00653	MR16	GU10	6500K	6.5W	70W	630Lm	220-240VAC	38°	ThermoPC	100

LED

20,000 HOURS

2 YEARS WARRANTY



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA26-60650	MR16 Dim.	GU10	3000K	6W	70W	450Lm	220-240VAC	38°	ThermoPC	100
BA26-60651	MR16 Dim.	GU10	4000K	6W	70W	450Lm	220-240VAC	38°	ThermoPC	100
BA26-60653	MR16 Dim.	GU10	6500K	6W	70W	450Lm	220-240VAC	38°	ThermoPC	100




NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA27-00550	MR16	GU10	3000K	4.8W	50W	350Lm	220-240VAC	38°	ThermoPC	100
BA27-00551	MR16	GU10	4000K	4.8W	50W	350Lm	220-240VAC	38°	ThermoPC	100
BA27-00553	MR16	GU10	6500K	4.8W	50W	350Lm	220-240VAC	38°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA27-60650	MR16-Dimmable	GU10	3000K	5.5W	50W	400Lm	220-240VAC	38°	ThermoPC	100
BA27-60651	MR16-Dimmable	GU10	4000K	5.5W	50W	400Lm	220-240VAC	38°	ThermoPC	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-00390	G9-Dimmable	G9	3000K	3W	20W	260Lm	220-240VAC	240°	PC	500
BA29-00393	G9-Dimmable	G9	6500K	3W	20W	260Lm	220-240VAC	240°	PC	500



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-00590	G9	G9	3000K	5W	45W	430Lm	220-240VAC	240°	ThermoPC	250
BA29-00593	G9	G9	6500K	5W	45W	430Lm	220-240VAC	240°	ThermoPC	250


LED

15,000 HOURS

2 YEARS WARRANTY



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-00690	G9	G9	3000K	6.5W	45W	580Lm	220-240VAC	240°	ThermoPC	250
BA29-00691	G9	G9	4000K	6.5W	45W	580Lm	220-240VAC	240°	ThermoPC	250
BA29-00693	G9	G9	6500K	6.5W	45W	580Lm	220-240VAC	240°	ThermoPC	250

LED

15,000 HOURS

2 YEARS WARRANTY



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-00990	G9	G9	3000K	9W	60W	806Lm	220-240VAC	240°	ThermoPC	250
BA29-00993	G9	G9	6500K	9W	60W	806Lm	220-240VAC	240°	ThermoPC	250

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA35-00410	C35-Tail	E14	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100
BA35-00413	C35-Tail	E14	6500K	4W	40W	470Lm	220-240VAC	300°	Glass	100
BA35-00610	C35-Tail	E14	3000K	6W	50W	630Lm	220-240VAC	300°	Glass	100
BA35-00613	C35-Tail	E14	6500K	6W	50W	630Lm	220-240VAC	300°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA36-00410	C35	E14	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100
BA36-00610	C35	E14	3000K	6W	50W	630Lm	220-240VAC	300°	Glass	100
BA36-00613	C35	E14	6500K	6W	50W	630Lm	220-240VAC	300°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA36-60410	C35-Dimmable	E14	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA36-00420	C35	E27	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100
BA36-00620	C35	E27	3000K	6W	50W	630Lm	220-240VAC	300°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA37-00410	P45	E14	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA37-00420	G45	E27	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100
BA37-00620	G45	E27	3000K	6W	50W	630Lm	220-240VAC	300°	Glass	100

LED

15.000 HOURS

2 YEARS WARRANTY



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA38-00720	A60	E27	3000K	7W	60W	806Lm	220-240VAC	300°	Glass	100
BA38-00721	A60	E27	4000K	7W	60W	806Lm	220-240VAC	300°	Glass	100
BA38-00723	A60	E27	6500K	7W	60W	806Lm	220-240VAC	300°	Glass	100
BA38-00920	A60	E27	3000K	9W	75W	1055Lm	220-240VAC	300°	Glass	100

LED

15.000 HOURS

2 YEARS WARRANTY



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA38-60820	A60-Dimmable	E27	3000K	8W	60W	806Lm	220-240VAC	300°	Glass	100

LED

15.000 HOURS

2 YEARS WARRANTY



NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA38-01320	A65	E27	3000K	13W	100W	1520Lm	220-240VAC	180°	Glass	100

LED

15.000 HOURS

2 YEARS WARRANTY



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA39-00420	T45	E27	3000K	4W	40W	470Lm	220-240VAC	300°	Glass	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA41-60820	G95-Dimmable	E27	3000K	8W	60W	806Lm	220-240VAC	360°	Glass	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA46-00720	ST64	E27	3000K	7W	60W	806Lm	220-240VAC	360°	Glass	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB36-00410	C35-Amber	E14	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB36-60410	C35-Amber-Dimmable	E14	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB37-00410	P45-Amber	E14	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB37-00420	G45-Amber	E27	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB39-00420	T45	E27	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB46-00620	ST64-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB46-60620	ST64-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB47-00620	G95-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB47-60620	G95-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	20



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB48-00620	G125-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	20

LED

15,000 HOURS

2 YEARS WARRANTY




MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB62-60620	T30-200-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	50

LED

15,000 HOURS

2 YEARS WARRANTY




MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-00680	T8/0.6mt	Double Side	G13	3000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-00681	T8/0.6mt	Double Side	G13	4000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-00683	T8/0.6mt	Double Side	G13	6500K	9W	900Lm	220-240VAC	270°	Glass	25

LED

15,000 HOURS

2 YEARS WARRANTY

100Lm/w



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-01280	T8/1.2mt	Double Side	G13	3000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-01281	T8/1.2mt	Double Side	G13	4000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-01283	T8/1.2mt	Double Side	G13	6500K	18W	1800Lm	220-240VAC	270°	Glass	25

LED


15,000 HOURS

2 YEARS WARRANTY


100Lm/w




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN _(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-01580	T8/1.5mt	Double Side	G13	3000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-01581	T8/1.5mt	Double Side	G13	4000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-01583	T8/1.5mt	Double Side	G13	6500K	24W	2440Lm	220-240VAC	270°	Glass	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN _(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-20680	T8/0.6mt	Single Side	G13	3000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-20681	T8/0.6mt	Single Side	G13	4000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-20683	T8/0.6mt	Single Side	G13	6500K	9W	900Lm	220-240VAC	270°	Glass	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN _(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-21280	T8/1.2mt	Single Side	G13	3000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-21281	T8/1.2mt	Single Side	G13	4000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-21283	T8/1.2mt	Single Side	G13	6500K	18W	1800Lm	220-240VAC	270°	Glass	25




MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN _(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-21580	T8/1.5mt	Single Side	G13	3000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-21581	T8/1.5mt	Single Side	G13	4000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-21583	T8/1.5mt	Single Side	G13	6500K	24W	2440Lm	220-240VAC	270°	Glass	25




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



LED STRIP LIGHT



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00300	Ecoline	5050	3000K	12W	60 Led	12VDC	IP20	250 Mt
BS01-00301	Ecoline	5050	4000K	12W	60 Led	12VDC	IP20	250 Mt
BS01-00303	Ecoline	5050	6500K	12W	60 Led	12VDC	IP20	250 Mt
BS01-00304	Ecoline	5050	Red	12W	60 Led	12VDC	IP20	250 Mt
BS01-00305	Ecoline	5050	Green	12W	60 Led	12VDC	IP20	250 Mt
BS01-00306	Ecoline	5050	Blue	12W	60 Led	12VDC	IP20	250 Mt
BS01-00307	Ecoline	5050	Amber	12W	60 Led	12VDC	IP20	250 Mt
BS01-00309	Ecoline	5050	RGB	12W	60 Led	12VDC	IP20	250 Mt
BS01-00409	Ecoline	5050	RGB	12W	60 Led	12VDC	IP54	250 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00310	Ecoline	5050	3000K	12W	60 Led	24VDC	IP20	250 Mt
BS01-00311	Ecoline	5050	4000K	12W	60 Led	24VDC	IP20	250 Mt
BS01-00313	Ecoline	5050	6500K	12W	60 Led	24VDC	IP20	250 Mt
BS01-00319	Ecoline	5050	RGB	12W	60 Led	24VDC	IP20	250 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00700	Ecoline	2835	3000K	8W	60 Led	12VDC	IP20	100 Mt
BS01-00701	Ecoline	2835	4000K	8W	60 Led	12VDC	IP20	100 Mt
BS01-00703	Ecoline	2835	6500K	8W	60 Led	12VDC	IP20	100 Mt
BS01-00704	Ecoline	2835	RED	8W	60 Led	12VDC	IP20	100 Mt
BS01-00705	Ecoline	2835	GREEN	8W	60 Led	12VDC	IP20	100 Mt
BS01-00706	Ecoline	2835	BLUE	8W	60 Led	12VDC	IP20	100 Mt
BS01-00707	Ecoline	2835	AMBER	8W	60 Led	12VDC	IP20	100 Mt
BS01-00710	Ecoline	2835	3000K	8W	60 Led	24VDC	IP20	100 Mt
BS01-00711	Ecoline	2835	4000K	8W	60 Led	24VDC	IP20	100 Mt
BS01-00713	Ecoline	2835	6500K	8W	60 Led	24VDC	IP20	100 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00800	Ecoline	2835	3000K	12W	120 Led	12VDC	IP20	100 Mt
BS01-00801	Ecoline	2835	4000K	12W	120 Led	12VDC	IP20	100 Mt
BS01-00803	Ecoline	2835	6500K	12W	120 Led	12VDC	IP20	100 Mt
BS01-00804	Ecoline	2835	RED	12W	120 Led	12VDC	IP20	100 Mt
BS01-00805	Ecoline	2835	GREEN	12W	120 Led	12VDC	IP20	100 Mt
BS01-00806	Ecoline	2835	BLUE	12W	120 Led	12VDC	IP20	100 Mt
BS01-00810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP20	100 Mt
BS01-00811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP20	100 Mt
BS01-00813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP20	100 Mt



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-01210	Plusline	2835	3000K	13W	168 Led	24VDC	IP20	100 Mt
BS01-01211	Plusline	2835	4000K	13W	168 Led	24VDC	IP20	100 Mt
BS01-01213	Plusline	2835	6500K	13W	168 Led	24VDC	IP20	100 Mt




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00910	Plusline	2835	3000K	16W	180 Led	24VDC	IP20	100 Mt
BS01-00911	Plusline	2835	4000K	16W	180 Led	24VDC	IP20	100 Mt
BS01-00913	Plusline	2835	6500K	16W	180 Led	24VDC	IP20	100 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-01310	Plusline	2835	3000K	20W	240 Led	24VDC	IP20	100 Mt
BS01-01311	Plusline	2835	4000K	20W	240 Led	24VDC	IP20	100 Mt
BS01-01313	Plusline	2835	6500K	20W	240 Led	24VDC	IP20	100 Mt




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-10810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP54	100 Mt
BS01-10811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP54	100 Mt
BS01-10813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP54	100 Mt
BS01-10910	Plusline	2835	3000K	16W	180 Led	24VDC	IP54	100 Mt
BS01-10911	Plusline	2835	4000K	16W	180 Led	24VDC	IP54	100 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-01418	Plusline	5050	RGBW+CW	12W	96 Led	24VDC	IP20	100 Mt



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00509	Ecoline	5050	RGB	13W	120 Led	220-240VAC	IP54	100 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00500	Ecoline	2835	3000K	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00501	Ecoline	2835	4000K	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00503	Ecoline	2835	6500K	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00504	Ecoline	2835	RED	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00505	Ecoline	2835	GREEN	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00506	Ecoline	2835	BLUE	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00507	Ecoline	2835	Amber	8W	120 Led	220-240VAC	IP54	100 Mt




MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00510	Ecoline	2835	3000K	12W	180 Led	220-240V	IP54	100 Mt
BS01-00511	Ecoline	2835	4000K	12W	180 Led	220-240V	IP54	100 Mt
BS01-00513	Ecoline	2835	6500K	12W	180 Led	220-240V	IP54	100 Mt
BS01-00514	Ecoline	2835	RED	12W	180 Led	220-240V	IP54	100 Mt
BS01-00515	Ecoline	2835	GREEN	12W	180 Led	220-240V	IP54	100 Mt
BS01-00516	Ecoline	2835	BLUE	12W	180 Led	220-240V	IP54	100 Mt
BS01-00517	Ecoline	2835	AMBER	12W	180 Led	220-240V	IP54	100 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS02-00510	Ecoline	2835	3000K	8W	120 Led	220-240V	IP54	100 Mt
BS02-00511	Ecoline	2835	4000K	8W	120 Led	220-240V	IP54	100 Mt
BS02-00513	Ecoline	2835	6500K	8W	120 Led	220-240V	IP54	100 Mt
BS02-00530	Ecoline	2835	3000K	13W	240 Led	220-240V	IP54	100 Mt
BS02-00531	Ecoline	2835	4000K	13W	240 Led	220-240V	IP54	100 Mt
BS02-00533	Ecoline	2835	6500K	13W	240 Led	220-240V	IP54	100 Mt



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS02-00010	Neon	2835	3000K	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00011	Neon	2835	4000K	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00013	Neon	2835	6500K	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00014	Neon	2835	RED	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00015	Neon	2835	GREEN	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00016	Neon	2835	BLUE	6W	120 Led	220-240VAC	IP65	100 Mt
BS02-00017	Neon	2835	AMBER	6W	120 Led	220-240VAC	IP65	100 Mt



NEW

BS01-99908
RGB Controller
Max.800W For BS01-00509



NEW

BS01-99909
RGB Controller
Max.800W For Neon Led Strip



NEW

BS01-99906
Power Cord 8A
For 120Led&180Led
PC




NEW

BS01-99930
Power Cord 8A
For 240Led
PC




NEW

BS02-90001
Power Cord 8A
For Neon Led Strip
PC




NEW

BS01-99903
End Cap+Clip Connector set
120L
PC



NEW

BS02-99931
End Cap+Clip Connector set
240L
PC



NEW

BS02-90020
End Cap+Clip Connector set
Neon Led Strip 8x16
PC

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-00250	25W	12VDC	2A	>0.5	220-240VAC	IP20	Aluminium	85x57x34	60
BY02-00600	60W	12VDC	5A	>0.5	220-240VAC	IP20	Aluminium	160x40x32	60
BY02-01000	100W	12VDC	8.3A	>0.5	220-240VAC	IP20	Aluminium	190x46x35	60
BY02-01500	150W	12VDC	12.5A	>0.5	220-240VAC	IP20	Aluminium	200x46x37	60
BY02-02000	200W	12VDC	16.5A	>0.5	220-240VAC	IP20	Aluminium	200x58x40	40
BY02-02500	250W	12VDC	21A	>0.5	220-240VAC	IP20	Aluminium	222x68x41	40
BY02-03500	350W	12VDC	29A	>0.5	220-240VAC	IP20	Aluminium	222x68x41	40



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-10250	25W	24VDC	1A	>0.5	220-240VAC	IP20	Aluminium	86x58x33	60
BY02-10600	60W	24VDC	2.5A	>0.5	220-240VAC	IP20	Aluminium	160x40x32	60
BY02-11000	100W	24VDC	4.2A	>0.5	220-240VAC	IP20	Aluminium	190x47x35	60
BY02-11500	150W	24VDC	6.2A	>0.5	220-240VAC	IP20	Aluminium	200x57x40	60
BY02-12500	250W	24VDC	10.5A	>0.5	220-240VAC	IP20	Aluminium	220x68x40	40
BY02-13500	350W	24VDC	14.5A	>0.5	220-240VAC	IP20	Aluminium	222x68x41	40
BY02-15000	500W	24VDC	20.8A	>0.5	220-240VAC	IP20	Aluminium	215x50x115	20



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-20600	60W	24VDC	2.5A	>0.5	220-240V	IP20	Aluminium	150x35x23mm	60
BY02-21000	100W	24VDC	4.2A	>0.5	220-240V	IP20	Aluminium	143x48x23mm	60
BY02-21500	150W	24VDC	6.2A	>0.5	220-240V	IP20	Aluminium	185x48x23mm	60
BY02-22500	250W	24VDC	10.5A	>0.5	220-240V	IP20	Aluminium	210x63x25mm	40
BY02-23500	350W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	226x63x28mm	40
BY02-24000	400W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	226x63x28mm	40




MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY03-22000	200W	48VDC	4A	>0.5	220-240V	IP20	Aluminium	255x49x30mm	56
BY03-23500	350W	48VDC	7.2A	>0.5	220-240V	IP20	Aluminium	255x60x30mm	42




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




MODEL NO	MAX.WATT	INPUT VOLTAGE	OUTPUT	IP	MATERIAL	PCS/CTN
BY35-30130	3W	220-240V	3.7V 2200mAh	IP20	PC	50
BY35-30230	5W	220-240V	7.4V 2200mAh	IP20	PC	50




MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01120	Controller	216W	18A	12/24VDC	220-240VAC	PC	100



MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01130	Controller	72W	6A	12/24VDC	220-240VAC	PC	200




MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01140	Controller	480W	4A/CH	12/24VDC	220-240VAC	PC	100





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01010	MS01	PIR	IP20	220-240VAC	2000W(Halogen)	500W(CFL)	800W(LED)	0.45W(Static 0.1W)	5 Sec.-5 Min (Adjustable)	360°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
8 Mt Max. 24°	0.6-1.5 m/S	5-2000LUX	1.5-3.5 Mt	-20°~+40°	%93 RH	PC	50			



2 YEARS
WARRANTY

20,000
HOURS





MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01030	MS03	PIR	IP44	220-240VAC	800W(Halogen)	150W(CFL)	250W(LED)	0.5W(Static 0.1W)	5 Sec.-8 Min (Adjustable)	180°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
25 Mt Max. 24°	0.6-1.5 m/S	5-2000LUX	1.8-2.5 Mt	-20°~+40°	%93 RH	PC	50			



2 YEARS
WARRANTY

20,000
HOURS





MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01040	MS04	PIR	IP20	220-240VAC	800W(Halogen)	150W(CFL)	250W(LED)	0.45W(Static 0.1W)	5 Sec.-5 Min (Adjustable)	360°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
6 Mt Max. 24°	0.6-1.5 m/S	5-2000LUX	2-4 Mt	-20°~+40°	%93 RH	PC	100			




2 YEARS
WARRANTY

20,000
HOURS




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS
BY31-03010	PS01	220-240VAC	Max. 1000W	6A	<2-100 Lux	Class II
PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
IP44	-20°~+40°	<%93RH	PC	100		



2 YEARS WARRANTY

20,000 HOURS




MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS
BY31-03020	PS01	220-240VAC	Max. 1800W	10A	<2-100 Lux	Class II
PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
IP44	-20°~+40°	<%93RH	PC	100		



2 YEARS WARRANTY

20,000 HOURS




MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS
BY31-03040	PS03	220-240VAC	Max. 3000W	25A	<2-100 Lux	Class II
PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
IP44	-20°~+40°	<%93RH	PC	100		



2 YEARS WARRANTY

20,000 HOURS




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00110	2-Wires	White	1 Mt	Copper	Aluminium	20
BY40-00120	2-Wires	White	2 Mt	Copper	Aluminium	20

2 YEARS WARRANTY




MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00111	2-Wires	Black	1 Mt	Copper	Aluminium	20
BY40-00121	2-Wires	Black	2 Mt	Copper	Aluminium	20

2 YEARS WARRANTY



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00210	4-Wires	White	1 Mt	Copper	Aluminium	10
BY40-00220	4-Wires	White	2 Mt	Copper	Aluminium	10

2 YEARS WARRANTY



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00211	4-Wires	Black	1 Mt	Copper	Aluminium	10
BY40-00221	4-Wires	Black	2 Mt	Copper	Aluminium	10

2 YEARS WARRANTY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00230	2-Wires	White	Copper	PC	250
BY40-00231	2-Wires	Black	Copper	PC	250

2 YEARS
WARRANTY


MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00240	2-Wires	White	Copper	PC	250
BY40-00241	2-Wires	Black	Copper	PC	250

2 YEARS
WARRANTY


MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00330	4-Wires	White	Copper	Aluminium	100
BY40-00331	4-Wires	Black	Copper	Aluminium	100

2 YEARS
WARRANTY


MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00340	4-Wires	White	Copper	Aluminium	200
BY40-00341	4-Wires	Black	Copper	Aluminium	200

2 YEARS
WARRANTY


MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00350	4-Wires	White	Copper	Aluminium	250
BY40-00351	4-Wires	Black	Copper	Aluminium	250

2 YEARS
WARRANTY


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

ELECTRICAL



NEW



BY72-00030

XLIN 3xSocket 16A
Without cable White
IP20 Safety Shutter

BY72-00031

XLIN 3xSocket 16A
H05VV-F3G1.5mm2 / 1,5m Cable
White IP20 Safety Shutter

BY72-00035

XLIN 3xSocket 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 Safety Shutter

BY72-00033

XLIN 3xSocket 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 Safety Shutter

NEW



BY72-00040

XLIN 4xSocket 16A
Without cable White
IP20 Safety Shutter

BY72-00041

XLIN 4xSocket 16A
H05VV-F3G1.5mm2 / 1,5m Cable
White IP20 Safety Shutter

BY72-00043

XLIN 4xSocket 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 Safety Shutter

BY72-00045

XLIN 4xSocket 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 Safety Shutter

NEW



BY72-00060

XLIN 6xSocket 16A
Without cable White
IP20 Safety Shutter

BY72-00061

XLIN 6xSocket 16A
H05VV-F3G1.5mm2 / 1,5m Cable
White IP20 Safety Shutter

BY72-00063

XLIN 6xSocket 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 Safety Shutter

BY72-00065

XLIN 6xSocket 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 Safety Shutter



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



BY72-00230

XLIN 3xSocket 16A
Without cable White
IP20 ON/OFF
Safety Shutter

BY72-00233

XLIN 3xSocket 16A
H05VV-F3G3mm2 / 3mCable
White IP20 ON/OFF
Safety Shutter

BY72-00231

XLIN 3xSocket 16A
H05VV-F3G1.5mm / 1.5m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00235

XLIN 3xSocket 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 & ON/OFF
Safety Shutter

NEW



BY72-00240

XLIN 4xSocket 16A
Without cable White
IP20 ON/OFF
Safety Shutter

BY72-00243

XLIN 4xSocket 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00241

XLIN 4xSocket 16A
H05VV-F3G1.5mm2 / 1.5m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00245

XLIN 4xSocket 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 ON/OFF
Safety Shutter

NEW



BY72-00260

XLIN 6xSocket 16A
Without cable White
IP20 ON/OFF
Safety Shutter

BY72-00263

XLIN 6xSocket 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00261

XLIN 6xSocket 16A
H05VV-F3G1.5mm2 / 1.5m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00265

XLIN 6xSocket 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 ON/OFF
Safety Shutter



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



BY72-02030
XLINE 3xSocket
16A White
IP20

NEW



BY72-02031
XLINE 16A White
IP20



NEW



BY74-00001
FM01
16A White
IP20

NEW



BY74-00002
ML01
16A White
IP20

NEW



BY74-00003
ML02
16A White
IP20

NEW



BY74-00004
SW01
16A White
IP20

NEW



BY74-00005
ML04
16A White
IP20

NEW



BY74-00006
ML03
16A White
IP20

NEW



BY90-00302
SC302 2IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC

NEW



BY90-00303
SC303 3IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC

NEW



BY90-00305
SC305 5IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC

NEW



GU10-15
15cm GU10
Lampholder




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW

BZ01-00010
12W 4inch 34(dB)
100(m3/h)
White 220-240V
IPX2 ABS




NEW

BZ01-00020
16W 5inch 35(dB)
160(m3/h)
White 220-240V
IPX2 ABS



NEW


BZ01-00030
18W 6inch 37(dB)
260(m3/h)
White 220-240V
IPX2 ABS




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	BY45-00201
SOCKET	E27
BODY COLOR	Copper
LENGTH	1 Mt
MATERIAL	Metal
PCS/CARTON	50



2 YEARS WARRANTY




MODEL NO	BY45-00200
SOCKET	E27
BODY COLOR	Black
LENGTH	1 Mt
MATERIAL	Metal
PCS/CARTON	100

2 YEARS WARRANTY



MODEL NO	BT42-09000
HOUSING	PA
METAL PART	Brass
WATERPROOF O-RING	Silicone
RATED VOLTAGE	250V
RATED CURRENT	16A
CABLE RANGE	0.5-1.5mm ²
CABLE OD	≤7mm
Operating Temp. range	-40°~+85°
WATERPROOF RATE	IP67
FIRE CLASSIFICATION	94V0
PCS/CARTON	500




2 YEARS WARRANTY



NEW




MODEL NO	BT42-09900
MODEL	Adaptor
BODY COLOR	Grey
SIZE	Ø50- Ø60mm
MATERIAL	Aluminium
PCS/CARTON	20


















2 YEARS WARRANTY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Scan the QR code
for more information.



***Only for Romania market**

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

SPOTLIGHT FIXTURE

PAGE 67





TRACKLIGHT FIXTURE



Braytron
lighting expert
GLOBAL OFFICE

2024

LIGHTING & ELECTRICAL PRODUCT CATALOGUE



BRAYTRON ROMANIA
S.C. Spotvision Electric & Lighting S.R.L.
(DISTRIBUTOR UNIC IN ROMANIA)
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
061129 Bucharest, Romania
www.spotvisionelectric.ro
sales@spotvisionelectric.ro

www.braytron.com