

GLOBE 300 MODERN

MEDIUM SIZE





Ø 300 mm PMMA globe, complete with modern globe base made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Suitable for post top or wall installation. Supplied as optional with TÜV-CB certified, long-life and efficient LED lamps suitable for outdoor use. Insulation class II, protection rating IP 55.

Globo Ø 300 mm in polimetilmetacrilato (PMMA) completo di base moderna realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Idoneo per il montaggio a palo o a parete. Fornito anche completo di lampadine LED adatte ad uso in ambiente esterno, certificate TÜV-CB, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.

6,5W 800 lm	8,5W 920 lm	11W 1200 lm	
2700 K	2700 K	4000 K	6500 K
+80°C -30°	90% HUMIDITY	VOLTAGE SURGE RESISTANT	
INDOOR & OUTDOOR USE			

G31.240






GLOBE 300 MODERN - COMPONENTS

IP55



∅ 300 mm **GLOBE** made of UV-rays stabilized polymethylmethacrylate (PMMA), one piece only. Available in clear, opal or smoked colour.

GLOBO ∅ 300 mm in polimetilmetacrilato (PMMA), resistente all'ingiallimento ed ai raggi UV, realizzato in un unico pezzo. Disponibile nei colori trasparente, bianco o fumé.



GLOBE BASE with modern design, made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied complete with E27 lampholder.

REGGIBOCCIA con disegno moderno realizzato in resina antiurto, stabilizzato ai raggi UV, inattaccabile da ruggine e corrosione. Fornito completo di portalampada E27.

GLOBE 300 MODERN

G31.B31 *



Dimensions and weight

Height: 310 mm
Diameter: 300 mm
Weight: 1,1 Kg

Moulded colours:

Black White
Grey

Diffuser PMMA:

Clear Opal Smoked

E27 FILAMENT

E27 CCT SET(*)

100 - 240 V

*ADD. SUFFIX



suitable lamps: CFL-LED		E27 lampholder only		E27
LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	
	6,5W	800 lm	2700 K	.F1R
	8,5 W	920 lm	4000 K 2700 K	.V1K
	11 W	1200 lm	6500 K 4000 K 2700 K	.T1K

- Perfect **MATCHING WITH DECORATIVE LANTERNS.**
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **360°OMNIDIRECTIONAL LIGHT.**
- **HIGH EFFICIENCY:** 90% ENERGY SAVING.

- **A60 CCT SETTABLE:** 2700K/4000K/6500K.
- **SUITABLE FOR OUTDOOR USE:** 100-240V driver.
- **EYE COMFORT** opal glass.
- **HIGH EFFICIENCY:** >85% ENERGY SAVING.

6,5W filament = 60W incandescent
8,5W CCT = 75W incandescent
11W CCT = 75W incandescent


SAVE up to 89%

LED LAMPS




Comply with: EU2019/2015
EU2019/2020
Technical details on page 636.

CCT SETTABLE LED LAMP(*)



CCT switch settable in three different positions, to select the desired Kelvin temperature (2700K/4000K/6500K) and get a customized ambiance.

PHOTOMETRIC DATA SAMPLE



GLOBE 300 MODERN clear with Fumagalli Led Lamp CCT set 8,5W.

POST height 2mt
6x6mt area: average 3,5 lux

The photometric data for all the versions are available upon request or on our website.

* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

LAMPS POST URBAN MODERN URBAN REVIVAL URBAN CLASSIC SOLAR BULKHEAD FLOODLIGHT BRICKLIGHT IN-GROUND DOWNLIGHT UP&DOWN BOLLARD GARDEN CLASSIC GARDEN REVIVAL

GLOBE 300 MODERN

MEDIUM SIZE



G31.307.D30.V1K



G31.116



G31.125.T1K




G31.306



G31.242.F1R





MIDIDISMA /G300

E27 lampholder	G31.116.E27
6,5W filament	G31.116.F1R
8,5W CCT set	G31.116.V1K
11W CCT set	G31.116.T1K

Pcs 36
Kg 36,5
mc 0,829

NARDO /G300

E27 lampholder	G31.240.E27
6,5W filament	G31.240.F1R
8,5W CCT set	G31.240.V1K
11W CCT set	G31.240.T1K

Pcs 36
Kg 32,9
mc 0,829

SICAR /G300

E27 lampholder	G31.125.E27
6,5W filament	G31.125.F1R
8,5W CCT set	G31.125.V1K
11W CCT set	G31.125.T1K

Pcs 24
Kg 38
mc 0,840

GIAFFA/G300 resin

E27 lampholder	G31.242.E27
6,5W filament	G31.242.F1R
8,5W CCT set	G31.242.V1K
11W CCT set	G31.242.T1K

Pcs 2
Kg 7
mc 0,122

GLOBE 300 MODERN

G31.B31

Pcs 2
Kg 1,6
mc 0,025

DANILO/G300

E27 lampholder	G31.305.E27
6,5W filament	G31.305.F1R
8,5W CCT set	G31.305.V1K
11W CCT set	G31.305.T1K

Pcs 2
Kg 9,7
mc 0,211

DINO/G300

E27 lampholder	G31.306.E27
6,5W filament	G31.306.F1R
8,5W CCT set	G31.306.V1K
11W CCT set	G31.306.T1K

Pcs 2
Kg 18,2
mc 0,245

EMILIO/G300

E27 lampholder	G31.307.E27
6,5W filament	G31.307.F1R
8,5W CCT set	G31.307.V1K
11W CCT set	G31.307.T1K

Pcs 2
Kg 10,7
mc 0,274

EMILIO NARDO/G300 2L

E27 lampholder	G31.307.D20.E27
6,5W filament	G31.307.D20.F1R
8,5W CCT set	G31.307.D20.V1K
11W CCT set	G31.307.D20.T1K

Pcs 1
Kg 11,6
mc 0,757

EMILIO NARDO/G300 3L

E27 lampholder	G31.307.D30.E27
6,5W filament	G31.307.D30.F1R
8,5W CCT set	G31.307.D30.V1K
11W CCT set	G31.307.D30.T1K

Pcs 1
Kg 12,9
mc 0,135